

WSRL-TM-31/88

AR-005-422

(2)

AD-A236 017



DTIC
ELECTED
JUN 04 1991
S C D

**OCEANOGRAPHIC DATA REPORT FOR SOUTH
WEST PACIFIC CRUISES IN THE SEAMAP SERIES.
PART 1. SUMMER SURVEY DATA 1984 TO 1987**

L.J. HAMILTON and J.A. BOYLE

MARITIME SYSTEMS DIVISION
WEAPONS SYSTEMS RESEARCH LABORATORY

Approved for Public Release

*original contains color
picture; all DTIC reproductions
will be in black and
white.

SEPTEMBER 1988



DEPARTMENT OF DEFENCE
DEFENCE SCIENCE AND TECHNOLOGY ORGANISATION

91-01070

91 6 3 079



Temperature Inversions at Intermediate Depths in the Antarctic Intermediate Waters of the South-western Pacific

L. J. Hamilton

Defence Science and Technology Organisation, Weapons Systems Research Laboratory,
Maritime Systems Division, P.O. Box 706, Darlinghurst, N.S.W. 2010, Australia.

Abstract

Deep (about 1000 m) marked temperature inversions and/or salinity reversals found in conductivity-temperature-depth profiles in the south-western Pacific for 1985 to 1987 are shown to arise from confluences of different branches of the Antarctic Intermediate Water (AAIW). Salinity reversals lead to the presence of several intermediate-depth salinity minima instead of the simple broad minimum in the vertical usually described as characterizing the presence of AAIW in this area. The anomalies are found at particular locations, often near ridges and rises. Significantly differing thermohaline properties acquired by the branches from mixing over separate travel paths apparently allows the formation of temperature inversions by isentropic penetrations. Some perturbations are dynamically caused in that at least one branch of AAIW is transported in association with strong surface currents with deep influence. Other confluences are caused by topographic control on AAIW flows moving independently of surface currents. Perturbations south of the Subtropical Convergence are related to the initial formation of the AAIW, but these are not of major interest in this analysis, being well known and simply explained. Locations of perturbations correspond in some areas to flow patterns of intermediate waters inferred by researchers using historical data, and they indicate other areas where the flow patterns need more investigation. Some comments are made on East Australian Current outflows from the Tasman and Coral Seas that have considerable influence on the flow of branches of the AAIW. Other remarks are made concerning the peculiarities of the temperature-salinity regime of the Tasman Front, which inhibits the formation of temperature inversions at depth. In general, the medium- and fine-scale structure in the central Tasman is that of the stepped type, with intrusive type in other areas.

Introduction

CTD (conductivity-temperature-depth) profiles obtained in the south-western Pacific show marked temperature inversions or salinity reversals in the depth range 700-1300 m, occurring at particular locations (Fig. 1). The perturbations occurred about the minimum in salinity associated with the Antarctic Intermediate Water (AAIW) mass. Perturbations at these depths do not seem to have been previously reported for the south-western Pacific. Reid (1973), for example, describes temperatures of the Scorpio expeditions along latitudes 28°S and 43°S as being monotonically decreasing to great depths. Continuous profiles were taken on the Scorpio expeditions by an STT (conductivity-temperature-depth) profiler (Reid 1975), although they are not included in the Scorpio data reports. Initial CTD stations occupied in the present study were sited in the central Tasman, where such perturbations apparently seldom occur, so their unexpected appearance in other areas first suggested instrumental malfunction or, for smaller perturbations, some type of instrumental structure (e.g. Pingree 1971). The perturbations are shown to be real by (1) their repeatability at or

near the same locations in different years and seasons, by (2) independent measurements made concurrently with a sound-speed sensor, and, indirectly but more importantly, by (3) relating their geographic occurrence to flow patterns and water mass movements at intermediate levels in the survey area.

Continuous STD profiles taken on various expeditions of the USNS *Eltanin* can be used in some areas to augment the data set. An examination of *Eltanin* profiles shows deep temperature and salinity perturbations in the higher latitudes of the Southern Ocean, south of the Subtropical Convergence and generally south of 50°S. These are directly related to initial surface cooling, sinking and formation of several water masses and are therefore caused by mechanisms different from those discussed in the present analysis, except for some south of the Chatham Rise. Perturbations discussed herein occur in waters that have travelled some distance from their formation area, have reached their density level, and are not actively being formed, although mixing will continue to take place along their movement path.

Salinity and associated temperature-salinity profiles for the waters about the AAIW salinity minimum in the central Tasman Sea are smooth with a broad minimum in the vertical since the AAIW has been well mixed with other waters when it reaches this area (e.g. Wyrtki 1962a). The perturbations can be conveniently described in terms of such adjacent smooth profiles, and this is the general approach used here. It is primarily the deep temperature inversions that are of most interest in this analysis, and their general origin in terms of broad flow dynamics is described, together with some general comments on flow at intermediate and upper levels. Detailed water mass analyses are not considered.

Data and Processing

From August 1985 to November 1987, CTD stations were occupied on several surveys in the southwestern Pacific (Fig. 1) from the Royal Australian Navy oceanographic research vessel HMAS *Cook*. Five cruises of a series known as Project Seemap made by the Royal Australian Navy Research Laboratory (RANRL; now part of Maritime Systems Division, Weapons Systems Research Laboratory) occupied CTD stations in the area between Australia, New Zealand, Chatham Island, Samoa and Lord Howe Island (15–47°S, 150°E–170°W). The Seemap tracks were traversed in both summer and winter, but usually not within a calendar year. Five other cruises occupied CTD stations from Australia to the Lord Howe Rise (28–37°S, 150–165°E). Cruise tracks east of 165°E lie along three radials from Sydney, so large areas are unsampled. Continuous profiles from STD profilers taken on various expeditions on the USNS *Eltanin* can be used in some areas to augment the Seemap data set. (A key to *Eltanin* STD positions is given in Jacobs *et al.* 1972.)

The CTD data were obtained with a Plessey model 9041 instrument having a sampling rate of 1.66 Hz, conductivity and temperature resolutions of 0.005 mmho cm⁻¹ (1 mho = 1 S) and 0.005°C, and a pressure resolution of 2.4 dbar (1 bar = 10⁵ Pa). Conductivity and temperature were recorded to 0.01 units, pressure to 1 decibar. Lowering rate below 300 m was 50 m min⁻¹ (equivalent to samples spaced at 0.5-m intervals). Calibrations were determined by comparison with samples taken by Niskin bottles mounted 1 m above the CTD in a rosette sampler, which was not available for all cruises. For cruises without a rosette sampler, a single Nansen bottle was triggered above the CTD. Pressure accuracy is 6 dbar, temperature accuracy is 0.015°C, and conductivity accuracy is 0.02 mmho cm⁻¹ or better at intermediate depths (Hamilton 1986). The temperature sensor is a platinum-wound resistor with highly linear output, the conductivity sensor is an inductive type, and the pressure sensor is a strain gauge. Data for downcasts were presmoothed with a two-point-centred running average, filtered to match temperature and conductivity time constants (though this had little effect on salinity calculations because of the low data rate), and then initially averaged over 2-dbar intervals for calculation of derived parameters. Only monotonically increasing pressure values were used. The averaging interval for geostrophic current calculations discussed in this analysis was increased to 10 dbar.

The calibrations for the temperature and conductivity sensors are simple linear equations, nominally with fixed slopes and constants. However, the conductivity sensor was sometimes subject to shifts in the constant of the linear calibration from one station to the next on some cruises, and on a few occasions shifts occurred during a particular station, so good absolute salinity calibrations could not always be obtained. This could have led to doubt about some conductivity (and therefore salinity)




Fig. 1. (a) Routes of CTD surveys conducted from HMAS Cook by the Maritime Systems Division, Defence Science and Technology Organisation, in the south-western Pacific Ocean from July 1985 to November 1987. Routes A-A, B-B and A-CP were traversed in both summer and winter. Bottom topography is shown for depths of 1000 m and shallower, with hatched areas indicating ridges, rises and island chains. CP, Challenger Plateau; CR, Colville Ridge; LR, Lae Ridge; NR, Norfolk Ridge; TKR, Three Kings Ridge; WNR, West Norfolk Ridge. (b) Stations along radials A-A and B-B for Seemap survey 3 (summer 1986) and Seemap survey 6 (winter 1987). Arrowheads, stations showing perturbations. Station numbering: station 35-3, for example is the 35th station in Seemap 3 survey. Only Seemap stations are numbered. (c) CTD station positions for three Seemap surveys: about Chatham Rise for Seemap survey 2 (winter 1985), Seemap survey 3 (summer 1986), and Seemap survey 6 (winter 1987). CTD sites for other surveys indicated in (a) are also shown but not identified. These other sites did not show marked temperature inversions, but bottom mixed layers and sharp bottom thermoclines were seen on Lord Howe Rise in May-June 1987 at depths of more than 1000 m. △, unperturbed stations; ●, stations showing marked temperature and salinity perturbations at intermediate depths; ○ and (), stations showing progressively smaller perturbations; ×, stations showing bottom mixed layers at intermediate depths on Lord Howe Rise.

profiles, but independent verifications were obtained from a sound-speed sensor also fitted to the CTD, from the temperature profile, and from agreement for upcasts and downcasts, both of which were logged. The sound-speed sensor was a sensitive indicator for the perturbations (Fig. 3a). Further, perturbations were found at or near the same sites sampled 18 months apart (Figs 1b and 1c). One such site (14,15-3) also showed perturbations twice on the same cruise, with a 35-h interval between casts.




Fig. 2. (a) Surface frontal and flow patterns for the times of the Seemap cruises (from XBT, Nansen, CTD, drifting-buoy and underway data and satellite products shown in Hamilton and Boyle 1989, 1990). Thick arrows, buoy tracks; thin lines and arrows, surface fronts and inferred directions of surface flow. Main features are the East Australian Current system, the Subtropical Convergence, and the eastward Tasman Sea outflow from north of New Zealand to New Caledonia. (b) Sea-surface temperature field derived from analysis of satellite infrared data by the Royal Meteorological Centre, Wellington. The Subtropical Convergence may be seen as a front about the 10°C isotherm east of New Zealand's South Island.

The CTD data were supplemented with more closely spaced expendable-bathythermograph (XBT) temperature profiles, nominally to 750 m, and a limited number of surface samples. Because the CTD salinity data were not consistent between surveys, the observed perturbations are often described herein chiefly in terms of the CTD temperature profile. The most striking manifestations of the perturbations are usually deep temperature inversions, and these unusual phenomena are adequate to describe the main effects of interest.

General surface conditions for the times of the cruises are shown in Fig. 2a as surface currents and frontal positions. Surface and intermediate current regimes are found to be related in several of the areas discussed. Fig. 2a is a composite of summer and winter data showing general trends, not detailed results of surveys. More detailed results may be found in Hamilton and Boyle (1989, 1990). An example of sea-surface temperature fields about New Zealand derived by the Royal Meteorological Centre, Wellington, for satellite infrared data is shown in Fig. 2b. These are useful in showing the Subtropical Convergence south and east of New Zealand, a front that is related to formation of the AAIW.

General Results—Intermediate-depth Perturbations

Geographical and temporal distributions (Fig. 1) clearly show that the perturbations are not uniformly found but occur at particular locations, often near ridges. It is notable that perturbations do not generally occur in the central Tasman, despite the relatively higher station density there. Temperature (and sound-speed) profiles from several cruises for 500–1500 dbar are shown in Fig. 3a to highlight the depths, vertical extents and interesting nature and magnitude of the temperature perturbations. Some occur as deviations or shifts in temperature (and salinity) with respect to surrounding profiles, without marked temperature inversions; e.g. station 23-6 shows a high shift of 0.5°C at 1180 m. Others show multiple temperature inversions; e.g. station 17-6 from 700 to 1200 m. Temperature, salinity and corresponding temperature-salinity (T-S) curves are shown in Figs 3b–3f for various areas of the south-western Pacific.


Some of the major types of effects seen are now briefly pointed out as an introduction to the analysis. North of Chatham Rise, station 1-2 (Fig. 3b) shows a pronounced intermediate salinity maximum at 1000 m, the level where the AAIW salinity minimum is expected to be found. South of Chatham Rise, station 2-2 (Fig. 3b) shows comparatively large and sharp temperature inversions of up to 0.3°C deeper than 1000 m. Station 10-3 in the Norfolk Basin (Fig. 3c) shows a cooler local salinity minimum shallower than the major minimum of the AAIW; station 12-3 shows a linear salinity profile above the salinity minimum. Station 17-6 (Fig. 3d) shows remarkable temperature inversions over a 500-m vertical interval from 700 to 1200 m.


The perturbations generally occur about the depths of the salinity minimum and density level associated with the AAIW mass (e.g. Wyrtki 1962a). AAIW forms by mixing below the surface in the Antarctic Polar Frontal Zone (e.g. Kuksa 1979), sinking between this zone and the Subtropical Convergence, then moving northward, the core being marked by a salinity minimum on the 27.1 sigma-t surface (Johnson 1973). Perturbations at some sites appear clearly in the T-S curves (Fig. 3) as intrusions or interleavings of water masses of higher or lower salinity at the level of the AAIW (see, for example Neumann and Pierson 1966 for a description of the use of T-S curves). Which of the water masses is the intruder can be found by comparison with other profiles. As a first note, it should be mentioned that AAIW is the only water mass at this density level that has been recognized in the southern Pacific away from the equator.


General Circulation of Antarctic Intermediate Waters

Since the perturbations have been identified as being principally associated with the AAIW mass, the circulation of this water is examined to see if it can explain their origin. Some specific comments on the effect of the East Australian Current on the flow of the AAIW in the Tasman Sea are made in a later section. The distribution of salinity described by various researchers at or near the core of the AAIW is shown in Figs 4a, 4b and 4c. Other such maps can be found in Rochford (1960a) and Ridgway *et al.* (1979). The latter authors also show salinity values over the Chatham Rise that are too high to be core values of the AAIW.

Reid (1973, 1986) and Johnson (1973) generally describe intermediate flow for the southern Pacific in terms of an ocean-scale anticyclonic gyre, with flow northwards west of the South American coast, westwards at equatorial latitudes, then flowing across the Pacific to return via a southward boundary current along the Australian coast, with eastwards flow across the Tasman Sea and north of New Zealand. Several closed gyres or recirculations are also present. Johnson (1973) used acceleration potentials at the density level of the AAIW, relative to 2500 m. Reid (1986) derived flow fields for various pressure levels by adjusting steric heights to take into account both baroclinic and barotropic flow in an attempt to derive absolute flow fields (Figs 4d and 4e show the south-western portion of Reid's maps). In the south of the survey area, Reid's fields for 1000 dbar are close to the










Fig. 3. Salinity, temperature and sound-speed profiles for CTD stations in the south-western Pacific, with associated temperature-salinity (T-S) curves. See Fig. 1 for station locations. In *b-f*, the temperature profiles are successively offset by 2°C, the salinity and T-S curves by 0.1 in salinity. In *a*, the offset is 0.5°C for temperature and 2.5 m s⁻¹ for sound speed. The small horizontal bars on the T-S curves mark 1000-dbar pressures. (*a*) Selected stations for 500–1500 dbar. The trace for station 19–3 is included as an example of an unperturbed profile, while the others exhibit varying degrees of temperature inversion. The sound speeds were measured by an independent sensor and are seen to show the structure of the perturbations to the same degree as the temperature sensor. Sound-speed precision is 0.05 m s⁻¹. (*b*) Stations north and south of Chatham Rise. Note the intermediate-depth salinity maximum in station 1–2 and the large deep temperature inversions in station 2–2. Stations 8–2, 7–2 and 6–2 are unperturbed. (*c*) Stations north of New Zealand. Note the sharp local salinity minimum in station 10–3 and the local intermediate salinity maximum and accompanying temperature inversion in station 11–6. Stations 19–3 and 14–6 are unperturbed. (*d*) Stations from Samoa to Fiji. Stations 17–6 and 20–3 show temperature inversions over a large vertical interval, while station 22–3 has two intermediate salinity minima. Stations 21–3, 21–6 and 18–6 are unperturbed. (*e*) Stations north-west of Norfolk Island. Stations 27–3 and 28–3 show irregularities about the intermediate salinity minimum, with station 28–6 on Lord Howe Rise having a sharp bottom thermocline. Station 27–3 shows a linear salinity profile from 700 to 1000 dbar. Station 25–3 is unperturbed. (*f*) Stations in the Tasman/Coral Seas. The salinity and T-S curves between Lord Howe Rise and Australia are smooth and unperturbed at intermediate levels.

core level of the AAIW, and in the north the 500-dbar level can be used. More than one level is considered since the AAIW rises near the equator as part of the dynamics of flow of the Pacific gyre (e.g. Johnson 1973). Use of acceleration potentials (at the density level of the AAIW) relative to a suitable reference surface removes the need to consider more than one level. However, Reid's (1986) methods appear to be more consistent than other treatments.




Fig. 4. (a and b) Salinity of the core layer of the AAIW in the south-western Pacific (a, after Wyrtki 1962a; b, after Johnson 1973). (c) Salinity on the isopycnal defined by sigma-0 of 27.28 (after Reid 1986). This isopycnal lies near 1200 m at 40°S and near 800 m near the equator. Salinity is shown as 100 (S-34). Stippled areas, salinity less than 34.40; hatched areas, salinity more than 34.40. (d) Adjusted steric height (representing absolute flow fields) of the sea surface (Reid 1986); units are 10 J kg^{-1} (or $10 \text{ m}^2 \text{ s}^{-2}$). (e) Adjusted steric height of the 1000-dbar surface (Reid 1986); units are 1000 J kg^{-1} . The core layer of AAIW is found at 1000 m, on the average, in mid-latitudes. Plots (d) and (e) can be compared to find areas of similarity for the surface and 1000-dbar flow regimes.

Wyrtki (1962a), using the method of core analysis (Fig. 4a), describes two branches of AAIW in the Tasman/Coral Seas. One branch enters between Tasmania and New Zealand from the south, having salinities below 34.40, but with salinity increasing rapidly northwards with 34.45 exceeded near 40°S. Another branch enters from a strong northward flow of AAIW around the Chatham Rise east of New Zealand, also with salinities below 34.40. This branch moves westward between New Zealand and Fiji, splitting about New Caledonia. Depth of the AAIW ranges from about 1000 m in the Tasman Sea to less than 700 m at 20°S. Wyrtki's (1962a) descriptions are based on data from widely spaced Nansen stations taken over 1959 to 1961 for summer. Wyrtki (1962b) describes AAIW inflow to the west across 180° of longitude from 10–30°S at the 700 m level, with much weaker flow at

1100 m. The later studies of geostrophic flows using all available data (Reid 1986), and of acceleration potentials at the level of the AAIW (Johnson 1973), generally support Wyrtki's (1962a, 1962b) findings, though the data distribution in many areas is often sparse so that descriptions represent broad climatological averages. Rochford (1960a, 1960b) studied intermediate waters, using oxygen and salinity-phosphate relations for data from 1928 to 1959, for sigma-*t* surfaces 26·80 and 27·20 for 10°N–55°S, 140–180°E, also for a sparse data set. Qualitatively, the patterns of Rochford (1960a, 1960b), Wyrtki (1962a, 1962b), Johnson (1973) and Reid (1986) agree, but details remain undefined. Rochford (1960a) also identified a third inflow of intermediate water entering the Coral Sea from the north-west and north of New Guinea, based on scant data. Rochford (1960a) (and perhaps Johnson 1973; Fig. 4c) shows the Pacific entry from the east to move north of New Caledonia, not to split about it, in terms of the position of the low salinity tongue arriving from the east.

Possible Formation Mechanisms for Temperature Inversions and Salinity Reversals

Topographic Interactions and Isentropic Penetration

Since many perturbations are found near ridges (Fig. 1), this suggests immediately that the perturbations could arise directly from topographic influences on the flow of the AAIW without other dynamical influences being directly involved. Tongues of different horizontal and vertical extents could occur as isolated intrusions extending through gaps in the ridges and intruding into water masses with different properties on the other side. Since the AAIW in the northern and eastern parts of the south-western Pacific generally moves to the north and west (Wyrtki 1962a; Johnson 1973; Reid 1986), such a mechanism would cause perturbations to be seen north and west of ridges and island arcs, where many do occur (Fig. 1). For example, two low-salinity intrusions of AAIW moving between ridges into a higher-salinity area would lead to the appearance of two local salinity minima, with the previous minimum then appearing as a local maximum. (A single intrusion of waters into a lower-salinity area could give the same effect. Comparisons must be made with nearby unperturbed profiles to find which case applies.) The ridges mentioned earlier have a vertical extent well above the salinity minimum of the AAIW, but they also have many gaps allowing throughflow of waters at the depths of the AAIW.

Perturbations could similarly arise because of splittings of flow of the AAIW into different paths around obstacles, each path being subject to different mixing conditions. For example, a northward movement of AAIW on the eastern side of a ridge looping back on the western side could meet recent throughflows or flows that passed south of the ridge. This mechanism potentially leads to path differences of hundreds to thousands of kilometres. If the flows experience different degrees of mixing over the paths, they could acquire significantly different properties and T-S signatures while still being found near the same density level, allowing isentropic penetrations.

It is principally intermediate-depth temperature inversions that are discussed here since they are obvious signs of water-mass interactions and since the temperature sensor was not subject to the shifts experienced by the conductivity sensor. Jarrige (1973) shows how isentropic penetration can lead to temperature inversions, and he found examples of this mechanism for equatorial waters at depths of 150–200 m. Jarrige's (1973) examples are for layers thinner than 15 m, where the temperature inversion does not exceed 1°C. A strong positive vertical salinity gradient is necessary for temperature inversions to form (depth taken positive downwards).

Advection

Jarrige (1973), using the methods of Stommel and Federov (1967), also discusses how temperature inversions can be caused by advection of thin horizontal laminae between two water masses with different salt contents. He was apparently able to verify the hypothesis of Stommel and Federov for shallow equatorial water examples. The theory applies to




Fig. 5. Salinity cross-sections about Chatham Rise: (a) cruise Seemap 1 (February 1984), Nansen data; (b) cruise Seemap 2 (24-30 August 1985), CTD data. See Fig. 1c for station locations for Seemap 2. The Seemap 1 stations lie in approximately the same positions as the Seemap 2 stations. The Subtropical Convergence is seen near station 2-1 for Seemap 1 and between stations 2-2 and 3-2 for Seemap 2. The bottom is shown stippled, with Chatham Rise being the elevated feature in the centre of the sections. High intermediate-depth salinities are seen north of Chatham Rise to the west.

dimensions of 2–20 nautical miles (4–37 km) horizontally and 2–40 m vertically. The velocities of the water masses are not discussed, but interactions of one water mass with another along fronts subject to meandering behaviour or jets might lead to enhancement of this process over that expected from more passive entries. In particular, one water mass might capture parts of another along fronts.

Other Mechanisms

Jarrige (1973) also thought that some shallow equatorial temperature inversions might be caused by convergence of waters in eastward flows, perhaps without salinity increases with depth being necessary. The potential of water masses to form temperature inversions is discussed later, using the descriptions of Federov and Belkin (1984), to explain their general absence in the central Tasman.


Detailed Results for Various Parts of the South-western Pacific

In this section, the mechanisms for the perturbations found in various areas are generally given *a priori*, and supporting evidence is then briefly discussed.

North of Chatham Rise (Fig. 3b)

Some stations north of the Chatham Rise showed perturbations for the one CTD cruise made in this area (Seamap survey 2, Fig. 1c), but others did not. In particular, station 1–2 shows a local salinity maximum at about 1000 m, whereas eight other stations north and south of the rise generally show the expected salinity minimum of the AAIW. The origin of this local maximum is not easily defined. As a first note, stations 9–2 to 1–2, which are north of the Chatham Rise, have high-salinity core AAIW values of 34·45–34·46. These high values are expected to arise from a high-salinity branch of AAIW from the Tasman Sea that flows from north of New Zealand along the east coast of North Island (East Auckland Current; e.g. Heath 1985). This interpretation is taken from Wyrtki (1962a, 1962b), Heath (1972, 1985), Johnson (1973), Kuksa (1979) and Reid (1986) (Fig. 4e herein). The high salinity values found north of Chatham Rise (Fig. 5) can only come from north and west of the Rise according to the data in these references. Moreover, salinity cross-sections (Fig. 6) show that the western branch of the AAIW north and west of Lord Howe Rise has similar or higher values than the AAIW north of Chatham Rise (over 34·45) but that the eastern branch has core salinities of 34·35–34·40, only increasing to 34·43 when the western branch is met east of Norfolk Ridge, confirming the Tasman Sea origin of the higher-salinity waters. The presence of the two local minima at station 1–2 in a section having high core values implies that the lower-salinity local minima in station 1–2 are the signatures of the stranger water masses, but this is not necessarily the case. The local salinity minimum in station 1–2 is as low as 34·422, and the local maximum is 34·463. The shape of the isohalines in Fig. 5b at about 1000 m does indicate that the lower-salinity minima are forcing the isohalines apart, which is also seen in the isotherms (not shown). However, the isohaline shape could also be construed as a low-salinity water column being intruded by higher-salinity waters.

Sea-surface temperature contours, XBT and CTD temperature and salinity sections, and geostrophic-current calculations show the higher-salinity and -temperature surface waters of station 1–2, and the deeper waters, coming from a deeply penetrating warm-water meander looping from the north between stations 7–2 and 6–2 (Figs 2a and 5b). The temperature cross-sections are shown in Hamilton and Boyle (1990). The surface geostrophic-current component relative to 2000 dbar between stations 1–2 and 6–2 is 7 cm s⁻¹, and at 1000 m is 4 cm s⁻¹, to the north, with similar values to the south between stations 1–2 and 7–2 and with current values generally monotonically decreasing to the lowest common depth for station pairs of over 2500 m. A very slight local current maximum is seen for 890–1140 m between stations 1–2 and 6–2 that coincides with the depth of the local salinity






Fig. 6 (cont'd). (e) XBT section from Sydney to 25°S, 170°E in winter 1988 (B-B). Several warm core features are seen to extend to at least 700 m. (f) Surface flow patterns for the XBT section of (e). Thick lines, drifting buoys; thin lines, surface flows inferred from the XBT section.

maximum. The source of the lower-salinity waters in station 1-2 must now be defined, and it is possible for them to come from either the north or the south. A source of low-salinity core AAIW from the north is described by Wyrtki (1962b), Ridgway (1970) and Heath (1972), and its path can be seen as a recirculation in Reid (1986) sited east of New Zealand (Fig. 4e). Johnson (1973) and Kuksa (1979) also show such a recirculation, but their flow patterns are not well defined. Johnson's (1973) meander shows clockwise circulation around Chatham Rise, which does not accord with present knowledge. A second possible source is for the lower-salinity waters to come from the south, including south of the Subtropical Convergence. The lower-salinity waters could therefore have been advected by the current meander on either its northern or its southern side. Alternatively, *the local salinity maximum could be intruding into a lower-salinity area, as suggested by the slight local current maximum, with the low-salinity waters originating from the north as a meander in the western side of the recirculation*, as suggested by the geostrophic-current directions. Without more information this situation cannot be clarified, but the second scenario seems more consistent with the data.

A third possibility is that the salinity profile is caused by low-core-salinity waters overriding waters below. The meander appears to extend considerably below the depth of the local maximum, however, as seen in Fig. 5b for example, so this possibility is not favoured.

It is interesting to note that Reid's (1986) adjusted steric-height maps (Fig. 4e) with the recirculation pattern east of New Zealand possibly explain, or are in part verified by, the pattern of the AAIW salinity minimum seen by Ridgway (1970) north-east of East Cape (37°30'S, 178°30'E) in summer 1965. The lowest-salinity AAIW waters (core value less than

34·40) are shown coming from the north across 34°S, 176°W then apparently moving to the south-west. The comparable AAIW patterns shown by Heath (1972) can be similarly explained.

Several other maxima and minima in salinity (e.g. those in station 8-2 at 500–600 m and in station 9-2 at 500–700 m) possibly indicate water masses other than the AAIW, but these are not discussed in detail here. Station 9-2 has the lowest surface salinity (34·67) for stations north of the rise (the others range from 34·96 to 35·12, while those south of the rise range from 34·48 to 34·90), indicating that it may be sited in a northward surface extension of the Subtropical Convergence running up the coast (e.g. Stanton 1973). The main surface expression of the convergence is sited south of the rise and runs parallel to it (Fig. 2), as seen in satellite data from the Royal Meteorological Centre (RMC), Wellington. The structure of the convergence at the time of the Seamount 2 cruise is discussed further in the next section for data south of the rise.

South of Chatham Rise (Fig. 3b)

Perturbations were seen in all Seamount 2 stations south of the Chatham Rise, with those in station 5-2 and especially station 2-2 showing relatively large multiple temperature inversions of approximately 0·3°C at depths of more than 1000 m. An XBT section between stations 2-2 and 4-2, and sea-surface temperature contours (Hamilton and Boyle 1990), show the Subtropical Convergence (STC) to lie between stations 2-2 and 3-2 (see Fig. 1c for locations), associated with a surface geostrophic-current component to the south of 17 cm s⁻¹ relative to 2000 dbar between stations 2-2 and 3-2, with southward flow at 1000 m of 8 cm s⁻¹. Surface current between stations 3-2 and 4-2 is much lower at 6 cm s⁻¹ to the south, and at 1000 m is about 2 cm s⁻¹ south. Satellite-derived sea-surface temperature contours from RMC Wellington for August 1985 (Fig. 2b) confirm that this is the Subtropical Convergence by the presence of a front running from south of New Zealand up the east coast of South Island (the Southland Front) and turning east south of the Chatham Rise to run parallel to the rise. Several short XBT sections (Hamilton and Boyle 1990) confirm the subsurface expression of the surface front. A weaker front lies north of the rise, and another (possibly the East Cape Current; e.g. Stanton 1973) runs from 40°S, 177°E to 43°S, 179°E where all three fronts converge and continue east. This interesting surface pattern suggests that the STC has a double structure, with one front south of the rise and a slightly weaker frontal set north of the rise. Stanton (1973) shows the STC over the rise as a broad mixing zone. From a study of historical data, Jeffrey (1986) interprets the STC as being associated with two weak surface salinity fronts with values of about 34·7 and 35·1 north and south of the rise respectively, but he did not examine temperatures since he thought they could not be used to show the position of the STC. According to Jeffrey (1986), this double structure is also seen in the Tasman Sea, except near Tasmania where the fronts merge and are relatively fixed in position. Stanton and Ridgway (1988) found two frontal zones in the Tasman Sea for October/November 1977 but noted that the northern front was not part of the STC if the front is defined as a water-mass boundary. Wyrtki (1960) surmised that the position of the STC would not be stationary but would fluctuate in response to general weather conditions. The convergence could be formed by several strips in which convergent movements take place rather than occurring as a continuous frontal feature.

The perturbations in stations 2-2 and 3-2 are apparently caused by relatively higher-salinity AAIW from north of the convergence meeting along the subsurface expression of the Subtropical Convergence with more recently formed AAIW from the south. The current speeds suggest entrainment or advection as the actual mechanism. We thus again have the situation of recognizable components of the same water mass interacting after one or more of the branches has been diluted by other waters. Overplots of T-S curves (not shown)

place the T-S curve of station 2-2 midway between a grouping of stations 3-2, 4-2 and 5-2 and another group of stations 6-2, 7-2 and 8-2 having higher temperature and salinity. The salinity excursions in station 2-2 at temperature inversions range between these two groups, as expected. Salinity profiles show that the salinity minimum of station 2-2 (in the absence of the high-salinity excursions) is 300–400 m deeper than for stations of the southern grouping; i.e. the salinity minimum deepens from south to north across the convergence, as seen in salinity cross-sections (Fig. 5), as the AAIW sinks to its density level.

However, some of the perturbations south of the Chatham Rise, particularly those south of the Subtropical Convergence, are not expected to arise solely from such current interactions. The perturbations here are also likely to be related to the mode of formation of the AAIW itself, with waters forming and sinking at different areas and times in the Antarctic Polar Frontal Zone. This simply means that the AAIW in this area is not yet a fully developed water mass with well defined properties acquired by mixing after leaving the formation area. The Subtropical Convergence, associated with the northward extent of the formation zone of the AAIW, undergoes north-south movement in this area during the year, indicating a changing environment in the formation area (e.g. Wyrtki 1962a and sea-surface temperature contours derived by RMC Wellington). The perturbations at station 5-2 may be caused in such a manner since calculated current components of southward flow relative to 2000 dbar between stations 5-2 and 4-2 are low, being less than 2 cm s^{-1} at the surface and 1000 m, and since subsurface fronts are not present in the XBT section. Deeper perturbations from 900 to 1350 m in station 3-2 lie below the salinity minimum and reflect mixing with the water mass below. The *Eltanin* continuous STD profiles show similar effects at intermediate and other depths south of the STC and in higher latitudes where water masses are known to form, as seen in meridional sections of various researchers such as Wyrtki (1962a).

North of New Zealand (Fig. 3c)

Perturbations are seen in stations north of New Zealand from east of Lord Howe Rise (165°E) to $177^{\circ}30'\text{W}$ (east of Kermadec Ridge) but not farther west along the Seemap tracks (Fig. 1). The Kermadec ridge system leads to the perturbations at stations 10-2 (profile not shown) and 17-3 by causing deflection of westward AAIW flow to the south to meet eastward throughflow at this level from the Tasman Sea associated with the East Australian Current. This interpretation is taken from the adjusted steric-height maps (Fig. 4e) of Reid (1986). Note that in the southern hemisphere, in order to conserve vorticity, a reduction in ocean depth deflects westward flows to the south, while an increase in depth produces a consequent northward deflection.

The Tasman Sea outflow is expected to be responsible for some of the other salinity reversals north of New Zealand in a similar manner; i.e. *the perturbations could arise from dynamically forced confluences of different branches of the AAIW.* Evidence for such a mechanism is seen from temperature and salinity sections and geostrophic-current calculations for Seemap cruise 3. For example, the cause of the perturbations at station 10-3 (Fig. 3c) is the meeting of higher-salinity AAIW waters, transported to the east from the Tasman/Coral Seas by the East Australian Current (EAC), with lower-salinity waters of AAIW arriving from the east. Station 9-3 also shows some small effects but does not reach 1000 m. Stations 9-3 and 10-3 lie on the eastern side of a warm core feature seen in XBT and CTD temperature cross-sections to extend to at least 800 m (Fig. 6a). The warm core feature appears as a meander in the Tasman Front. A salinity cross-section (Fig. 6b) shows that the western extent of the branch of AAIW from the east on the section is terminated between stations 9-3 and 10-3, where the 34.45 and 34.50 contours become closed. Salinity contours follow the trend of temperature contours in the warm core feature at these depths, with highest salinities at the depth of the AAIW seen at adjacent stations

7-3 and 9-3. The eastern AAIW branch is apparently prevented from travelling farther west here by the combined effects of the West Norfolk Ridge and the warm core feature, which acts as a dynamic boundary, at least on the upper part of the AAIW. The eastern extent of the deeper flow of the higher-salinity western branch is obstructed below 900 m by the Lord Howe Rise, with the EAC then looping north over the rise. The effect of the meeting of the eastern and western waters can also be seen in the steepening of both salinity and temperature contours below 700 m on the eastern side of the warm core feature. This could promote advection of the eastern AAIW branch northwards by the warm core feature. Reid (1986) shows a westward flow in this area at latitude 28°S and an eastward flow at latitude 32°S, which are close in terms of his data spacing (Fig. 4e). Meandering of these flows, or crossflow from the south, could lead to interactions. Johnson (1973) shows westward flow north of 30°S, but flow north of New Zealand is undefined, while a speculative cyclonic gyre in the central Tasman seems to need revision.

Perturbations in stations 11-3/10-6 (same site for summer and winter) east of Three Kings Ridge can be similarly explained by current interactions. An XBT section for a summer 1986 survey (Seamap cruise 3, Fig. 6a) shows a warm core feature on the eastern side of Three Kings Ridge extending to the XBT limit of 750 m. An XBT section for a winter 1987 survey (Seamap 6) (see Hamilton and Boyle 1990) shows a warm core feature to at least 750 m on the western side of the ridge. Neither section is complete enough to show if the warm waters seen on both sides of the ridge are connected by a front looping north over the ridge, but this is expected from the dynamics involved through which eastward-moving waters in the southern hemisphere are constrained by Coriolis effects and shallowing bottom depth to loop north over ridges and then back south. The depth of the salinity minimum is 950 m for Seamap 3 and 1000–1150 m for Seamap 6. Station spacing is too large to adequately resolve by geostrophic calculations the current structure shown in the XBT section, but the perturbations are again favoured to be caused by forced confluences of high-salinity water transported from the Tasman Basin with lower-salinity water from the east. The northern parts of a loop over the ridge could interact with the westward flow of the AAIW shown at these latitudes by Reid (1986). The depth of the salinity minimum in Fig. 6b in the east of the section shows vertical displacements, indicating different arrivals or dynamic influences, and the displacements show good correlation with ridge positions. These vertical displacements are accompanied by depressions in isotherms, showing the influence of the warm core features at depth in the east of the section also (Figs 6a and 6b).

As a passing note, the cooler lower-salinity eastern branch of the AAIW can often be picked up quickly by plotting the depth of the salinity minimum on temperature cross-sections, without calibrated salinity values being necessary. For the Seamap 3 and Seamap 6 tracks north of New Zealand the western minimum usually occurs between 5 and 7.5°C (only 2.5°C contours have been used) but drops below the level of the 5°C contour when the cooler eastern branch is encountered. As mentioned earlier, the salinity profile sometimes becomes linear above the minimum, compared with the smooth rounded profile in warmer waters, when frontal areas are crossed (e.g. station 12-3, Fig. 3c). The linear part of the profile indicates mixing between two water masses, the cores of which lie at different depths (vertical mixing). For station 12-3, the mixing is between the warmer, more saline western branch of the AAIW with the cooler eastern branch. For the linear section to lie above the lower salinity minimum, the warmer core lies above the cooler core, either because the warmer waters do not attain the depths of the cooler core, or because the front slopes in the vertical plane, with warmer water overriding cooler, denser water.

South-west of Samoa and South-east of Fiji (Fig. 3d)

Perturbations were seen southward of Samoa (stations 20-3/17-6) and south-east of Fiji (stations 22-3/16-6) in both summer and winter but not at two sites in between

(stations 21-3 and 18-6). Station 18-6 does show a shift to higher temperatures between 450 and 600 m. The multiple temperature inversions in stations 20-3/17-6 indicate much mixing, but the cause can not be definitely established as the salinity profiles shown are uncalibrated and the historical data is sparse. Some useful observations can still be made, however.

Station 17-5 is much colder than 16-6, and 20-3 is much colder than 22-3, showing the first-named stations to be relatively farther north on the boundary of the southern Pacific anticyclonic gyre. The AAIW rises near the equator as part of the dynamics of flow of the gyre (e.g. Johnson 1973), making it necessary to consider upper levels as well as the flow patterns on the 1000-dbar level considered for mid-latitudes.

Reid's (1986) patterns for 500 and 1000 dbar would suggest arrivals in the north at these latitudes of AAIW and SubAntarctic Water from the west with a long travel path, and also of AAIW more directly from the south from flows with shorter travel paths, so that the two flows could have acquired significantly different properties. Similar patterns can be inferred from Johnson (1973) and Rotschi (1973). The shift to higher temperatures mentioned earlier for station 18-6 does suggest the presence of another intermediate water mass. *Meeting and vertical mixing of these flows seems a likely cause for the perturbations in association with dynamic uplift in the north of the southern Pacific gyre.*

However, both Johnson (1973) and Reid (1986) had trouble contouring flow patterns between 15°S and the equator because of the weak baroclinic field and sparse data, so flow directions at intermediate levels are uncertain in this region. However, it should be mentioned that, unlike the situation in the southern areas, surface currents are not expected to directly influence flow at the AAIW depth in tropical regions, where surface flows have limited penetration. Zhao (1983) found that the intermediate flow at 4°N to 10°S, 170°E was not affected by surface conditions, based on water-mass analysis for two seasons. Wyrtki (1962b, fig. 7) found eastward flow south of Fiji to 100 m from 18-21°S, based on wide station spacing, with westward flow between 100 and 400 m, weakening to 700 m. Dynamic topography below 700 m was flat. XBT sections to 700 m for the Seemap summer and winter surveys show similar results.

North-west of Norfolk Island (Fig. 3e)

Stations 27-3/25-6 and 28-3/26-6 show perturbations from 700-1100 m and are situated west of the Norfolk Ridge in an area where Wyrtki (1962a) shows a tongue of the AAIW north of the highest part of the ridge. Johnson (1973) shows similar results, and the AAIW tongue can be traced from much farther east (Fig. 4b). The perturbations are smaller than those so far described, as can be seen in Fig. 3a for station 28-3. Rochford (1960a) shows AAIW to head north around eastern New Caledonia, not south of it, although some patterns for different intermediate waters are contradictory, due in part to the non-synoptic nature of his data.

A salinity section for summer survey Seemap 3 (Fig. 6d) shows the westward extent of the AAIW from the east to be halted between stations 27-3 and 28-3, where the 34.45-34.50 contours become closed on the west (although salinity is not well calibrated); i.e. salinity rises rapidly at 1000 m between stations 27-3 and 28-3, indicating a change in the salinity regime. Wyrtki (1962a) shows similar results for the area (Fig. 4a). For Seemap 3, a northward-moving current on the western side of the Norfolk Ridge, suggested in CTD isotherms from 700 to 1100 m, appears to act as the limiting influence to eastward AAIW movement, so the interaction of this current and the AAIW is likely to cause the perturbations. Contours from more closely spaced XBT drops (Fig. 6c) also suggest a northward current component below 600 m west of station 27-3 to the limits of the traces at 800 m, with isotherms continuing to plunge below this level. The dip between 700 and 800 m and deeper is pronounced, but it does not occur above 600 m with much intensity, a phenomenon also reflected in the more widely spaced CTD stations. There is insufficient

data to fully investigate this point, but this subsurface dip in the isotherms occurs east of the Lord Howe Rise and parallel with a channel of 1500–2000 m depth through the rise, the channel sloping from north-west to south-east. The feature could be interpreted as the effects of the channelling of a deep flow from the west through the passage in the rise that then loops south along the rise and is skewed in the vertical from north to south. The salinity section, however, indicates that some of the steepness of the dip on the eastern side may be directly caused by the meeting of the branch of the cooler AAIW from the east with warmer western waters, forcing depression of the eastern AAIW.

For Seemap 6, sea-surface temperature contours and an XBT section to 800 m (Figs 6e and 6f) show a broad, warm meander from 159 to 163°E, a warm meander about 60 nm wide west of station 26-6, and another warm meander between stations 26-6 and 25-6 (also shown generally in Fig. 2a). The frontal activity along the Seemap 6 track follows the 20°C surface isotherm and runs north-east from 30°S, 160°E to 26°S, 170°E then turns to the south-west. Drifting-buoy tracks for the period confirm that the surface isotherms show the surface flow directions very well (Fig. 6f). The XBT section (Fig. 6e) confirms the deep subsurface expression of the surface frontal patterns. The broad meander represents a warm feature on the eastern side of a northward extension of the Lord Howe Rise. The south-west to north-east trend in the surface pattern corresponds quite well with the adjusted steric height of the sea surface shown by Reid (1986), but he shows westward flow at the 1000-dbar level at the stations, which corresponds to flow directions of the AAIW that might be inferred from tongues of the AAIW shown by Wyrtki (1962a) (Figs 4d and 4e). Johnson (1973) shows a closed gyre in the Tasman that would generate eastward flow, or even north-eastward flow at the level of the AAIW from out of the Tasman here. Reid (1986) shows eastward flow farther south (south of 30°S) at the 1000-dbar level. This represents Tasman Sea outflow north of New Zealand and agrees with known flow patterns and those discussed in this analysis.

It appears that the perturbations north-west of Norfolk Island are caused by the lower levels of influence of an outflow to the north-east from the Tasman/Coral Seas meeting AAIW that is attempting to move to the west. This observation is further confirmed by the unexpected appearance of a sharp bottom thermocline in winter station 28-6 (made to within a few metres of the bottom) at 1300 m (Fig. 3e) that indicates strong current activity at this depth, assuming it is not formed by other causes. Wyrtki (1962b) does not show such an outflow for data for January–April (summer). Reid's (1986) surface patterns correspond to such outflow and, for 1000 m, show inflow along 30°S. The pattern of flow inferred in the present analysis is an AAIW inflow across 170°E north of about 28°S that may then be forced to the north by the dynamical boundary of the Tasman/Coral Sea north-eastern outflow. The flows inferred for AAIW by Rochford (1960a, fig. 3) generally show such a pattern, based on scant data, but do not agree with the present analysis in other areas. The surface outflow is shown by drifting-buoy data to be very broad, occurring at least between 25 and 30°S for 165–180°E. For times not coinciding with the present surveys, some buoys west of 160°E moved westwards at these latitudes, so flow patterns may be variable.

Western Tasman Sea—Temperature-Salinity Regime of the Tasman Front

The central Tasman forms a different case from other areas of the Seemap routes because perturbations were not generally found west of Lord Howe Rise despite the higher station density (Fig. 3f). Perturbations caused by the presence of Bass Strait waters down to about 600 m (Boland 1971) are excluded, not being related to the discussion that follows. Given the strong frontal areas in the Tasman and the fact that potential northern, eastern and southern sources of AAIW would be expected to have very different properties, the absence of perturbations at the level of the AAIW becomes as much a problem as their

presence initially was in other areas. Since perturbations were found in intermediate-depth frontal areas north of New Zealand, they might also be expected to be seen across the stronger Tasman Front and its eddies, where warm northern Coral Sea waters are traditionally shown meeting cooler Tasman Sea waters. Warmer waters on the high dynamic side of the front come from circulation of at least part of a Pacific Basin anticyclonic gyre and would be expected to have experienced very different mixing over the journey than over the much shorter path of the southern waters expected to come from between Tasmania and New Zealand.

The lack of temperature inversions has been noted by others (Hamon 1970; Federov and Belkin 1984). Federov and Belkin (1984) explained the general absence of perturbations in upper waters in the central Tasman, especially those involving temperature inversions, in terms of the peculiar thermohaline nature of the Tasman Sea frontal area. They attribute the paucity of temperature inversions in the East Australian Current/Tasman Sea fronts and eddies to the front being purely 'barocline': 'Isopycnal motions cannot create intrusions with temperature inversions ... since isopycnals, isotherms, and isohalines are parallel in all cross-sections, and cross only isobars, with no temperature and salinity gradients in such fronts at sloping isopycnal surfaces'. Their comments apply largely to data for the upper hundreds of metres in the west of the Tasman Sea ($30\text{--}35^{\circ}\text{S}$, $150\text{--}157^{\circ}\text{E}$). In the terminology of Federov and Belkin (1984), the opposite case is 'thermoclinic', in which horizontal density gradients are zero because of the mutually compensating gradients of temperature and salinity at horizontal isopycnal surfaces. (This corresponds to the case of water masses of different thermohaline properties meeting on the same density level.) Federov and Belkin (1984) describe the majority of ocean fronts as occupying an intermediate position between these two extreme cases. According to them, the presence of thermoclinic structure in other fronts allows intensive fine-scale structure and temperature inversions, whereas the fine structure of the central Tasman is that of the stepped type. Their observations are confirmed and extended to deeper levels by the continuous CTD profiles discussed here.

The above situation arises because the thermohaline structure is practically identical on both sides of the Tasman frontal area, differing only in depth (Hamon 1961, 1970; Federov and Belkin 1984). This is not the case in other major oceanic fronts such as the Gulf Stream and Kuroshio. A closed eddy or ring spawned on the Gulf Stream front can be regarded as a 'stranger' water mass since it has very different T-S properties from the water around it (e.g. fig. 3 in Federov and Belkin 1984). The cause of the most unusual Tasman situation has attracted little comment in descriptions of the Tasman Front.

Much of the reason for the similar thermohaline regime can be attributed to the fact that, in one sense, the central to intermediate waters about the front do have a similar origin—the region of the Subtropical Convergence (e.g. Sverdrup *et al.* 1946). However, it appears that this can not constitute a full explanation in terms of the absence of temperature inversions and perturbations because such phenomena do occur elsewhere for waters with demonstrably this 'same' origin. The only remarks on the subject for the EAC area come from Hamon (1961), who comments that the uniformity of temperature-salinity curves for stations in a particular area is well known and is taken as evidence of mixing along surfaces of constant potential density. Such a method in this case requires large frontal crossflow in the presence of large shear and can not be favoured. It is more applicable to separate T-S regimes on either side of fronts. The East Australian Current does not originate in the Tasman Sea under wind or other influences, which would have provided a simple explanation, nor is it the passage of a wave, as for ripples on a pond (which is a good analogy in some respects to the frontal structure described), but the passage of a water body from the north.

It seems to this author that the causes of the particular thermohaline structure of the Tasman Front merit a good deal more investigation. Another, perhaps more dominant, cause other than waters originating about the STC may be the presence of waters on the low dynamic side of the front that actually come from the high dynamic side of the front.

This structure is shown in Fig. 7. Returns to the north-east from the southern branch along the coast lead to the northern waters south of the Tasman Front acting as a buffer between the warm northern waters of the main front and cooler southern waters. This broad interpretation, if correct, explains the observed thermohaline structure about the Tasman Front in terms of the Tasman Front as a zonal current embedded in weaker flow. There is a deal of evidence from ship, satellite and buoy data to support the surface structure in Fig. 7, but descriptions are left for other analyses since that is moving beyond the scope of the present investigations. In the context of the present analysis, Fig. 7 can be regarded as a partly speculative model that could explain some of the observed thermohaline structure associated with the main Tasman Front.




Fig. 7. Proposed model of the Tasman Front in the western Tasman to partly explain the similarity in temperature-salinity regimes north and south of the main Tasman Front (derived from various sources). The climatological patterns of Reid (1986) are similar, as are the patterns of Wyrtki (1960, 1962b). 1, Main meridional East Australian Current flow along the Australian coast; 2, EAC continuation to south of Tasmania; 3, EAC branch (Tasman Front) weakening across the Tasman; 4, weaker return flows from south of the main front, fed from the coastal continuation and the southern extension of the first meander and by mesoscale eddies spawned south of the Tasman Front; 5, the Subtropical Convergence.

Central Tasman—Flow of Antarctic Intermediate Water

Wyrtki (1962a) found that the entry of the AAIW from the south into the Tasman Sea was poorly developed and thought that this might be related to the southward flow of the East Australian Current. By comparison, the AAIW east of New Zealand moves to 25°S or farther north, then moves westwards into the Tasman Sea. In the southern Tasman, it does not get much past 40°S. This requires the EAC to have significant influence to at least near the depth of the AAIW minimum of 1000 m in the southern Tasman Sea (discussed by Wyrtki 1962a). The depth of influence of the EAC between Australia and the Lord Howe Rise is being studied by Dr Mulhearn of the Maritime Systems Division (Sydney), Defence Science and Technology Organisation, using Seemap and other data. Initial observations (Mulhearn *et al.* 1989) are that the depth of influence of the EAC varies between 2000 m (as for Boland and Hamon 1970) and the bottom (well over 4000 m). Mulhearn *et al.* (1986) measured deep flows on the Tasman Abyssal Plain near Australia near 36°S, 151–152°E at a depth of 4750 m that were well correlated to the surface flow of an eddy spawned by the EAC. Further, the geostrophic-current profiles formed between CTD station pairs across fronts associated with the East Australian Current are often monotonically decreasing from the surface to the bottom (deeper than 4500 m) or have no apparent level of no motion above 4000 m (Mulhearn *et al.* 1989), also indicating that the influence of the EAC in the western Tasman Sea extends deeper than the level of the AAIW.

The EAC meanders from the Sydney area to north of New Zealand, possibly interacting with the Lord Howe Rise and Norfolk Ridge (e.g. Stanton 1981). *Tangible evidence of EAC interactions with the bottom may be seen in the form of bottom mixed layers and bottom thermoclines in several CTD profiles on the Lord Howe Rise (Fig. 1) at depths hundreds of metres greater than the core of the AAIW at these locations.* Indications are that the influence of the EAC does extend to the depth of the AAIW, at least in areas west of and over the Lord Howe Rise and near the Australian coast. Recent data therefore do support Wyrtki's (1962a) hypothesis of entry from the south being lessened by activity of the EAC, at least in the western Tasman.

For data from only two stations – one near Tasmania and one near New Zealand – Wyrtki (1962b) postulates almost uniform and very weak outflow to the south between Tasmania and New Zealand, reaching to 1200 m and preventing the northward penetration of AAIW. Seamount Nansen data for a 1985 winter cruise from Sydney to south of New Zealand show that surface geostrophic currents away from and south-east of the EAC are about one-twentieth of EAC strength (Hamilton and Boyle 1990) relative to 600 m, implying that if AAIW is to penetrate the Tasman Sea the penetration should occur to the east, away from EAC influence. In the east, however, it is probable that both the shallow topography of the Challenger Plateau (Fig. 1) and the outflow associated with the STC along the western New Zealand coastline (Southland Current; e.g. Heath 1985; see Fig. 2 herein) hinder northward penetration of AAIW. Bottom mixed layers and thermoclines were found on the Challenger Plateau in February 1987 at bottom depths of 530–585 m and in August 1986 at a bottom depth of 850 m, and the depth of the AAIW salinity minimum west of the plateau is 900–1000 m. In crossing the Tasman Front from warm to cooler waters on the line from Sydney to Cape Farewell on the north-west of South Island, New Zealand, the AAIW salinity minimum in the Seamount data becomes colder, deeper and less saline south of 36°S and east of 160°E for 1986 winter CTD data and for Nansen survey TC1 of December 1983 (AAIW salinity of 34.40 against 34.45), which does show northward penetration of AAIW in the east on some occasions. Salinity contours for the core of the AAIW (Heath 1972) show an indication of northward penetration west of and along 160°E to about 43°S, with salinity less than 34.40 (see also Fig. 4c).

Although it does not seem to have been stated explicitly in previous work, the explanation for the location of the entry points of the eastern branch of the AAIW into the Tasman Sea being sited north of 30°S (e.g. Wyrtki 1962a; Johnson 1973) rather than farther south, nearer to New Zealand, is the eastward movement of part of the return flow of the East Australian Current, or, more correctly, of the outflow from the northern Tasman at all levels north of New Zealand. This movement hinders westward penetration of the AAIW from north of New Zealand to north of Norfolk Island and perhaps prevents it completely at these latitudes, at least on some occasions. This assertion is supported by the present analysis and by the surface and subsurface flow patterns of Wyrtki (1962b) and Reid (1986). It is the winter Seamount northern XBT section of Fig. 6e (along B-B, Fig. 1) that shows the strongest evidence of this outflow at depth in terms of subsurface frontal activity at the station sites. The flow of the AAIW inferred by Rochford (1960a) from sparse historical data south of New Caledonia is shown as northwards, which is the flow pattern inferred in the present analysis.

Discussion

Perturbations in temperature and salinity have been identified in the south-western Pacific Ocean at the level of the Antarctic Intermediate Water mass. Traverses of the same cruise track in different years and seasons confirm preferred areas of occurrence for the perturbations, generally in association with topographic relief, and the meeting of currents about these boundaries. Areas of perturbations can be expected to be associated with increased mixing of the AAIW with warmer subtropical water from the north and with other branches

of the AAIW. This is seen by the closure of salinity contours in some perturbation areas (i.e. in areas where salinity rises rapidly). The salinity of the AAIW east of 165°E does not rise gradually from south to north as usually described (e.g. Pickard and Emery 1982), at least not in some areas of the south-western Pacific, but is subject to stronger mixing at different areas of its path than in others.

The location of some of these mixing areas (e.g. those west of Norfolk Ridge, Fig. 1c), coupled with the scant dynamic topography measurements available, indicates two possibilities: (1) that some of the AAIW from the Tasman Basin may be recycled back to the Tasman Sea after it meets more newly formed waters from the east, and/or (2) that some of the AAIW from the east is forced north by outflows from the Coral/Tasman Seas and does not penetrate appreciably into the Tasman/Coral Seas at the approach latitude. Recirculation would prevent a complete renewal of the AAIW in the Tasman/Coral Seas. Reid's (1986) adjusted steric-height map for 1000 dbar (partly shown in Fig. 4e) shows a system of three anticyclonic gyres in the south-western Pacific, including a localized anticyclonic gyre in the Tasman/Coral Sea, all of which could lead to recycling of some of the AAIW. Johnson (1973) shows a cyclonic gyre for the 27·10 sigma-t surface in the central Tasman, but he was unsure of the feature and present evidence indicates that the contours do need revision here.

Recirculation is possibly the reason for the irregular oxygen content and low oxygen values noted by Wyrtki (1962a) in the central Tasman for 30–40°S, from which he concluded that no clearly developed circulation exists in the central Tasman at the depth of the salinity minimum. Station data gathered since then indicate this is not so in the western Tasman, as discussed earlier. Little evidence is available in the eastern Tasman. Wyrtki (1962b) later discusses the absence of distinctive circulation of AAIW north of 25°S in the Tasman, based on geopotential topography rather than the central Tasman, and this agrees with Reid's (1986) maps. Wyrtki (1962a) thought that the bulk of the AAIW from the east left north of Australia, with only a small part mixing into the Tasman Sea, which can fit either interpretation (1) or interpretation (2) above. The Tasman Sea winter outflow to the north-east described herein would prevent the entry of at least the upper levels of AAIW from the east into the Coral Sea and would force it north. The low oxygen values found by Wyrtki (1962a) are then more likely to be due in part to a recirculation or outflows preventing the area from receiving the full oxygen content of fresh AAIW waters than to lack of distinctive circulation. A review of AAIW circulation in the western Coral Sea is given by Pickard *et al.* (1977), who concluded that AAIW might enter the area 10–30°S, 145–160°E from the south-east and the north-east, passing south of the Solomon Islands after making a wide circuit through the equatorial regions. Evidence for the south-east entry does not appear to be conclusive.

The deep temperature inversions described herein are important not only as interesting natural phenomena but also as pointers to flow paths and mixing areas for AAIW in the south-western Pacific Ocean. By inference, the observations described here coincide well with several circulation features described by Rochford (1960a), Wyrtki (1962a), Johnson (1973) and particularly Reid (1986) at the level of the AAIW, which is a step towards confirming some of their models of flow. Wyrtki's (1962a) broad patterns for core analysis in the Tasman Sea are not altered, can be given more detail, and can be better explained in some areas in terms of the dynamics of flows at intermediate levels. Johnson's (1973) broad flow patterns apparently need enhancement in the Tasman and immediately west and north-west of New Zealand, while those of Reid (1986) generally show very good agreement with the data used in this analysis, except for inflow at 1000 m into the Tasman Sea along 30°S, where Seamount data indicate that outflow seems to occur. Seasonal effects could cause changes not represented in the climatological patterns of Johnson (1973) and Reid (1986).

Summary

- (1) New features (intermediate-depth medium-scale thermohaline structure) of the Antarctic Intermediate Water and its flow patterns in the south-western Pacific have been positively identified and mechanisms found for their occurrence in some areas.
- (2) The patterns of several different models of circulation at the level of the AAIW have been indirectly verified for some areas, with other areas needing revision or further study.
- (3) The East Australian Current system and its outflows appear to have a considerable influence on the flow of the AAIW in the Tasman Sea area, and continuations east and south-east of New Zealand also have a marked effect.
- (4) The peculiarities of the temperature-salinity regime of the Tasman Front apparently explain the lack of temperature inversions and perturbations there, but the origin of the thermohaline structure itself needs to be investigated further.

Acknowledgments

The bulk of the CTD processing programmes were written by Dr Neil White of the CSIRO Marine Laboratories, Hobart. Thanks are due to CSIRO for making the programmes available. The CTD data were principally obtained by the author, Mr John Boyle, and Mr Barry Scott, all of the Maritime Systems Division, DSTO. Mr Martin Zile of the Hydrographic Office North Sydney and Dr Mark Irving of the Maritime Systems Division provided useful advice on reading and decoding the CTD magnetic data tapes. Station-keeping and winch operations were controlled by HMAS *Cook* naval staff. The ready assistance of the HMAS *Cook* data-centre watchkeepers during CTD operations is much appreciated.

References


- Boland, F. M. (1971). Temperature-salinity anomalies at depths between 200 and 800 m in the Tasman Sea. *Australian Journal of Marine and Freshwater Research* 22, 55-62.
- Boland, F. M., and Hamon, B. V. (1970). The East Australian Current, 1965-1968. *Deep-Sea Research* 17, 777-94.
- Fedorov, K. N., and Belkin, I. M. (1984). Some features of frontal eddies of the East Australian Current. *Oceanology* 24, 158-64. [English edition.]
- Hamilton, L. J. (1986). H.M.A.S. *Cook*'s VCTOD—static calibration and performance (August to December 1985). Royal Australian Navy Research Laboratory Technical Memorandum No. 8/86.
- Hamilton, L. J., and Boyle, J. A. (1989). Oceanographic data for southwest Pacific cruises in the Seamount series. Part 1: Summer survey data. Weapons Systems Research Laboratory Technical Memorandum No. 31/88 (in press).
- Hamilton, L. J., and Boyle, J. A. (1990). Oceanographic data for southwest Pacific cruises in the Seamount series. Part 2: Winter survey data. Weapons Systems Research Laboratory Technical Memorandum No. 15/89 (in press).
- Hamon, B. V. (1961). Structure of the East Australian Current. CSIRO Division of Fisheries and Oceanography Technical Paper No. 11.
- Hamon, B. V. (1970). Western boundary currents in the south Pacific. In 'Scientific Exploration of the South Pacific'. Symposium held during the 9th General Meeting of the Scientific Committee on Oceanic Research, 18-20 June 1968, La Jolla, California. (Ed. W. S. Wooster.) pp. 50-9. (National Academy of Sciences: Washington, D.C.)
- Heath, R. A. (1972). Choice of reference surface for geostrophic currents around New Zealand. *New Zealand Journal of Marine and Freshwater Research* 6, 148-77.
- Heath, R. A. (1985). A review of the physical oceanography of the seas around New Zealand—1982. *New Zealand Journal of Marine and Freshwater Research* 19, 79-124.
- Jacobs, S. S., Bauer, E. B., Bruchhausen, P. M., Gordon, A. L., Root, R. F., and Rosselot, F. L. (1972). *Eltanin* reports, cruises 47-50, 1971, and 52-55, 1972: hydrographic stations, bottom photographs, current measurements, nephelometer profiles. Lamont-Doherty Geological Observatory Technical Report No. CU-2-74. (This report lists station positions for all *Eltanin* cruises.)

- Jarige, F. (1973). Temperature inversions in the equatorial Pacific. In 'Oceanography of the South Pacific 1972'. Papers presented at the International Symposium on the Oceanography of the South Pacific, 9-15 February 1972, Wellington, New Zealand. (Comp. R. Fraser.) pp. 47-53. (New Zealand National Commission for UNESCO: Wellington.)
- Jeffrey, M. Z. (1986). Climatological features of the Subtropical Convergence in Australian and New Zealand waters. University of Sydney Ocean Sciences Institute Report No. 17.
- Johnson, R. E. (1973). Antarctic Intermediate Water in the south Pacific Ocean. In 'Oceanography of the South Pacific 1972'. Papers presented at the International Symposium on the Oceanography of the South Pacific, 9-15 February 1972, Wellington, New Zealand. (Comp. R. Fraser.) pp. 55-69. (New Zealand National Commission for UNESCO: Wellington.)
- Kuksa, V. I. (1979). Formation of Antarctic Intermediate Water in the world ocean. *Oceanology* 19, 16-20. [English edition.]
- Mulhern, P. J., Filloux, J. H., Lilley, F. E. M., Bindoff, N. L., and Ferguson, I. J. (1986). Abyssal currents during the formation and passage of a warm-core ring in the East Australian Current. *Deep-Sea Research* 33, 1563-76.
- Mulhern, P. J., Hamilton, L. J., and Scott, B. D. (1989). Deep structure of the East Australian Current and Tasman Front. Weapons Systems Research Laboratory Technical Memorandum No. 7/89.
- Neumann, G., and Pierson, W. J. (1966). 'Principles of Physical Oceanography.' (Prentice-Hall: Eaglewood Cliffs, NJ.)
- Pickard, G. L., and Emery, W. J. (1982). 'Descriptive Physical Oceanography.' 4th edn. (Pergamon: Oxford.)
- Pickard, G. L., Donguy, J. R., Henin, C., and Rougerie, F. (1977). A review of the physical oceanography of the Great Barrier Reef and western Coral Sea. Australian Institute of Marine Science Monograph Series, vol. 2.
- Pingree, R. D. (1971). Regularly spaced instrumental temperature and salinity structure. *Deep-Sea Research* 18, 841-4.
- Reid, J. L. (1973). Transpacific hydrographic sections at lats 43°S and 28°S: the *Scorpio* Expedition. III. Upper water and a note on southward flow at mid-depth. *Deep-Sea Research* 20, 39-49.
- Reid, J. L. (1986). On the total geostrophic circulation of the south Pacific Ocean: flow patterns, tracers, and transport. *Progress in Oceanography* 16, 1-61.
- Ridgway, N. M. (1970). Hydrology of the southern Kermadec Trench region. New Zealand Department of Scientific and Industrial Research Bulletin No. 205. (New Zealand Oceanographic Institute Memoirs No. 56.)
- Ridgway, N. M., Heath, R. A., and Marott, C. (1979). Southwest Pacific Ocean: salinity at the core of Antarctic Intermediate Water. New Zealand Oceanographic Institute Chart, Miscellaneous Series No. 29.
- Rochford, D. J. (1960a). The intermediate depth waters of the Tasman and Coral Seas. I. The 27-20 sigma-t surface. *Australian Journal of Marine and Freshwater Research* 11, 127-47.
- Rochford, D. J. (1960b). The intermediate depth waters of the Tasman and Coral Seas. II. The 26-20 sigma-t surface. *Australian Journal of Marine and Freshwater Research* 11, 148-65.
- Rotschi, H. (1973). Hydrology at 170°E in the south Pacific. In 'Oceanography of the South Pacific 1972'. Papers presented at the International Symposium on the Oceanography of the South Pacific, 9-15 February 1972, Wellington, New Zealand. (Comp. R. Fraser.) pp. 113-28. (New Zealand National Commission for UNESCO: Wellington.)
- Stanton, B. R. (1973). Circulation along the eastern boundary of the Tasman Sea. In 'Oceanography of the South Pacific 1972'. Papers presented at the International Symposium on the Oceanography of the South Pacific, 9-15 February 1972, Wellington, New Zealand. (Comp. R. Fraser.) pp. 141-4. (New Zealand National Commission for UNESCO: Wellington.)
- Stanton, B. R. (1981). An oceanographic survey of the Tasman Front. *New Zealand Journal of Marine and Freshwater Research* 15, 289-97.
- Stanton, B. R., and Ridgway, N. M. (1988). An oceanographic survey of the Subtropical Convergence zone in the Tasman Sea. *New Zealand Journal of Marine and Freshwater Research* 22, 583-93.
- Stommel, H., and Federov, K. (1967). Small scale structure in temperature and salinity near Timor and Mindanao. *Tellus* 19, 306-25.
- Sverdrup, H. V., Johnson, M. W., and Fleming, R. H. (1946). 'The Oceans—Their Physics, Chemistry and General Biology.' (Prentice-Hall: New York.)

- Wyrtki, K. (1960). The surface circulation in the Coral and Tasman Seas. CSIRO Division of Fisheries and Oceanography Technical Paper No. 8.
- Wyrtki, K. (1962a). The subsurface water masses in the western south Pacific Ocean. *Australian Journal of Marine and Freshwater Research* 13, 18-47.
- Wyrtki, K. (1962b). Geopotential topographies and associated circulation in the western south Pacific Ocean. *Australian Journal of Marine and Freshwater Research* 13, 89-105.
- Zhao, J. (1983). Equatorial water masses near 170°E. University of Washington Tropical Ocean-Atmosphere Newsletter No. 20.

Manuscript received 22 May 1989, revised and accepted 21 September 1989

UNCLASSIFIED



TECHNICAL MEMORANDUM
WSRL-TM-31/88

Selection For		
SAC	<input checked="" type="checkbox"/>	
DTIG TAB	<input type="checkbox"/>	
Unclassified	<input type="checkbox"/>	
Justification		
By		
Distribution/		
Availability Codes		
Avail and/or		
Dist	Special	
A-1		

OCEANOGRAPHIC DATA REPORT FOR SOUTH WEST
PACIFIC CRUISES IN THE SEAMAP SERIES.
PART 1. SUMMER SURVEY DATA 1984 TO 1987

L.J. Hamilton and J.A. Boyle

S U M M A R Y (U)

Six oceanographic surveys have been made in the south west Pacific Ocean on HMAS Cook from January 1984 to September 1987 as part of an investigation of physical and acoustical oceanographic parameters known as project SEAMAP. This report presents summer survey data for bathymetry, sea surface temperature, wind speed, sea state and swell, and from expendable bathy-thermograph (XBT) drops, and CTD and Nansen stations. Underway data are mostly presented as four-hourly discrete values on maps of ship track, forming a representative data set rather than a detailed analysis. (The summer survey tracks were also traversed in oceanographic winter; the winter data are presented in a separate report.)

© Commonwealth of Australia

Author's address:

Maritime Systems Division
Weapons Systems Research Laboratory
PO Box 706
Darlinghurst, 2010
New South Wales

Requests to:

Chief, Maritime Systems Division
Weapons Systems Research Laboratory
PO Box 1700
Salisbury, 5108
South Australia

UNCLASSIFIED

TABLE OF CONTENTS

	Page
INTRODUCTION	1
SEAMAP DATA TYPES AND DATA FORMAT	4
BRIEF INTRODUCTION TO OCEANOGRAPHY OF THE SOUTH-WEST PACIFIC	6
DATA PROCESSING FOR NANSEN AND CTD DATA	9
Nansen station data and processing	9
VCTOD calibration	9
VCTOD data processing methods	11
VCTOD data format	12
PART A - SUMMER SURVEY FOR SEAMAP SOUTH PACIFIC ROUTE A	14
Data for SEAMAP survey three (RANRL 1/86) - route A - summer	14
Surface parameters	14
Sea state, swell height, and wind vectors	14
Surface temperature and salinity	14
Bathymetry (figures 14, 23) (Also see figures 17, 26)	27
Temperature and salinity cross sections	27
VCTOD temperature and salinity sections	30
Nansen station data listings and profiles	45
VCTOD station data listings and profiles	45
Currents	46
Additional data	47
PART B - SUMMER SURVEYS FOR SEAMAP SOUTH PACIFIC ROUTE B	81
Data for SEAMAP survey one (RANRL 1/84) - route B - Summer	81
Surface parameters	81
Sea state, swell height, and wind vectors	81
Surface temperature and salinity	81
Bathymetry (figures 39, 41, 44, 46)	82
Temperature and salinity cross sections	82
NANSEN station data and listings	100
VCTOD station data and listings	100
Currents	100
Additional data	100

Data for SEAMAP survey five (RANRL 18/87) - route B - summer	111
Surface parameters	111
Sea state, swell height, and wind vectors	111
Sea surface temperature and salinity	111
Bathymetry	122
Temperature and salinity cross sections	122
NANSEN station data listings and profiles	123
VCTOD station data listings and profiles	123
Currents	123
Additional data	123
DISCUSSION	140
ACKNOWLEDGEMENTS	140
REFERENCES	141

LIST OF TABLES

1. BEAUFORT SCALE WITH CORRESPONDING SEA STATE CODES	5
2. REFERENCES TO ALGORITHMS USED TO PROCESS NANSEN STATION DATA	9
3. VCTOD SENSOR CHARACTERISTICS	10

LIST OF APPENDICES

APPENDIX I PARAMETERS CONTINUOUSLY RECORDED ON THE HMAS COOK HEWLETT PACKARD HP1000 DATA LOGGER	145
APPENDIX II LIST OF PUBLICATIONS FOR SEAMAP DATA TYPES NOT COVERED BY THIS REPORT	147

LIST OF FIGURES

1. Planned survey routes for Project SEAMAP. Each route to be traversed in both summer and winter. Only the Pacific Ocean surveys have been conducted to date	2
2. Actual summer routes for Project SEAMAP in the south west Pacific Ocean for 1984 to 1987	2

3.	Actual winter routes for Project SEAMAP in the south west Pacific Ocean for 1985 to 1987	3
4.	Oceanographic station positions for Project SEAMAP summer and winter surveys in the south west Pacific Ocean for 1984 to 1987. The 1000 m depth contour is also shown. (+ are Nansen stations, . are CTD stations; thick dashed lines are ridges and rises)	3
5(a).	General circulation and position of fronts in the south-west Pacific Ocean for summer. (After several sources, especially Heath, 1985 and Wyrtki, 1960). (DC = D'Urville Current, WC = Westland Current). The depth contour shown is for 1000 fathoms	7
5(b).	Coastal current patterns derived from drift card tracks around New Zealand (Brodie, 1960)	8
6.	Track plot and oceanographic station positions for SEAMAP 3 (RANRL 1/86) summer survey on route A in the south west Pacific Ocean, 27 January 1986 to 25 March 1986	15
7.	Sea state and swell height for SEAMAP route A in summer 1986 on survey SEAMAP 3 (RANRL 1/86)	16
8.	Wind vectors for SEAMAP route A in summer 1986 on survey SEAMAP 3 (RANRL 1/86)	17
9.	Sea surface temperature values for SEAMAP route A in summer 1986 on survey SEAMAP 3 (RANRL 1/86)	18
10.	Sea surface temperature contours for SEAMAP route A in summer 1986 on survey SEAMAP 3 (RANRL 1/86)	19
11.	Sea surface temperature contours derived by Royal Meteorological Centre Wellington, New Zealand from satellite data for 10, 17, 24th February 1986 coinciding with sections of SEAMAP 3 summer survey (RANRL 1/86) route A	20
12(a).	Sea surface temperature false colour satellite imagery from CSIRO Division of Atmospheric Research, Aspendale Victoria for 29 January, 1986 coinciding with sections of SEAMAP 3 summer survey (RANRL 1/86) route A	21
12(b).	Sea surface temperature false colour satellite imagery from CSIRO Division of Atmospheric Research, Aspendale Victoria for 18 March, 1986 coinciding with sections of SEAMAP 3 summer survey (RANRL 1/86) route A	23
12(c).	Sea surface temperature false colour satellite imagery from CSIRO Division of Atmospheric Research, Aspendale Victoria for 25 March 1986 coinciding with sections of SEAMAP 3 summer survey (RANRL 1/86) route A	25

13. XBT temperature section from Sydney to station 19 ($30^{\circ}30'S$, $175^{\circ}W$) for 28 January to 22 February 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A. (See figure 19 for a continuation of this section to station 18) 28
14. Bathymetry from Sydney to station 18. Summer survey SEAMAP 3 (RANRL 1/86) route A 29
15. VCTOD temperature section to 2000 m from Sydney to station 18 ($30^{\circ}15'S$, $172^{\circ}30'W$) for 28 January to 23 February 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A 32
16. VCTOD salinity section to 2000 m from Sydney to station 18 ($30^{\circ}15'S$, $172^{\circ}30'W$) for 28 January to 23 February 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A. (The points . 34.55 are Niskin bottle rosette mounted samples. Salinity calibration is not very good in terms of modern instrumentation. Contours are for downcast values. The Niskin sample values shown are for upcasts). [] show the AAIW salinity minimum values 33
17. Deep VCTOD temperature and salinity sections from Sydney to east of Lord Howe Rise for 28 January to 4 February 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A. (See figure 26 for the inbound leg) 34
18. XBT temperature sections from Auckland to the SEAMAP route A for summer survey SEAMAP 3 (RANRL 1/86). From 13 to 22 February 1986 35
19. XBT temperature section from station 19 ($30^{\circ}30'S$, $175^{\circ}W$) to Samoa for summer survey SEAMAP 3 (RANRL 1/86) route A. From 23 to 27 February 1986. (This completes a section from north-east of Auckland to Samoa started in figure 18) 36
20. XBT temperature section from Samoa to station 28 along SEAMAP route A for summer survey SEAMAP 3 (RANRL 1/86). From 3 to 15 March 1986. (See figure 23 for bathymetry section) 38
21. XBT temperature section from station 26 to Sydney along SEAMAP route A for summer survey SEAMAP 3 (RANRL 1/86). From 15 to 25 March 1986. (See figure 23 for bathymetry section) 39
22. XBT temperature section from SEAMAP route A to Fiji ($20^{\circ}20'S$, $179^{\circ}50'E$) on 10 March 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A 40
23. Bathymetry from Samoa to Sydney. Summer survey SEAMAP 3 (RANRL 1/86) route A 41
24. VCTOD temperature section to 2000 m from Samoa to Sydney for 3 to 25 March 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A 42

25.	VCTOD salinity section to 2000 m from Samoa to Sydney for 3 to 25 March 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A. The points .34.57 are Niskin bottle rosette mounted samples. Salinity calibration is not very good in terms of modern instrumentation. Contours are for downcast values. The Niskin samples shown are for upcasts). [] show AAIW minimum salinity values	43
26.	Deep VCTOD temperature and salinity sections from Lord Howe Rise (20°20'S, 161°15' E) to Sydney for 18 to 25 March 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A. (See figure 17 for the outward leg)	44
27.	Geostrophic current profiles between selected station pairs for SEAMAP 3 (RANRL 1/86) route A summer. Subject to error because of a poor salinity calibration	48
28.	Surface current directions inferred from VCTOD, XBT, and sea surface temperature data. Summer survey SEAMAP 3 (RANRL 1/86) route A	49
29(a).	Tracks of vessels in the CSIRO merchant ship XBT programme in the south west Pacific Ocean for January to March 1986. Coinciding with the period of summer survey SEAMAP 3 (RANRL 1/86) route A	50
29(b).	Tracks of vessels in the CSIRO merchant ship XBT programme in the south west Pacific Ocean for January to March 1986. Coinciding with the period of summer survey SEAMAP 3 (RANRL 1/86) route A	51
29(c).	Tracks of vessels in the CSIRO merchant ship XBT programme in the south west Pacific Ocean for January to March 1986. Coinciding with the period of summer survey SEAMAP 3 (RANRL 1/86) route A	52
30.	Track plot and oceanographic station positions for SEAMAP 1 (RANRL 1/84) summer survey on route B in the South Pacific Ocean, 24 January 1984 to 22 February 1984	80
31.	Sea state and swell height for SEAMAP route B in summer 1984 on survey SEAMAP 1 (RANRL 1/84)	84
32.	Wind vectors for SEAMAP route B in summer 1984 on survey SEAMAP 1 (RANRL 1/84)	85
33.	Sea surface temperature values for SEAMAP route B in summer 1984 on survey SEAMAP 1 (RANRL 1/84)	86
34.	Sea surface temperature contours for SEAMAP route B in summer 1984 on survey SEAMAP 1 (RANRL 1/84)	86

35.	Sea surface salinity values for SEAMAP route B in summer 1984 on survey SEAMAP 1 (RANRL 1/84)	87
36.	Surface temperature and salinity versus cumulative distance travelled for SEAMAP route B in summer 1984 on survey SEAMAP 1 (RANRL 1/84)	88
37.	Sea surface temperature contours derived by Royal Meteorological Centre Wellington, New Zealand from satellite data for 30 January and 6, 13, 20 February 1984 coinciding with sections of SEAMAP 1 summer survey (RANRL 1/84) route B	89
38.	XBT temperature section from Sydney to waypoint C ($47^{\circ}49'S$, $170^{\circ}E$) for 24 to 29 January 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B. Parallel vertical lines show isothermal waters	90
39.	Bathymetry from Sydney to waypoint A ($48^{\circ}S$, $165^{\circ}E$). Summer survey SEAMAP 1 (RANRL 1/84) route B. (See figure 41 for bathymetry from waypoint A to waypoint C)	91
40.	XBT temperature section from waypoint C ($47^{\circ}49'S$, $170^{\circ}E$) to way- point D ($44^{\circ}45'S$, $175^{\circ}W$) for 29 January to 4 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B. Parallel vertical lines show isothermal waters	92
41.	Bathymetry from waypoint A ($48^{\circ}S$, $165^{\circ}E$) to waypoint D ($44^{\circ}45'S$, $175^{\circ}W$) via waypoint C ($47^{\circ}49'S$, $170^{\circ}E$). Summer survey SEAMAP 1 (RANRL 1/84) route B	93
42.	XBT temperature section from waypoint D ($44^{\circ}45'S$, $175^{\circ}W$) to way- point E ($42^{\circ}S$, $175^{\circ}W$) for 4, 5 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B. (See figure 44 for Bathymetry)	93
43.	XBT temperature section from waypoint E ($42^{\circ}S$, $175^{\circ}W$) to eastern Cook Strait ($41^{\circ}37'S$, $174^{\circ}51'E$) for 6 to 8 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B	94
44.	Bathymetry from waypoint D ($44^{\circ}45'S$, $175^{\circ}W$) to Waypoint F (via waypoint E). Summer survey SEAMAP 1 (RANRL 1/84) route B	95
45(a).	XBT temperature section from west of Cook Strait to Bass Strait for 14, 18 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B to 800 m	97
45(b).	XBT temperature section from west of Cook Strait to Bass Strait for 14, 18 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B to 2000 m	98
46.	Bathymetry from Cook Strait to Bass Strait. Summer survey SEAMAP 1 (RANRL 1/84) route B	99

47. NANSEN temperature section from station 1 to station 6 for 31 January to 8 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B. (See figure 44 for more detailed bathymetry from station 3 to station 6) 102
48. NANSEN salinity section from station 1 to station 6 for 31 January to 8 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B. (See figure 44 for more detailed bathymetry from station 3 to station 6) 103
49. Track plot and oceanographic station positions for SEAMAP 5 (RANRL 18/87) summer survey on route B in the south west Pacific Ocean, 9 to 19 February 1987 110
50. Sea state and swell height for SEAMAP route B in summer 1987 on survey SEAMAP 5 (RANRL 18/87) 112
51. Wind vectors for SEAMAP route B in summer 1987 on survey SEAMAP 5 (RANRL 18/87) 113
52. Sea surface temperature values for SEAMAP route B in summer 1987 on survey SEAMAP 5 (RANRL 18/87) 114
53. Sea surface temperature contours for SEAMAP route B in summer 1987 on survey SEAMAP 5 (RANRL 18/87) 115
54. Sea surface temperature contours derived by CSIRO Division of Atmospheric Research, Aspendale Victoria from satellite data for 7 February 1987. Coinciding with sections of SEAMAP 5 summer survey (RANRL 18/87) route A 116
55. Sea surface temperature contours derived by Royal Meteorological Centre Wellington, New Zealand from satellite data for 16, 23 February 1987. Coinciding with SEAMAP 5 summer survey (RANRL 18/87) route A 117
56. Sea surface salinity values for SEAMAP route B in summer 1987 on survey SEAMAP 5 (RANRL 18/87) 118
57. Temperature-salinity scatter diagram for surface samples for SEAMAP route B in summer 1987 on survey SEAMAP 5 (RANRL 18/87) 119
58. XBT temperature section from Sydney to waypoint I ($38^{\circ}20'S$, $166^{\circ}15'E$) for 9 to 16 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B. (+ show depth of surface mixed layer) 120
59. Bathymetry from Sydney to waypoint I ($38^{\circ}20'S$, $166^{\circ}15'E$) for 9 to 16 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B 121

60. XBT temperature section from waypoint I ($38^{\circ}20'S$, $166^{\circ}15'E$) to waypoint M ($40^{\circ}52'S$, $172^{\circ}02'E$) south of Cape Farewell, New Zealand. For 16 to 19 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B. (+ show depth of surface mixed layer) 124
61. Bathymetry from waypoint I to waypoint M. For 16 to 19 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B 125
62. VCTOD temperature section from Sydney to south of Cape Farewell, New Zealand for 9 to 19 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B 126
63. VCTOD salinity section from Sydney to south of Cape Farewell, New Zealand for 9 to 19 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B. Subject to error because of a poor salinity calibration 127
64. Surface current directions inferred from VCTOD, XBT and sea surface temperature data, 9 to 19 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B. Geostrophic current values are subject to error because of a poor salinity calibration 128
- 65(a). Tracks of vessels in the CSIRO merchant ship XBT programme in the south west Pacific Ocean for late January and February 1987. Coinciding with the period of summer survey SEAMAP 5 (RANRL 18/87) route B 129
- 65(b). Tracks of vessels in the CSIRO merchant ship XBT programme in the south west Pacific Ocean for late January and February 1987. Coinciding with the period of summer survey SEAMAP 5 (RANRL 18/87) route B 130

INTRODUCTION

This report presents oceanographic data for the south Pacific Ocean collected during a series of three summer surveys on HMAS Cook by the then Royal Australian Navy Research Laboratory (RANRL), as part of an investigation known as Project SEAMAP. This organisation became part of Maritime Systems Division in 1987. Data collected during the corresponding winter surveys are reported in a separate publication (Hamilton and Boyle, 1989). Project SEAMAP surveys are made along major shipping routes, and are planned to encompass the seas about Australia (figure 1). The principal aim of SEAMAP is to investigate geophysical and oceanographic factors influencing sonar performance. Acoustic properties of the water column are measured along the same track in both winter and summer to obtain the seasonal extremes.

The South Pacific surveys were conducted along two major routes, designated A and B (figure 1). These routes were covered on several cruises, with route B summer being SEAMAP 1 and 5, and route A summer being SEAMAP 3. (Route A winter was covered in one cruise, SEAMAP 6, and route B winter covered in two cruises, SEAMAP 2 and SEAMAP 4). The actual summer and winter cruise tracks followed are shown in figures 2 and 3 with the identifying cruise name and cruise number (eg SEAMAP 1 and RANRL 1/84). Oceanographic station positions, occupied in both summer and winter, are shown in figure 4. Only the Pacific Ocean surveys in figure 1 have been undertaken to date.

Detailed analyses are not made in this memorandum, but pointers are given to some of the main features of interest in the data. In addition, major ocean current features are identified when appropriate. Data for the three surveys given in this report (SEAMAP 1, SEAMAP 3, and SEAMAP 5) are discussed in separate sections, each independent of the other sections. These three sections are preceded by general sections on the data types described, and CTD (Conductivity-Temperature-Depth profiler) data processing.

The CTD salinity data for surveys SEAMAP 3 and SEAMAP 5 are not well calibrated, and should be used for profile shapes, rather than for absolute salinity values. For the surveys the CTD was used principally as a velocimeter, with sound-speed obtained from an independent sensor also attached to the CTD.




Figure 1. Planned survey routes for Project SEAMAP. Each route to be traversed in both summer and winter. Only the Pacific Ocean surveys have been conducted to date




Figure 2. Actual summer routes for Project SEAMAP in the south west Pacific Ocean for 1984 to 1987





Figure 3. Actual winter routes for Project SEAMAP in the south west Pacific Ocean for 1985 to 1987



LHR = Lord Howe Rise NC = New Caledonia
 NR = Norfolk Ridge WNR = West Norfolk Ridge

Figure 4. Oceanographic station positions for Project SEAMAP summer and winter surveys in the south west Pacific Ocean for 1984 to 1987. The 1000 m depth contour is also shown. (+ are Nansen stations, . are CTD stations; thick dashed lines are ridges and rises)

SEAMAP DATA TYPES AND DATA FORMAT

The types of oceanographic data presented in this report, and brief reasons for measuring them are as follows:

- (a) Sea state, swell height, and wind vectors are plotted along ship track from four-hourly observations. [These are indicative of surface roughness and acoustic reflection losses at the air-sea interface.] Table 1 (on page 5) shows the sea conditions associated with the sea state values. The sea state and swell observations were made visually by HMAS Cook's bridge watchkeepers.
- (b) Surface Temperature and Salinity. Sea surface temperature (SST) values are plotted along ship track from four-hourly observations taken from a hull mounted sensor. Surface salinity samples are also shown. [Surface measurements can show the positions of surface fronts.]
- (c) Bathymetry. Cross-sections along ship track are constructed from hourly observations [Topography affects bottom bounce acoustic propagation and paths of currents.]
- (d) Subsurface parameters. Cross-sections are constructed from expendable bathy-thermograph (XBT), Nansen station and Conductivity-Temperature-Depth (CTD) profiler data. [Related to surface duct sound speed profiles and propagation.]
- (e) Nansen station temperature, salinity and depth data are given as listings (and plots) at measured and interpolated depths. [Gives sound-speed profiles and components of geostrophic current.]
- (f) VCTOD (Velocity of sound, Conductivity, Temperature, Oxygen, Depth) profiler values are given as listings and plots. [Provides continuous sound-speed profiles.]

The discrete values given herein represent a subset of the available data. Continuous observations were also made of some of these and a range of variables which were automatically recorded by HMAS COOK's Hewlett Packard HP1000 data logger. The parameters logged, with sensor type, resolution, and data rate, are given in Appendix I (page 145). Any requests for copies of the logged data should be sent to the Australian Oceanographic Data Centre, C/- Hydrographic Office, 161 Walker Street, North Sydney, NSW 2060, Australia.

Acoustic bottom bounce propagation experiments, sea noise and volume reverberation measurements, bottom coring, and seismic profiling were also undertaken during the surveys. These will be reported separately by other authors. Appendix II (page 17) lists reports in these categories available as of May 1989.

TABLE 1. BEAUFORT SCALE WITH CORRESPONDING SEA STATE CODES

Sea State	Beaufort number	Wind speed		Seaman's term	U.S. Weather Bureau term	Effects observed at sea		Estimating wind speed	WMO Code
		knots	mph			meters per second	km per hour		
0	0	under 1	0.0-0.2	Calm	Under 1	Calm	0-0.2	Calm; anchor rises vertically.	0
1	1	1-3	0.3-1.3	Light air	Light air	1-3	0-3	Smoke drift indicates wind direction; vane do not move.	0
2	2	4-6	1.6-3.3	Light breeze	Light breeze	4-6	1.6-3.3	Wind felt on face; leaves rustle; vanes begin to move.	1
3	3	7-10	3.4-5.4	Gentle breeze	Gentle breeze	7-10	3.4-5.4	Leaves, small twigs, in constant motion; light flags extended.	2
4	4	11-18	5.5-7.9	Moderate breeze	Moderate breeze	11-18	5.5-7.9	Dust, leaves, and loose paper raised; small branches move.	3
5	5	17-21	8.0-10.7	Fresh breeze	Fresh breeze	17-21	8.0-10.7	Small trees in leaf begin to sway.	4
6	6	22-27	10.8-13.8	Rising gale	Rising gale	22-27	10.8-13.8	Larger branches of trees in motion; whistling heard in wires.	5
7	7	28-33	13.9-17.7	Moderate gale	Moderate gale	28-33	13.9-17.7	Whole tree in motion; resistance felt in walking against wind.	6
8	8	34-40	17.2-20.7	Strong gale	Strong gale	34-40	17.2-20.7	In waves and small branches broken off trees, progress generally impeded.	7
9	9	41-47	20.8-24.4	Gale	Gale	41-47	20.8-24.4	Very rough, 13-20.	8
10	10	48-55	24.5-28.4	Strong gale	Strong gale	48-55	24.5-28.4	Gale experienced on land; trees broken or uprooted; considerable structural damage occurs.	9
11	11	56-63	28.5-32.6	Whole gale	Whole gale	56-63	28.5-32.6	High, 20-30.	10
12	12	64-71	32.7-36.9	Hurricane	Hurricane	64-71	32.7-36.9	Very high waves with overhanging crests; sea takes white appearance as foam is blown in very dense streaks; rolling is heavy and visibility reduced.	11
13	13	72-80	37.0-41.4	Hurricane	Hurricane	72-80	37.0-41.4	Extremely high waves; sea covered with white foam patches; visibility still more reduced.	12
14	14	81-89	41.5-46.1	Hurricane	Hurricane	81-89	41.5-46.1	Very rarely experienced on land; usually accompanied by widespread damage.	13
15	15	89-99	46.2-50.9	Hurricane	Hurricane	89-99	46.2-50.9	Air filled with foam; sea completely white with driving spray; visibility greatly reduced.	14
16	16	100-108	51.0-56.0	Hurricane	Hurricane	100-108	51.0-56.0	Phenomenal, over 15.	15
17	17	108-115	56.1-61.2	Hurricane	Hurricane	108-115	56.1-61.2	Over 15.	16

Note: Since January 1, 1956, weather map symbols have been based upon wind speed in knots, at 60-knot intervals, rather than upon Beaufort number.

V 6/8 completely overcast
0/8 no clouds

• = celestial

r = radar

s = satnav

dr = dead reckoning

BRIEF INTRODUCTION TO OCEANOGRAPHY OF THE SOUTH-WEST PACIFIC

In general it is the conditions in the upper hundreds of metres which are of most importance to the SEAMAP project, since this is where parameters vary most rapidly. The oceanography of seas to the east of New Zealand is not well known, and much of Tasman Sea behaviour has yet to be clarified. For example, it is generally believed that the East Australian Current flows in a general west to east direction (after leaving the Australian coastline) as the Tasman Front, but only a handful of surveys have attempted to follow this front. The interaction of the front with the Lord Howe Rise has only recently been investigated in any detail. Seasonal behaviour of currents and convergences are virtually unknown in many areas of the South Pacific Ocean.

The general positions of currents and convergences are shown diagrammatically in figure 5(a) on page 7, and figure 5(b) on page 8. Convergences are regions where two currents meet (or converge), the two currents flowing in directions that cause surface waters to pile up and sink between them. Divergences are regions where waters from two currents move away from each other, with water upwelling between them to preserve continuity of volume. (Both convergences and divergences can occur for currents flowing in the same direction, or opposite directions, depending on orientation in the hemisphere. For example, see Pickard and Emery, 1982.)

The following descriptions of currents shown in figure 5 are constructed from various sources, including Heath (1985) (New Zealand waters), Wyrtki (1960) (general), Henin and others (1984) (New Caledonia), Nilsson and Cresswell (1981). Although some currents are described as well known permanent features of the circulation eg those east and north of New Zealand, not enough surveys have been made to define more than broad tendencies of flows in most parts of the Pacific.

The East Australian Current (EAC) originates in the northern and western Coral Sea where waters piled up by the South-east Trade Winds are constrained to flow southward by the land barriers of New Guinea and Australia. The broad and diffuse Trade Drift sets through Fiji and Vanuatu into the Coral Sea. From April to December the drift splits to flow west-north-west of the Solomons, and into the Coral Sea. From January to March the monsoon allows equatorial water masses to enter from north and north-east between the Solomons and Vanuatu. The Trade Drift is displaced to the south, then being mainly south of the Fiji Islands. The southern boundary of the Trade Drift is subject to considerable fluctuation, and normally corresponds to the position of the Tropical Convergence. From June the current shifts northwards, reaching its most northern position in September, with flow south of Fiji small and weak, and a possible flow reversal south of New Caledonia.

The East Australian Current generally heads seawards near 33 to 34 S to form the meandering Tasman Front. Mesoscale warm core eddies may be spawned south of the front by these meanders, with lives of 6 to 12 months. A component of the current sometimes flows along the east coast of Tasmania, flooding eastern Bass Strait in the process. Waters generally move west to east through Bass Strait into the Tasman Sea under the influence of the prevailing wind systems. The high salinity waters originating in Bass Strait may be found as salinity and temperature inversions throughout the Tasman Sea, and are often transported east by eddies (eg Scott 1981), and on the Tasman Front, as well as northwards along the Australian continental slope, at depths up to 600 m.




Figure 5(a). General circulation and position of fronts in the south-west Pacific Ocean for summer. (After several sources, especially Heath, 1985 and Wyrtki, 1960). (DC = D'Urville Current, WC = Westland Current). The depth contour shown is for 1000 fathoms

The eastward flow of the EAC is influenced by the shallower topography of the Lord Howe Rise, often looping north along the rise, and Norfolk Ridge. The Tasman Front can be traced to at least 160°E but its path then is not well defined. Warren (1970) postulates it as a zonal jet needed to connect the western boundary current off the eastern coast of Australia to the flow east of New Zealand.

South of Australia and New Zealand the broad, deep eastward flowing West Wind Drift (or Antarctic Circumpolar Current) forms the only current running completely round the globe. The northern boundary of eastward flow marks the Subtropical Convergence at about 43°S. The Antarctic Polar Frontal Zone occurs at about 50°S. Waters south of this zone cool and sink to as far north as the Subtropical Convergence, forming several water masses, including Antarctic Intermediate Water. The Subtropical Convergence is at its most northerly from April to October (winter). East of South Island New Zealand the convergence is situated along the coastline, passing through the Snares Depression, along the continental shelf of eastern South Island, and through the Mernoo Saddle. Along the coast it is also known as the Southland Front (and Southland Current). East of the Chatham Rise the convergence generally projects southwards. Much of the flow east of New Zealand is constrained by the shallow topography of the Chatham Rise.

Flow out of the Tasman Sea north of New Zealand gives rise to the East Auckland Current (figure 5(b)) flowing south along the eastern coast of the north island. The current branches near East Cape, returning north, and also contributes to the East Cape Current, a warm saline flow. Water passes eastwards through Foveaux Strait (south of South Island) from along the southern flank of the Challenger Plateau. Flow occurs to the south along the continental slope of the south-west coast of the south island (the Southland Current). The Southland current appears related to the Subtropical Convergence. Waters of the D'Urville, Westland, and East Cape Currents mix in Cook Strait, exiting eastwards around Cape Palliser.




Figure 5(b). Coastal current patterns derived from drift card tracks around New Zealand (Brodie, 1960)

Henin, Guillerm, and Chabert (1984) describe flow around New Caledonia in terms of two wind regimes. During the trade winds (nearly all year round) flow is to the north west, with a south-east component along the northern end of the southern part of New Caledonia. For periods about July-August a westwind regime may cause flow to the south-east on both sides of the southern regions of New Caledonia, with variable flow.

Throughout the eastern part of the south-west Pacific the circulation patterns are little known. Reid (1986) derived general circulation patterns for the South Pacific using an extremely sparse station network, which east of New Zealand very generally show west to east flow, with an unclosed meander centred at 42°S , 165°W . Surface flow to the east of New Zealand in the area east of Chatham Rise is generally to the south-east. Eastward flow at these latitudes constitutes the southern part of an ocean basin scale gyre which flows anti-clockwise around the Pacific. The East Australian Current, described earlier, forms the western boundary current of this circulation. A useful bibliography of the physical oceanography of the Tasman and Coral Seas is given by Stanton (1975).

DATA PROCESSING FOR NANSEN AND CTD DATA

Nansen station data and processing

Nansen station data were taken using the standard procedures outlined in Publication 607 (US Naval Oceanographic Office, 1970). The bow thruster and active rudder on HMAS Cook were used to keep the wire on the hydrology winch near vertical. Oxygen samples were analysed using the Winkler method (Major and others, 1972). Salinity samples were analysed for conductivity ratio using an Autolab Inductive Salinometer Mk III model.

Derived quantities such as salinity and sound-speed were calculated using the algorithms shown in Table 2. Reversing thermometer temperatures were calibrated and pressure corrected using desktop computer programs (Hamilton, 1982) which are corrected versions of May (1969). Dynamic heights and geostrophic currents were calculated using computer programs in Hamilton (1982), which are also corrected and updated versions of May (1969).

TABLE 2. REFERENCES TO ALGORITHMS USED TO PROCESS NANSEN STATION DATA

(DSRT = Deep Sea Reversing Thermometer)

CALCULATION	REFERENCE
DSRT Temperature Correction DSRT Reversal Depth	SVERDRUP (1947) WUST (1933)
Conductivity to Salinity	LEWIS (1980)
Depth to pressure	SAUNDERS (1981)
Density - One Atmosphere	MILLERO and POISSON (1981)
- High Pressure	MILLERO, CHEN, BRADSHAW and SCHLEICHER (1980)
Potential Temperature	BRYDEN (1973)
Sound Speed	WILSON (1960)

VCTOD calibration

The VCTOD [(Velocity of sound, Conductivity, Temperature, Oxygen, Depth (actually pressure)] profiler is a Plessey model 9041. Sensor precisions and resolutions are given in Table 3. Oxygen was not measured with the VCTOD.

TABLE 3. VCTOD SENSOR CHARACTERISTICS

Sensor	Range	Time Constant (s)	Resolution	Precision	Logged Precision	Manuf. Calibs (Info only)
Conductivity [C]	10 to 60 mmho/cm	0.015	0.01	0.005	0.01	0.03
Temperature [T]	-2 to 35 deg.C	0.312	0.01	0.005	0.01	0.02
Depth [D]	0 to 6000 m	0.02	0.1% FS (= 6 m)	0.04% FS (= 2.4 m)	1 m	0.1% FS
Sound Speed [V]	1400 to 1600 m/s	0.0001	Unknown	0.05	0.05	0.15

(The data rate is 1.66 Hz) (FS = Full Scale)

Absolute accuracy of the calibrated quantities, quoted as one standard error about the estimate, is as follows:

Pressure	6.3 dbar
Temperature	0.015°C (to 0.01°C for pressures over 4000 dbar)
Conductivity	0.04 mmho/cm (in upper waters) To 0.01 at depth (subject to shift)
Sound Speed	0.18 m/s.

Data are calibrated only from reversing thermometer and Niskin bottle measurements made at sea, no laboratory calibration facilities being available. Reversing thermometers and Niskin bottles were mounted in a rosette sampler, with sensors being less than 1 m below the bottles. For SEAMAP 5 a single Nansen bottle was triggered above the VCTOD, no rosette sampler being available, and the instrument being used as a velocimeter.

Because of an unexpected shift in the calibration of the conductivity signal from station to station, salinity calibration is often poor in terms of absolute value, and also varies between some stations. This means that the salinity data are not suitable for inclusion in oceanographic data bases, and not suitable for most dynamic calculations. The reason for the shift in conductivity calibration is not known.

The original cruise for which calibrations were established showed no shifts, and the conductivity sensor is an inductive type, which is not expected to either drift or shift. Calibration remained the same between some sets of stations, but varied at other times from station to station.

Because of the higher gradients in upper waters, it is expected that (without conductivity shifts) calibrations are more accurate at depth, to 0.01 units of temperature (degrees Centigrade), conductivity (mmho/cm), and salinity (PSU), and worsening to over 0.03 units towards the surface. The bulk of calibration data is biased to deeper values (4000 to 5000 m) which removes some bias caused at the top end, since calibration curves for the sensors are linear except for pressure. The calibrations were established from data combined from SEAMAP and other cruises (Hamilton, 1986).

The conductivity calibration from the inductive sensor takes the form of a linear correction curve having the same slope for all stations and with an offset term. The shifts in calibration change the value of the constant term, but not the slope. Ignoring a non-linear effect introduced in the calculation of salinity by the shifts means that the salinity profiles given herein have the right shape, but are displaced from their true absolute values by some additive constant. The constant in many cases is not well determined because only a few Niskin bottle samples were taken for each station. The samples were intended to act as checkpoints on an established calibration, rather than be used as calibration points.

The data for salinity and derived quantities dependent on salinity therefore cannot always be used for accurate calculations of differences between station pairs, or to calculate absolute values of derived quantities without uncertainty. Use of the data should be largely descriptive. Some sets of stations did show a consistent offset from the original linear calibration curve, reducing the errors in forming difference values between stations. These sets of stations could be used with a reasonable degree of confidence to establish geostrophic current profiles, for example, and are listed later for each survey.

It must be stressed that the salinity data are of poor quality for this type of instrument, and should be used only with extreme circumspection. Temperature, pressure, and sound speed accuracies are equal to or better than sample bottle measurements. The shapes of salinity profiles are expected to be correct, but shifted from true absolute values, in some cases by gross amounts. The few sample salinities for each cast have been used to match the data to absolute values. Sample bottle temperature/salinity pairs were checked against the down cast for consistency with the up cast. This approach is quite useful for stations not occupied in frontal regions. Since the function of the SEAMAP ocean station measurements was to obtain sound-speed profiles, the loss of quality salinity data did not affect the primary aims of the project, the VCTOD simply being used as a velocimeter.

VCTOD data processing methods

Derived quantities were calculated using the algorithms given in Fofonoff and Millard (1983). Data processing was performed using computer programs written by Dr N. White of CSIRO Marine Laboratories, Hobart. Mismatch in sensor time constants is allowed for by an exponential recursive filter, as described in Millard (1982). The data were obtained during the down casts, with only monotonically increasing pressure values being used.

The monotonically increasing pressure values were pre-smoothed using a two point centred running average to remove some of the steps caused by the low sampling rate. This introduces a non-linearity which is offset to some extent by averaging the pre-smoothed, lagged parameters over 10 dbar intervals before calculation of derived parameters.

For all stations the processing left few density inversions in the 10 dbar averages. Salinity profiles still contain spurious spikes, particularly at the base of the mixed layer. Spikes are caused in the calculated salinity values (by mismatch in the temperature and conductivity sensor time constants) at temperature inversions, subsurface mixed layers, and steps in temperature and/or conductivity. In most cases no attempt has been made to remove these spikes. They drastically alter the upper part of the temperature-salinity curve in many instances from its true shape, (eg see stations 27 and 28 for SEAMAP 3, where bogus spikes are seen at the base of the surface mixed layer). Deeper than the mixed layer, spikes are a useful indicator of real changes, eg temperature inversions, accompanied by real salinity changes, which are exaggerated in the spikes.

VCTOD data format

The VCTOD data are given in the form of plots and listings of parameters with pressure. A listing of the Niskin/Nansen sample bottle values for each station is given after the VCTOD data listings. The plots are drawn from averages of parameters over 10 dbar pressure intervals. Listings show 10 dbar averages spaced at selected intervals, with the 10 dbar pressure interval centred around the given pressure value.

From left to right the values in the listings (eg see page 54) are pressure, depth, temperature, salinity, sigma-t, anomaly of specific volume, geopotential anomaly, sound speed, potential temperature, number of observations in the 10 dbar interval, and standard deviation of temperature, then standard deviation of conductivity values for the 10 dbar interval.

THE SUMMER SURVEY DATA ARE PRESENTED ON FOLLOWING PAGES IN TWO PARTS.

PART A PRESENTS SUMMER DATA FOR ROUTE A OF FIGURE 1 (SEE PAGE 2)

ROUTE A WAS COVERED BY SURVEY SEAMAP 3 IN FEBRUARY - MARCH 1986

PART B PRESENTS SUMMER DATA FOR ROUTE B OF FIGURE 1 (SEE PAGE 2)

ROUTE B WAS COVERED BY TWO SURVEYS :-

SURVEY SEAMAP 1 IN JANUARY TO FEBRUARY 1984

SURVEY SEAMAP 5 IN FEBRUARY 1987

PART A - SUMMER SURVEY FOR SEAMAP SOUTH PACIFIC ROUTE A**Data for SEAMAP survey three (RANRL 1/86) - route A - summer**

Part A presents data for a cruise made in south hemispheric summer (January to March 1986) from Sydney to Auckland, Apia (Western Samoa), and return to Sydney (figure 6). Acoustical and geophysical data for the cruise are given in other sources (see Appendix II). The cruise, designated as RANRL 1/86 (and SEAMAP 3), was the third of the SEAMAP series of cruises made on the naval oceanographic research vessel HMAS COOK. Data for the winter counterpart of this cruise, designated as RANRL 12/87 (and SEAMAP 6) will be given in a following report (Hamilton and Boyle, 1989).

*Surface parameters**Sea state, swell height, and wind vectors*

Four-hourly observations made by bridge watchkeepers are shown in figures 7 and 8. Table 1 shows the sea conditions associated with the sea state values. Generally sea states of 3 and less were encountered for the cruise, (the exception being sea state 4 on the return leg north of Sydney), associated with winds under 20 kn and swell height less than 1.5 m. This corresponds to smooth and slight to moderate conditions.


*Surface temperature and salinity**Sea Surface Temperature (SST)*

SST is shown in figure 9 as discrete values taken at four-hourly intervals from the continuous record of a hullmounted sensor. Highest temperatures (above 29°C) are seen to the north, increasing fairly regularly with decreasing latitude. Contours are shown in figure 10. Lower temperatures (below 23°C) are seen on the transit east from Sydney at 158 and 161°E (south-east and south-west of Lord Howe Island), and about 170°E (north west of New Zealand). Lowest temperatures are seen northeast of New Zealand. The sections of cruise track into New Zealand fall in the area of the Royal Meteorological Centre (RMC) Wellington SST Charts. Three RMC analyses for 10, 17, 24 February show quite different SST patterns, making analysis difficult (figure 11). Three colour coded images from CSIRO Aspendale for waters off Sydney are shown for 29 January, 18 March, and 25 March 1986 (figure 12). The images show the warmer waters and fronts of the East Australian Current system.

Sea Surface Salinity

Sea surface salinity samples were not taken on this cruise.

Text Continued on page 27






Figure 7. Sea state and swell height for SEAMAP route A in summer 1986 on survey SEAMAP 3 (RANRL 1/86)




Figure 8. Wind vectors for SEAMAP route A in summer 1986 on survey SEAMAP 3 (RANRL 1/86)




Figure 9. Sea surface temperature values for SEAMAP route A in summer 1986 on survey
SEAMAP 3 (RANRL 1/86)




Figure 10. Sea surface temperature contours for SEAMAP route A in summer 1986 on survey SEAMAP 3 (RANRL 1/86)




Figure 11. Sea surface temperature contours derived by Royal Meteorological Centre Wellington, New Zealand from satellite data for 10, 17, 24th February 1986 coinciding with sections of SEAMAP 3 summer survey (RANRL 1/86) route A



Figure 12(a). Sea surface temperature false colour satellite imagery from CSIRO Division of Atmospheric Research, Aspendale Victoria for 29 January, 1986 coinciding with sections of SEAMAP 3 summer survey (RANRL 1/86) route A




Figure 12(b). Sea surface temperature false colour satellite imagery from CSIRO Division of Atmospheric Research, Aspendale Victoria for 18 March, 1986 coinciding with sections of SEAMAP 3 summer survey (RANRL 1/86) route A



Figure 12(c). Sea surface temperature false colour satellite imagery from CSIRO Division of Atmospheric Research, Aspendale Victoria for 25 March 1986 coinciding with sections of SEAMAP 3 summer survey (RANRL 1/86) route A

Bathymetry (figures 14, 23) (Also see figures 17, 26)

The sections are drawn from hourly observations from either the centre beam of the Stabilised Narrow Beam Echo Sounding System (SNBESS) or a Precision Depth Recorder (PDR). In cases where depth was not available, eg when depth was lost because of rough sea conditions, depth is taken from GEBCO chart 5.10 (General Bathymetric Charts of the Oceans published by the Canadian Hydrographic Service, Ottawa, Canada). GEBCO values are marked with a G. Features such as seamounts are named where possible but since the bathymetry is self explanatory no further descriptions will be made. The sections are smoothed interpretations showing major features, not detailed bathymetric data.

Temperature and salinity cross sections

XBT Temperature cross sections

Sydney to VCTOD station 18 (figures 13 and 19)

Three warm core eddies or meanders of the EAC are crossed from Sydney to 160°E with the third being the strongest feature, and more intense on the western side. A fourth broader and weaker warm core feature is crossed from 163 to 168°E. Other warm core features occur about 173°E and 178°30'E. XBTs are widely spaced over most of the section. Deeper isotherms tend to become elevated from west to east, indicating a general weakening of flow along the section, compared to the deeper penetration of the East Australian Current system.

Station 14 to Auckland/Auckland to station 17 (figure 18)

Figure 18 shows a north-south section from station 14 to northwest of Auckland, and the return to the main SEAMAP route from northwest of Auckland to station 17. The surface current component is to the east at station 16, with coldest subsurface waters at XBT 68 (south of station 16). Flow direction is to the west south of XBT 68 according to the slope of isotherms, which is contrary to the summer flow direction shown in this area by Heath (1985) (his figure 10), for 9 years of summer stations. The overall surface circulation pattern is difficult to infer from this data, and will be discussed later in the section on geostrophic currents. Note that the section from XBT 71 to station 19 can be combined with the next section to form a cross-section from northwest of Auckland to Samoa.

Text continued on 30




Figure 13. XBT temperature section from Sydney to station 19 ($30^{\circ}30'S$, $175^{\circ}W$) for 28 January to 22 February 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A.
(See figure 19 for a continuation of this section to station 18)




Figure 14. Bathymetry from Sydney to station 18. Summer survey SEAMAP 3 (RANRL 1/86) route A

Station 19 to Samoa (figure 19)

Isotherms above 300 m are depressed from 28°S to 14°S, and below 300 m become elevated, indicating a west to east surface current component of flow, and an east to west subsurface current component respectively. From 30 to 28°S waters appear to have a west to east current component. A dip in subsurface isotherms about XBTs. 90 and 91 occurs between two seamounts, the Osbourn seamount being located between XBTs 91 and 92.

Samoa to Sydney (figures 20, 21, 22)

Isotherms at temperatures lower than 15°C become depressed from north to south until the uplift caused by a cold feature between the two warm core eddies or meanders situated at XBT 209 and XBT 166. Above this temperature isotherms become elevated from north to south as more temperate surface waters are encountered. Warm 36. surface waters are seen to the west of Norfolk Ridge between stations 27 and 28, but with no deep subsurface expression. However isotherms below 300 m begin to deepen, with a pronounced dip in the 7.5°C isotherm from 700 to 800 m at station 28. This feature is confirmed in the VCTOD temperature section of figure 24. The salinity section (figure 25) indicates that at 800 m and deeper it may be related to the meeting of a cooler, lower salinity branch of Antarctic Intermediate Water (AAIW) from the east meeting warmer, higher salinity western AAIW waters of the Tasman Sea. The subsurface dip in isotherms occurs east of the Lord Howe Rise and parallel with a channel of 1500 to 2000 m depth through the rise, the channel sloping from north-west to south-east. The feature could be interpreted as the effects of the channeling of a deep flow from the west through the rise, which then loops south along the rise and which is skewed in the vertical from north to south. Warm waters occur at station 31 between Dampier Ridge and Lord Howe Rise. The East Australian Current is crossed from 155°E into the coast. Subsurface isotherms south of Fiji indicate eastward flow to below 200 m, with deeper flow then to the west.

VCTOD temperature and salinity sections

Sydney to Station 19 (figures 15, 16, 17)

The broader scale temperature section to 2000 m shows that the warm feature west of the Lord Howe Rise penetrates to at least 1900 m. The salinity is not well calibrated but also shows this feature and a second west of the Norfolk Ridge. Highest salinity occurs as a subsurface maximum at 100 to 200 m from 150 to 170°E, then at the surface. The surface area from stations 11 to 19 is the formation area for the waters of the salinity maximum (Subtropical Lower Water, Wyrtki (1962)). Lowest salinities for the section occur in the minimum of the Antarctic Intermediate Waters (AAIW) at 1000 m. The minimum has different values on either side of the Lord Howe Rise, indicating separate branches of the AAIW. Wyrtki (1962) describes AAIW as entering the Tasman Sea from the south between Tasmania and New Zealand, and from the

north between Fiji and New Zealand. The latter inflow comes from a strong northward flow of AAIW around Chatham Rise, with one branch entering the Tasman, and a second branch flowing north-westward between New Caledonia and New Hebrides (Vanuatu). The Niskin bottle salinities of less than 34.40 PSU in the eastern branch, and 34.45 PSU north of 40°S in the western branch agree with Wyrtki's salinity figures.

The salinity minimum is noticeably deeper and colder between the Colville Ridge and the Kermadec Islands (VCTOD sites 12 and 13). A lower salinity value would indicate a more southern origin than surrounding waters, but the value is higher. Marked salinity and temperature perturbations occur about the salinity minimum for stations 9 to 11, 14/15, and 17. These allow investigations of AAIW flow and mixing which will be discussed in a separate report (Hamilton, 1990).

From Sydney to 166°E, deep temperature and salinity sections (figure 17) show Antarctic Bottom Water (AABW) at the foot of the Australian continental slope and west of the Taupo Seamount. A local salinity maximum occurs along the 3000 m level (of Atlantic origin eg Wyrtki, 1962).

Samoa to Sydney (figures 24, 25, 26)

Two branches of the AAIW are seen in the salinity section as minima of different values. The branch from the east has a higher salinity and occurs at lesser depths in the north than the AAIW seen in the section from Sydney to station 19. Several local minima occur at station 22, perhaps evidence of splitting of the flow into several paths by the broken topography of the upper Lau Ridge, or meeting and mixing of different water masses. Station 20 also shows marked temperature and salinity perturbations about the Antarctic Intermediate salinity minimum. The upper salinity maximum occurs as a subsurface feature at about 200 m, except near station 28 where the maximum occurs close to the surface in conjunction with the warmer waters west of the Norfolk Ridge. Stations 27 and 28 show further perturbations about the salinity minimum. These can be explained by current interactions, but will not be discussed in detail in this report, although more details are given when discussing VCTOD profiles (page 47). Deep sections from Sydney to the Lord Howe Rise (figure 26) show the upper salinity maximum at the surface at station 34, associated with the warm surface waters of the East Australian Current. A local maximum is seen at about 3000 m. Cold Antarctic Bottom Water is situated near the foot of the Australian continental slope.

Text continued on page 45




Figure 15. VCTOD temperature section to 2000 m from Sydney to station 18 ($30^{\circ}15'S$, $172^{\circ}30'W$) for 28 January to 23 February 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A




Figure 16. VCTOD salinity section to 2000 m from Sydney to station 18 ($30^{\circ}15'S$, $172^{\circ}30'W$) for 28 January to 23 February 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A. (The points .34.55 are Niskin bottle rosette mounted samples. Salinity calibration is not very good in terms of modern instrumentation. Contours are for downcast values. The Niskin sample values shown are for upcasts). [] show the AAIW salinity minimum values




Figure 17. Deep VCTOD temperature and salinity sections from Sydney to east of Lord Howe Rise for 28 January to 4 February 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A. (See figure 26 for the inbound leg)




Figure 18. XBT temperature sections from Auckland to the SEAMAP route A for summer survey SEAMAP 3 (RANRL 1/86). From 13 to 22 February 1986








Figure 19. XBT temperature section from station 19 ($30^{\circ}30'S$, $175^{\circ}W$) to Samoa for summer survey SEAMAP 3 (RANRL 1/86) route A. From 23 to 27 February 1986. (This completes a section from north-east of Auckland to Samoa started in figure 18)



Figures 13, 16, 20 to 21, 25 in reduced format. This figure grouping shows two branches of Antarctic Intermediate Water about the Lord Howe Rise. Thick dashed vertical lines are ridges.




Figure 20. XBT temperature section from Samoa to station 28 along SEAMAP route A for summer survey SEAMAP 3 (RANRL 1/86). From 3 to 15 March 1986. (See figure 23 for bathymetry section)




Figure 21. XBT temperature section from station 26 to Sydney along SEAMAP route A for summer survey SEAMAP 3 (RANRL 1/86). From 15 to 25 March 1986. (See figure 23 for bathymetry section)




Figure 22. XBT temperature section from SEAMAP route A to Fiji ($20^{\circ}20'S$, $179^{\circ}50'E$) on 10 March 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A




Figure 23. Bathymetry from Samoa to Sydney. Summer survey SEAMAP 3 (RANRL 1/86) route A




Figure 24. VCTOD temperature section to 2000 m from Samoa to Sydney for 3 to 25 March 1986.
Summer survey SEAMAP 3 (RANRL 1/86) route A




Figure 25. VCTOD salinity section to 2000 m from Samoa to Sydney for 3 to 25 March 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A. The points .34.57 are Niskin bottle rosette mounted samples. Salinity calibration is not very good in terms of modern instrumentation. Contours are for downcast values. The Niskin samples shown are for upcasts). [] show AAIW minimum salinity values




Figure 26. Deep VCTOD temperature and salinity sections from Lord Howe Rise (20°20'S, 161°15'E) to Sydney for 18 to 25 March 1986. Summer survey SEAMAP 3 (RANRL 1/86) route A. (See figure 17 for the outward leg)

Nansen station data listings and profiles

Nansen stations were not occupied on this cruise.

VCTOD station data listings and profiles

Thirty-five CTD stations were occupied nominally to 2000 m, with stations to over 4500 m near the Australian coast, at the sites shown in figure 6. A rosette sampler was used to obtain four Niskin bottle samples for each of the first thirty-two stations, but Niskin salinity values for stations 20 to 24 were rejected. No calibration data are available for stations 33 to 35, but checks can be made against the temperature-salinity polynomials given for this area by Pearce (1981).

Accuracy of salinity values for individual stations on this cruise are expected to range from 0.01, at best, to 0.03 salinity units, or worse. Differences between pairs of stations could therefore be higher than 0.06 salinity units. Sets of stations appearing to have the same conductivity calibration are:

3, 4	5, 6	13, 14	15, 17, 18, 19
20 to 23	25 to 31	33 to 35	

Listings and profiles are given after page 53. Tables of Niskin/rosette sampler values for the upcasts are given after the station listings (pages 76 to 78). Temperature and salinity cross-sections have been discussed earlier. Plots of the profiles highlight other structures eg the salinity profile for station 10 sited east of the West Norfolk Ridge, shows a perturbation towards lower salinities at the salinity minimum of the AAIW at 850 m. This may be associated with advection of cooler southern waters by the lower eastern side of the warm waters (see figures 13, 15, 16) situated just to the west of the West Norfolk Ridge, with both ridge and current acting as a westward barrier to the flow of this branch of the AAIW.

Stations 1 to 19 (Sydney to north-east of New Zealand)

The depth of the sound speed maximum in upper waters ranged from 10 to 40 m in the East Australian Current area from the coast out to 160°E. There was no surface duct over the remainder of the section, except for ducts of 20 to 30 m at stations 12 to 15. Nearly all surface ducts occurred when temperature mixed layers occurred, with summer surface heating preventing formation of a subsurface sound speed maximum elsewhere.

Bass Strait water is seen as temperature and salinity reversals in several of the stations eg at 400 m in station 2 (page 55) and 350 m in station 7 (page 59), and deeper temperature inversions also occur. Station 9 shows temperature inversions at 650 m, between 800 and 850 m, mixed or near mixed layers between 770 to 790 m, and about 850 m. These features may indicate interactions with the West Norfolk Ridge, flow associated with the ridge, or the meeting of deeper currents about the ridge. Station 10 also exhibits a temperatures inversion at about 800 m, and profile irregularities from 650 to 900 m. This coincides with

an 'intrusion' of some part of the eastern branch of the AAIW salinity minimum (figure 25), and indicates a mixing area for this branch with waters from the west. The AAIW salinity minimum of this branch has several local minima in station 11 from 1100 to 1300 m, indicating it arrives there in an irregular manner. Station 12 has an inversion at 250 m (temperature approximately 15.4°C). Stations 14 and 15 (same site) show perturbations in salinity at the AAIW minimum, as does station 17. Deeper inversions associated with the flow of the AAIW are discussed in Hamilton (1990).

Station 20 to 35 (Samoa to Sydney)

Sonic layer duct depths in the East Australian Current area range from 10 to 40 m from the Australian coast to 157°E. Station 28 showed a sonic layer duct depth of 40 m in the warmer waters west of Norfolk Ridge. Duct thicknesses were zero elsewhere except where temperature mixed layers occurred at stations 21 and 24. Station 20 shows a cooler, lower salinity reversal about 150 m in the core of the salinity maximum. These are possibly other components of the maximum or waters from a different source area. Station 22 has a salinity reversal situated about 720 m which appears as a higher salinity component in the AAIW minimum. This has been mentioned earlier as possible evidence of the Lau Ridge splitting flow of the AAIW into several paths. Station 20 shows marked perturbations at the level of the AAIW.

Station 23 shows a lower salinity component in the upper salinity maximum at 200 m. Stations 27 and 28 show perturbations in the AAIW salinity minimum. Stations 29 and 30 show temperature inversions at 370 m, and 280 m respectively, station 30 having another at 460 m. Station 31 has an inversion at 410 m. The salinity minimum of the AAIW profile for stations 30 onwards becomes smoother and rounded in the salinity profile. Station 34 has a large temperature inversion at 210 m.

The above perturbations are seen in an examination of the temperature profiles. Not all inversions are listed. In terms of water mass movements, many stations show evidence of complex interactions. The deeper inversions are discussed in Hamilton (1990).

Currents

Geostrophic current profiles between selected station pairs are shown in figure 27. The profiles in the East Australian Current area are often monotonically decreasing to over 4000 m, with no apparent level of no motion above this depth.

Surface currents calculated from the VCTOD data and inferred from the XBT temperature sections, and SST data, are shown in figure 28. Because of the poor salinity calibration, the current values are subject to error, but general features can be described. Highest current values are seen for the East Australian Current off Sydney. The XBT sections (figures 13 and 21) show several meanders so that the apparent geostrophic currents calculated can be in error, because of averaging of northward and southward currents. Figure 13 shows that stations 2 and 3 are

located on the eastern side of a meander, and can be expected to give a reasonable current value. The calculated value is half a knot to the north relative to the 2000 dbar level. SST isotherms (figure 10) also show recirculation to the north.

The highest current value is 1 kn south relative to 2000 dbar between stations 32 and 33. The XBT section (figure 21) also shows 'southward' flow, and shows the stations to be reasonably spaced with respect to flow structure. Southward flow between stations 8 and 7 can be related to the westward side of a warm feature in the XBT section (figure 13). Northward flow between stations 12 and 13 can be related to the eastward side of a meander of some sort seen in the XBT section (figure 13). This direction generally agrees with that expected from the rather broad patterns of SST isotherms in this area (figure 10).

Additional data

Figure 29 shows tracks of vessels deploying XBT in the CSIRO merchant ship programme for January to March 1986. The XBT are very widely spaced. The New Zealand vessel Kaharoa occupied CTD stations to 500 m between 33 to 36°S, 165 to 172°E from 7 to 29 March. Mechanical bathy-thermograph profiles were taken from 33 to 30°S, 168°E and at other locations (Bailey, 1986 - Fisheries Management Division NZ).

Text continued on page 53




Figure 27. Geostrophic current profiles between selected station pairs for SEAMAP 3 (RANRL 1/86) route A summer. Subject to error because of a poor salinity calibration




Figure 28. Surface current directions inferred from VCTOD, XBT, and sea surface temperature data. Summer survey SEAMAP 3 (RANRL 1/86) route A




Figure 29(a). Tracks of vessels in the CSIRO merchant ship XBT programme in the south west Pacific Ocean for January to March 1986. Coinciding with the period of summer survey SEAMAP 3 (RANRL 1/86) route A




Figure 29(b). Tracks of vessels in the CSIRO merchant ship XBT programme in the south west Pacific Ocean for January to March 1986. Coinciding with the period of summer survey SEAMAP 3 (RANRL 1/86) route A




Figure 29(c). Tracks of vessels in the CSIRO merchant ship XBT programme in the south west Pacific Ocean for January to March 1986. Coinciding with the period of summer survey SEAMAP 3 (RANRL 1/86) route A

TABLES OF VCTOD DATA FOR 35 STATIONS OCCUPIED ON SUMMER SURVEY SEAMAP 3 (RANRL 1/86) ARE GIVEN ON FOLLOWING PAGES.

DATA ARE FOR DOWNCASTS. PROFILES ARE GIVEN TO 2000 m, AND ALSO TO 5000 m FOR DEEPER STATIONS. LARGE SPURIOUS SPIKES OCCUR IN SALINITY AND TEMPERATURE - SALINITY PROFILES, ESPECIALLY NEAR THE SURFACE.



SEE FIGURE 6 (PAGE 15) FOR A CHART OF STATION POSITIONS.

CALIBRATION DATA ARE GIVEN ON PAGES 76 TO 78.

Text continued on page 79

SHIP : HMS COOK - Plessey
 STATION NUMBER : 1 (THROUGH THE CRUISE)
 STATION NUMBER : 1 (THROUGH THE YEAR)
 DATE : 26-JUN-1986 (DAY NUMBER 281)
 START TIME : 0553 GHT - Z
 CRUISE : CEC1.96
 POSITION : 33°13' S 151°05' E
 CAST DEPTH : 4724 METRES
 ROTOR DEPTH : 4842 METRES

PRESSURE (DB)	DEPTH (M)	TEMP (°C)	SAL (PSU)	SIGMA-T	SVA	G.A.	Sound Speed (m/s)	Pot.TEMP (°C)
0.0	0.0	24.207	35.481	23.947	195.09	0.000	1513.33	24.21
10.0	9.501	23.962	394.03	0.395	1513.25	24.20	16.000	0.003
20.0	19.9	23.953	35.518	24.049	386.12	0.785	1512.84	23.95
30.0	29.8	23.831	35.523	24.089	382.70	1.169	1512.69	23.82
40.0	39.7	22.574	35.410	24.368	356.42	1.538	1529.32	22.57
50.0	49.6	21.352	35.429	24.726	322.71	1.878	1526.23	21.34
60.0	59.5	20.159	35.617	25.183	279.49	2.179	1521.64	20.18
70.0	69.5	19.922	35.635	25.294	269.26	2.454	1522.82	19.81
80.0	79.4	19.667	35.616	25.373	262.08	2.719	1521.93	19.45
90.0	89.3	19.003	35.593	25.475	252.69	2.977	1520.77	18.99
100.0	99.3	18.707	35.616	25.568	244.19	3.222	1520.17	18.69
120.0	119.3	18.244	35.635	25.699	232.28	3.703	1519.19	18.22
140.0	139.0	17.420	35.526	25.815	221.76	4.154	1517.01	17.41
160.0	158.8	17.460	35.660	25.911	213.36	4.592	1517.67	17.43
180.0	178.6	17.226	35.642	25.926	212.30	5.019	1517.23	17.21
200.0	198.5	16.676	35.534	24.002	305.79	5.437	1515.74	16.54
220.0	218.3	15.884	35.430	24.016	196.30	5.840	1513.57	15.85
240.0	238.2	15.280	35.349	26.180	199.71	6.226	1511.66	15.24
260.0	258.0	14.671	35.340	26.307	170.08	6.595	1510.36	14.63
280.0	277.8	14.225	35.310	26.380	171.51	6.946	1509.25	14.18
300.0	297.7	13.709	35.259	26.445	165.64	7.281	1507.78	13.57
320.0	317.5	13.018	35.128	26.489	161.63	7.616	1505.66	13.37
340.0	337.3	12.498	35.106	26.576	153.69	7.927	1504.31	12.45
360.0	357.1	12.264	35.059	26.584	151.27	8.231	1503.77	12.22
380.0	377.0	11.657	34.964	26.627	149.29	8.537	1501.86	11.51
400.0	396.8	11.089	34.896	26.679	144.41	8.831	1500.15	11.04
420.0	416.6	10.661	34.854	26.723	140.40	9.115	1498.98	10.61
440.0	436.4	10.404	34.833	26.752	137.91	9.393	1498.42	10.35
460.0	456.2	10.108	34.799	26.777	135.11	9.667	1497.64	10.05
480.0	476.0	9.783	34.745	26.790	134.57	9.938	1496.70	9.73
500.0	495.8	9.409	34.712	26.826	131.22	10.203	1495.67	9.35
550.0	545.4	8.825	34.651	26.873	127.12	10.846	1494.31	8.76
600.0	594.9	8.475	34.609	26.895	125.60	11.471	1491.75	8.41
700.0	693.9	7.412	34.527	26.985	117.19	12.685	1491.35	7.36
800.0	792.8	6.651	34.481	27.063	110.75	13.826	1489.96	6.58
900.0	891.7	5.809	34.461	27.152	101.75	14.892	1488.18	5.72
1000.0	990.5	5.099	34.461	27.236	91.58	15.865	1487.01	5.02
1100.0	1089.3	4.509	34.435	27.315	85.87	16.764	1486.26	4.42
1200.0	1188.0	4.943	34.491	27.393	78.01	17.582	1485.57	3.85
1300.0	1286.7	3.548	34.539	27.457	71.68	18.128	1485.60	3.45
1400.0	1385.4	3.244	34.553	27.505	67.01	18.023	1486.02	3.14
1500.0	1484.0	3.036	34.511	27.541	63.59	18.577	1486.79	2.93
1600.0	1582.6	2.812	34.592	27.571	60.20	19.296	1487.53	2.70
1700.0	1681.1	2.642	34.611	27.669	57.04	20.082	1488.51	2.52
1800.0	1779.5	2.514	34.633	27.636	54.58	21.441	1489.65	2.39
1900.0	1878.0	2.417	34.646	27.655	52.85	21.980	1490.94	2.28
2000.0	1976.1	2.330	34.657	27.670	51.58	22.502	1492.22	2.19
2100.0	2074.7	2.240	34.666	27.686	50.14	23.008	1493.52	2.09
2200.0	2173.0	2.138	34.685	27.708	48.05	23.497	1494.80	1.98
2300.0	2271.2	2.058	34.694	27.722	46.81	23.969	1496.14	1.89
2400.0	2369.4	1.980	34.702	27.734	45.62	24.429	1497.52	1.81
2500.0	2467.5	1.907	34.710	27.746	44.50	24.879	1498.90	1.73
								29.004 0.002





```

SHIP : NMHS COOK - Plessey
STATION NUMBER : 2 (THROUGH THE CRUISE)
STATION NUMBER : 2 (THROUGH THE YEAR)
DATE : 28-31/06/86 (DAY NUMBER 28)
START-TIME : 1640 GMT - Z
CRUISE : CRUISE 86
POSITION : 31°37.12S 151°47.00E
CAST DEPTH : 4784 METRES
BOTTLE DEPTH : 4462 METRES

```

PRESS	DEPTH	TIDE	SAL	SIGMA-T	SRA	G.A.	Sound	DIC TEMP
10.0	9.3	22.973	0.000	0.000	0.00	0.000	1530.28	22.97 10.0 0.000 0.00
20.0	19.9	22.975	0.000	0.000	0.00	0.000	1530.40	22.97 15.0 0.005 0.01
30.0	29.8	22.973	0.000	0.000	0.00	0.000	1530.54	22.97 16.0 0.000 0.00
40.0	39.7	22.918	0.000	0.000	0.00	0.000	1530.51	22.91 16.0 0.058 0.00
50.0	49.6	22.107	0.000	0.000	0.00	0.000	1527.89	22.10 19.0 0.750 0.064
60.0	59.6	20.446	0.000	0.000	0.00	0.000	1524.15	20.43 16.0 0.267 0.071
70.0	69.5	19.891	0.000	0.000	0.00	0.000	1523.01	19.88 18.0 0.085 0.010
80.0	79.4	19.615	0.000	0.000	0.00	0.000	1521.30	19.60 15.0 0.084 0.000
90.0	89.1	19.392	0.000	0.000	0.00	0.000	1521.99	19.38 20.0 0.040 0.000
100.0	99.7	19.123	0.000	0.000	0.00	0.000	1521.60	19.23 17.0 0.044 0.015
120.0	119.1	18.080	0.000	0.000	0.00	0.000	1520.99	18.86 16.0 0.070 0.000
140.0	139.0	18.144	0.000	0.000	0.00	0.000	1520.02	18.42 17.0 0.070 0.073
160.0	158.0	17.395	0.000	0.000	0.00	0.000	1517.72	17.57 16.0 0.121 0.028
180.0	176.6	16.795	0.000	0.000	0.00	0.000	1515.61	16.77 17.0 0.098 0.070
200.0	195.6	16.101	0.000	0.000	0.00	0.000	1513.82	16.07 12.0 0.074 0.000
220.0	210.3	15.552	0.000	0.000	0.00	0.000	1512.00	15.62 15.0 0.032 0.024
240.0	238.2	14.579	0.000	0.000	0.00	0.000	1510.91	14.94 17.0 0.045 0.000
260.0	250.0	14.496	0.000	0.000	0.00	0.000	1509.64	14.46 17.0 0.133 0.000
280.0	277.0	14.017	0.000	0.000	0.00	0.000	1508.34	13.98 12.0 0.050 0.000
300.0	297.7	13.655	0.000	0.000	0.00	0.000	1506.77	13.41 17.0 0.112 0.000
320.0	317.5	12.797	0.000	0.000	0.00	0.000	1504.88	12.75 18.0 0.099 0.000
340.0	337.3	12.136	0.000	0.000	0.00	0.000	1503.64	12.30 16.0 0.065 0.073
360.0	357.1	11.881	0.000	0.000	0.00	0.000	1502.36	11.83 15.0 0.098 0.000
380.0	367.0	11.459	0.000	0.000	0.00	0.000	1501.16	11.41 12.0 0.054 0.060
400.0	386.8	11.103	0.000	0.000	0.00	0.000	1500.31	11.05 16.0 0.022 0.000
420.0	416.6	11.001	0.000	0.000	0.00	0.000	1500.16	10.95 16.0 0.059 0.000
440.0	436.4	10.505	0.000	0.000	0.00	0.000	1499.62	10.45 20.0 0.060 0.000
460.0	456.2	10.119	0.000	0.000	0.00	0.000	1497.68	10.06 18.0 0.014 0.012
480.0	476.0	9.827	0.000	0.000	0.00	0.000	1496.67	9.77 20.0 0.067 0.000
500.0	495.8	9.504	0.000	0.000	0.00	0.000	1496.05	9.45 20.0 0.028 0.036
550.0	545.4	8.794	0.000	0.000	0.00	0.000	1494.09	8.73 19.0 0.068 0.014
600.0	594.9	8.245	0.000	0.000	0.00	0.000	1492.86	8.18 17.0 0.050 0.040
700.0	693.9	7.270	0.000	0.000	0.00	0.000	1490.72	7.20 19.0 0.013 0.000
800.0	792.8	6.448	0.000	0.000	0.00	0.000	1489.15	6.37 22.0 0.022 0.000
900.0	891.7	5.573	0.000	0.000	0.00	0.000	1487.36	5.49 19.0 0.025 0.021
1000.0	990.5	4.885	0.000	0.000	0.00	0.000	1486.08	4.80 19.0 0.024 0.000
1100.0	1089.3	4.365	0.000	0.000	0.00	0.000	1485.67	4.28 19.0 0.000 0.000
1200.0	1180.0	3.891	0.000	0.000	0.00	0.000	1485.36	3.90 19.0 0.016 0.000
1300.0	1286.7	3.531	0.000	0.000	0.00	0.000	1485.54	3.43 15.0 0.012 0.000
1400.0	1385.4	1.221	0.000	0.000	0.00	0.000	1485.88	1.12 18.0 0.013 0.000
1500.0	1484.0	1.882	0.000	0.000	0.00	0.000	1486.16	1.78 24.0 0.006 0.000
1600.0	1582.6	2.637	0.000	0.000	0.30	0.000	1486.80	2.51 20.0 0.005 0.000
1700.0	1681.1	2.503	0.000	0.000	0.00	0.000	1487.90	2.34 19.0 0.002 0.000
1800.0	1779.5	2.148	0.000	0.000	0.00	0.000	1489.29	2.21 21.0 0.005 0.000
1900.0	1878.0	1.381	0.000	0.000	0.00	0.000	1490.77	2.25 13.0 0.000 0.000
2000.0	1961.0	1.716	0.000	0.000	0.00	0.000	1491.23	2.19 20.0 0.003 0.000
2100.0	2074.7	2.174	0.000	0.000	0.00	0.000	1491.61	2.13 18.0 0.004 0.000
2200.0	2173.0	2.049	0.000	0.000	0.00	0.000	1495.06	2.05 15.0 0.000 0.000
2300.0	2271.2	2.146	0.000	0.000	0.00	0.000	1496.43	1.98 18.0 0.000 0.000
2400.0	2369.4	2.056	0.000	0.000	0.00	0.000	1497.82	1.90 18.0 0.002 0.000
2500.0	2467.5	1.946	0.000	0.000	0.00	0.000	1499.04	1.77 21.0 0.000 0.000
2600.0	2565.7	1.886	0.000	0.000	0.00	0.000	1500.46	1.70 22.0 0.001 0.000



2700.	2663.7	1.797	0.000	0.000	0.00	3.000	1501.76	1.50	19	0.007	0.002
2800.	2761.7	1.703	0.000	0.000	0.00	0.000	1503.05	1.50	16	0.002	0.001
2900.	2869.7	1.594	0.000	0.000	0.00	0.000	1504.24	1.38	16	0.001	0.001
3000.	2975.6	1.521	0.000	0.000	0.00	0.000	1505.43	1.10	16	0.000	0.000
3100.	3085.5	1.434	0.000	0.000	0.00	0.000	1507.00	1.11	24	0.005	0.002
3200.	3195.4	1.355	0.000	0.000	0.00	0.000	1508.37	1.12	24	0.004	0.004
3300.	3315.1	1.289	0.000	0.000	0.00	0.000	1509.80	1.05	24	0.004	0.003
3400.	3424.8	1.224	0.000	0.000	0.00	0.000	1511.40	1.05	24	0.004	0.003
3500.	1446.6	1.219	0.000	0.000	0.00	0.000	1512.97	0.96	24	0.002	0.000
3600.	1554.3	1.192	0.000	0.000	0.00	0.000	1514.54	0.92	27	0.003	0.000
3700.	1661.9	1.177	0.000	0.000	0.00	0.000	1516.21	0.99	27	0.001	0.000
3800.	1770.9	1.162	0.000	0.000	0.00	0.000	1517.90	0.87	24	0.001	0.004
3900.	1887.0	1.162	0.000	0.000	0.00	0.000	1519.62	0.86	24	0.002	0.000
4000.	1994.5	1.169	0.000	0.000	0.00	0.000	1521.35	0.85	13	0.001	0.004
4100.	4012.0	1.163	0.000	0.000	0.00	0.000	1523.13	0.84	14	0.001	0.002
4200.	4119.4	1.170	0.000	0.000	0.00	0.000	1524.86	0.83	19	0.001	0.001
4300.	4226.7	1.172	0.000	0.000	0.00	0.000	1526.62	0.83	14	0.002	0.004
4400.	4324.1	1.172	0.000	0.000	0.00	0.000	1528.40	0.82	15	0.002	0.000
4500.	4421.1	1.182	0.000	0.000	0.00	0.000	1530.16	0.82	13	0.002	0.000
4600.	4518.6	1.184	0.000	0.000	0.00	0.000	1531.96	0.81	19	0.002	0.000
4700.	4615.8	1.190	0.000	0.000	0.00	0.000	1533.74	0.80	15	0.003	0.002
4800.	4712.9	1.192	0.000	0.000	0.00	0.000	1535.50	0.79	19	0.002	0.003
4900.	4800.1	1.193	0.000	0.000	0.00	0.000	1536.96	0.78	31	0.001	0.004



SIGN : NPMAS LOOK - Primary
 STATION NUMBER : 3 (THROUGH THE CRUISE)
 STATION NUMBER : 3 (THROUGH THE YEAR)
 DATE : 29-JAN-1988 (DAY NUMBER 29)
 START TIME : 2206 GMT - 2
 CRUISE : C01,05
 POSITION : 33°36'605N 154°14'76E
 CAST DEPTH : 4734 METRES
 BOTTOM DEPTH : 4630 METRES

PRESS. DEPTH TEMP SAL SIGMA-T SVA G.A. SOUND PCT.TEMP

10.0	9.9	22.905	35.489	24.334	158.63	0.358	1530.08	22.90	17	0.004	0.004
20.0	10.9	22.902	35.486	24.346	157.77	0.717	1530.20	22.90	15	0.000	0.015
30.0	29.8	22.903	35.519	24.357	157.12	1.074	1530.38	22.90	19	0.002	0.003
40.0	40.7	22.904	35.525	24.361	157.14	1.431	1530.54	22.90	18	0.004	0.005
50.0	49.6	22.781	35.438	24.328	160.64	1.790	1530.26	22.77	18	0.163	0.334
60.0	59.6	21.104	35.283	24.682	157.18	2.134	1525.56	21.07	20	0.640	0.705
70.0	69.5	19.167	35.303	25.272	211.26	2.433	1520.57	19.15	18	0.375	0.359
80.0	79.4	18.239	35.523	25.622	236.24	2.686	1518.36	8.22	19	0.074	0.023
90.0	89.3	18.017	35.523	25.670	214.05	2.924	1517.91	18.02	19	0.113	0.181
100.0	99.2	17.415	35.479	25.783	223.53	3.151	1516.25	17.40	18	0.151	0.133
120.0	119.1	16.674	35.451	25.928	209.26	3.581	1514.36	16.65	17	0.144	0.150
140.0	139.7	15.912	35.392	26.068	197.72	3.986	1512.34	15.91	18	0.122	0.136
160.0	150.8	15.281	35.375	26.203	185.46	4.369	1510.68	15.26	23	0.074	0.076
180.0	178.6	14.695	35.142	26.303	176.10	4.731	1509.12	14.67	20	0.098	0.093
200.0	196.5	14.219	35.297	26.371	170.08	5.078	1507.68	14.19	21	0.064	0.103
220.0	218.3	13.809	35.254	26.423	165.50	5.413	1506.84	13.70	21	0.072	0.091
240.0	238.2	13.398	35.183	26.454	163.01	5.740	1505.74	13.36	17	0.076	0.089
260.0	250.0	12.964	35.151	26.518	157.32	6.059	1504.58	12.93	20	0.052	0.036
280.0	277.8	12.578	35.116	26.562	153.44	6.369	1501.57	12.54	12	0.058	0.097
300.0	297.7	12.106	35.063	26.618	148.47	6.671	1502.27	12.07	19	0.014	0.031
320.0	317.5	11.548	34.995	26.644	144.33	6.966	1500.61	11.51	20	0.068	0.057
340.0	337.3	11.308	34.946	26.680	143.14	7.254	1500.06	11.27	18	0.032	0.058
360.0	357.1	10.954	34.901	26.707	140.75	7.550	1499.11	10.91	21	0.050	0.049
380.0	377.0	10.621	34.866	26.735	136.33	7.817	1498.20	10.57	18	0.061	0.049
400.0	396.8	10.383	34.837	26.759	136.39	8.092	1497.64	10.34	18	0.026	0.022
420.0	416.6	10.154	34.788	26.759	136.46	8.364	1497.08	10.10	21	0.075	0.044
440.0	436.4	9.918	34.757	26.794	133.45	8.634	1496.21	9.77	20	0.042	0.037
460.0	456.2	9.528	34.726	26.818	131.35	8.999	1495.49	9.46	20	0.045	0.051
480.0	476.0	9.118	34.705	26.838	129.81	9.160	1495.01	9.26	23	0.033	0.045
500.0	495.8	9.119	34.684	26.852	128.51	9.418	1494.56	9.06	21	0.030	0.039
550.0	545.4	8.055	34.571	26.928	121.07	10.670	1492.11	7.99	19	0.048	0.030
600.0	659.4	7.090	34.509	27.028	113.66	11.847	1490.02	7.02	20	0.025	0.024
600.0	792.8	6.299	34.472	27.072	106.57	12.951	1488.55	6.21	19	0.015	0.013
900.0	891.7	5.625	34.459	27.172	99.52	13.900	1487.50	5.53	21	0.014	0.013
1000.0	990.5	5.008	34.461	27.249	92.21	14.948	1486.65	4.92	19	0.015	0.014
1100.0	1099.3	4.544	34.472	27.308	86.61	15.836	1486.30	4.46	18	0.008	0.004
1200.0	1190.0	4.193	34.506	27.369	70.51	16.664	1485.77	3.90	16	0.007	0.006
1300.0	1286.7	3.612	34.532	27.439	73.72	17.424	1486.09	3.57	18	0.006	0.005
1400.0	1385.4	3.192	34.540	27.481	69.68	18.140	1486.56	3.29	20	0.012	0.011
1500.0	1484.0	2.057	34.569	27.532	64.14	18.011	1486.86	2.95	22	0.011	0.008
1600.0	1582.6	2.850	34.588	27.570	60.88	19.434	1487.67	2.74	19	0.011	0.008
1700.0	1681.1	2.519	34.612	27.607	57.17	20.023	1486.46	2.52	21	0.005	0.001
1800.0	1779.5	2.501	34.626	27.631	55.01	20.583	1489.59	2.38	17	0.005	0.003
1900.0	1878.0	2.401	34.645	27.655	52.83	21.119	1490.82	2.27	17	0.002	0.002
2000.0	1976.3	2.128	34.659	27.672	51.38	21.641	1492.18	2.15	22	0.004	0.002
2100.0	2074.7	2.279	34.673	27.692	49.59	22.145	1493.51	2.05	24	0.000	0.003
2200.0	2173.0	2.158	34.683	27.701	48.20	22.635	1494.00	2.00	21	0.000	0.004
2300.0	2271.2	2.067	34.694	27.721	46.61	23.110	1495.15	1.96	20	0.004	0.004
2400.0	2369.4	1.987	34.708	27.738	45.30	23.570	1497.49	1.82	18	0.002	0.002
2500.0	2467.6	1.923	34.710	27.745	44.68	24.021	1498.89	1.74	18	0.004	0.005
2600.0	2565.7	1.817	34.715	27.758	43.29	24.461	1500.15	1.63	23	0.004	0.003





SHIP : HMS COOK - Flessey
 STATION NUMBER : 4 (THROUGH THE CRUISE)
 STATION NUMBER : 4 (THROUGH THE YEAR)
 DATE : 30-JAN-1986 (DAY NUMBER 301)
 START TIME : 2118 GNT - 2
 CRUISE : CR01/86
 POSITION : 33:20.80S 156:45.00E
 CAST DEPTH : 4692 METRES
 BOTTOM DEPTH : 4705 METRES

PRESSURE DEPTH TIME SAL. SIGHT-T SVA C.A. Sound Rot. Temp.

10.0	9.9	21.052	35.408	24.290	362.76	0.363	1530.46	21.05	25.003	0.007
20.0	19.9	21.051	55.108	20.304	361.70	0.725	1530.63	21.05	22.003	0.016
30.0	29.8	21.054	55.265	24.319	360.80	1.086	1530.76	21.05	17.000	0.002
40.0	39.7	21.025	55.191	24.322	360.06	1.447	1530.84	21.02	19.036	0.074
50.0	49.6	21.240	55.242	24.713	123.93	1.799	1525.56	21.23	15.078	0.641
60.0	59.6	20.101	55.137	23.516	202.98	2.091	1533.22	20.19	20.047	0.176
70.0	69.5	19.183	48.356	25.506	25.146	2.366	1521.79	18.47	19.148	0.134
80.0	79.4	19.002	45.610	25.400	251.06	2.624	1520.61	18.99	21.130	0.105
90.0	89.3	18.624	35.454	25.610	25.79	2.869	1519.79	16.61	21.103	0.093
100.0	99.3	18.433	35.568	25.677	311.75	3.106	1519.48	18.42	17.032	0.032
120.0	119.1	18.239	35.590	25.743	226.17	3.568	1519.29	18.22	20.017	0.011
140.0	139.0	18.129	35.597	25.769	266.31	4.022	1519.29	16.10	18.019	0.020
160.0	158.8	17.956	35.584	25.749	222.42	4.473	1519.09	17.93	16.030	0.034
180.0	178.6	17.793	35.462	25.831	221.54	4.919	1518.95	17.76	21.022	0.021
200.0	198.5	17.679	35.662	25.853	219.91	5.360	1518.96	17.64	18.010	0.007
220.0	218.3	17.594	35.560	25.879	218.42	5.798	1519.01	17.56	15.012	0.013
240.0	238.2	17.465	35.647	25.905	217.02	6.233	1518.92	17.42	15.026	0.032
260.0	258.0	17.332	35.546	25.929	214.83	6.664	1518.85	17.26	18.022	0.020
280.0	277.8	17.159	35.613	25.948	213.62	7.093	1518.65	17.11	19.039	0.049
300.0	297.7	16.942	35.591	25.967	210.47	7.517	1518.35	16.87	21.040	0.041
320.0	317.5	16.732	35.563	26.011	208.76	7.935	1517.95	16.68	21.051	0.057
340.0	337.3	16.548	35.523	26.071	203.55	8.347	1517.07	16.29	27.050	0.056
360.0	357.1	15.896	35.473	26.136	197.21	8.749	1515.96	15.64	28.066	0.005
380.0	377.0	15.655	35.462	26.191	192.88	9.140	1514.87	15.40	25.014	0.129
400.0	396.8	14.420	35.109	26.250	187.46	9.520	1513.00	14.76	22.011	0.110
420.0	416.6	14.246	35.166	26.256	254.74	9.905	1511.59	14.21	19.066	0.041
440.0	436.4	13.919	35.246	26.409	172.96	10.236	1510.77	13.06	15.051	0.054
460.0	456.2	13.618	35.157	26.120	170.57	10.580	1509.16	13.22	20.127	0.144
480.0	476.0	12.885	35.143	26.517	162.06	10.912	1507.92	12.02	19.025	0.035
500.0	495.9	12.464	35.085	26.566	158.58	11.233	1506.77	12.40	18.032	0.031
550.0	545.4	11.451	34.599	26.57	150.55	12.007	1503.96	11.38	20.066	0.060
600.0	594.9	10.610	34.855	26.773	143.11	12.790	1501.76	10.54	18.038	0.043
700.0	693.9	8.931	34.658	26.861	131.18	14.109	1497.11	8.85	19.036	0.040
800.0	792.8	7.693	34.549	26.565	121.30	15.367	1494.01	7.61	19.027	0.022
900.0	891.7	6.790	34.178	27.047	113.95	16.542	1492.12	6.71	17.041	0.035
1000.0	990.5	6.016	34.463	27.161	105.87	17.639	1490.64	5.93	18.018	0.014
1100.0	1099.3	5.236	34.451	27.214	97.06	18.655	1489.11	5.14	19.024	0.019
1200.0	1198.1	4.679	44.168	27.280	89.61	19.583	1486.54	4.50	16.015	0.012
1300.0	1286.8	4.210	34.490	27.359	82.80	20.444	1486.26	4.11	21.010	0.005
1400.0	1385.4	3.725	34.518	27.431	75.41	21.235	1487.93	3.62	21.009	0.006
1500.0	1484.0	3.441	34.541	27.477	70.97	21.964	1486.45	3.13	21.008	0.005
1600.0	1582.6	3.126	34.154	27.507	68.13	22.661	1489.24	3.12	23.009	0.006
1700.0	1681.1	2.967	34.577	27.551	63.73	23.315	1486.70	2.84	21.014	0.010
1800.0	1779.6	2.758	34.600	27.584	60.00	23.930	1490.61	2.63	19.008	0.005
1900.0	1878.0	2.574	34.623	27.622	56.59	24.512	1491.51	2.44	17.005	0.003
2000.0	1976.4	2.433	34.475	26.654	53.73	25.063	1492.61	2.29	19.001	0.001
2100.0	2074.7	2.143	34.657	26.69	52.2	25.595	1493.92	2.19	20.005	0.004
2200.0	2173.0	2.258	34.666	27.682	51.09	26.110	1495.29	2.11	20.003	0.004
2300.0	2271.3	2.171	44.860	27.702	49.26	26.610	1496.56	2.01	21.004	0.002
2400.0	2369.5	2.094	34.687	27.713	46.21	27.097	1497.94	1.92	18.007	0.005
2500.0	2467.6	2.017	34.496	27.723	46.90	23.568	1499.29	1.84	19.000	0.004
2600.0	2565.5	2.921	34.102	27.743	45.28	28.023	1500.59	1.73	21.005	0.005



2700.	2663.8	1,845	34,217	31,757	43.92	26,474	1501.96	1.65	21	0.000	9.000
2800.	2716.8	1,751	34,111	31,759	43.40	26,912	1503.21	1.55	20	0.002	0.003
2900.	2659.8	1,658	34,112	31,767	42.41	29,141	1504.54	1.45	19	0.004	0.002
3000.	2957.8	1,500	34,113	31,773	41.67	29,760	1505.95	1.37	18	0.004	0.004
3100.	3055.6	1,512	34,114	31,780	40.20	30,172	1507.35	1.28	22	0.002	0.004
3200.	3151.4	1,423	34,115	31,786	39.39	30,576	1508.69	1.19	22	0.004	0.001
3300.	3251.2	1,376	34,116	31,788	39.82	30,974	1510.17	1.11	19	0.004	0.001
3400.	3349.0	1,315	34,117	31,789	39.19	31,366	1511.53	1.06	18	0.005	0.004
3500.	3446.7	1,257	34,118	31,793	38.67	31,757	1513.16	1.01	17	0.001	0.000
3600.	3544.4	1,229	34,119	31,794	38.51	32,143	1514.70	0.96	16	0.003	0.002
3700.	3642.0	1,210	34,120	31,797	38.41	32,527	1516.35	0.93	18	0.004	0.001
3800.	3739.6	1,193	34,120	31,796	38.47	32,911	1518.02	0.90	19	0.002	0.000
3900.	3837.1	1,180	34,120	31,792	38.70	33,295	1519.71	0.86	17	0.003	0.003
4000.	3934.6	1,171	34,120	31,797	38.53	33,679	1521.37	0.86	16	0.002	0.001
4100.	4032.1	1,165	34,120	31,798	38.63	34,065	1523.11	0.84	17	0.003	0.001
4200.	4129.5	1,166	34,121	31,782	38.48	34,451	1524.87	0.81	21	0.003	0.001
4300.	4226.0	1,171	34,121	31,798	39.05	34,839	1526.51	0.81	21	0.002	0.001
4400.	4324.2	1,172	34,120	31,790	39.15	35,211	1528.37	0.82	19	0.002	0.000
4500.	4421.4	1,175	34,120	31,801	39.25	35,593	1530.14	0.81	21	0.003	0.000
4600.	4518.7	1,181	34,121	31,797	39.81	36,019	1531.94	0.80	18	0.002	0.003
4700.	4615.9	1,185	34,120	31,799	39.91	36,416	1533.71	0.80	23	0.003	0.000
4800.	4693.6	1,189	34,120	31,799	40.15	36,736	1535.11	0.79	29	0.003	0.001



SHIP : HMAS COOK - Plessey
 STATION NUMBER : 5 (THROUGH THE CRUISE)
 STATION NUMBER : 5 (THROUGH THE YEAR)
 DATE : 31-FEB-1986 (DAY NUMBER 62)
 START TIME : 2257 CHT - Z
 CRUISE : CPD1/96
 POSITION : 33 05.19S 150 59.00E
 CAST DEPTH : 3000 METRES
 BOTTOM DEPTH : 1664 METRES

PRESS. DEPTH TIDE SAL SIGNA-T SVA G.A. Sound Pot.Temp

10.0	9.9	23.040	35.528	24.322	359.73	0.360	1530.50	23.05	14 0.008 0.006
20.0	19.9	23.002	35.524	24.332	359.13	0.719	1530.47	23.00	18 0.032 0.023
30.0	22.8	22.950	35.541	24.360	356.85	1.077	1530.53	22.94	22 0.014 0.015
40.0	39.7	22.093	35.542	24.377	355.63	1.433	1530.53	22.86	17 0.015 0.011
50.0	49.6	22.067	35.544	24.367	355.03	1.789	1530.63	22.86	22 0.006 0.006
60.0	59.5	22.437	35.375	24.381	355.93	2.144	1529.17	22.42	18 0.542 0.707
70.0	69.5	20.897	35.461	24.475	359.23	2.477	1525.47	20.86	19 0.257 0.210
80.0	79.4	20.349	35.534	25.078	350.24	2.772	1524.30	20.33	20 0.136 0.143
90.0	89.3	19.724	35.497	25.215	357.47	3.060	1522.66	19.71	18 0.198 0.105
100.0	99.3	19.114	35.499	25.375	352.54	3.320	1521.08	19.10	18 0.229 0.214
120.0	119.8	18.399	35.556	25.599	241.73	3.827	1519.53	18.38	19 0.128 0.167
140.0	139.0	18.015	35.582	25.715	231.42	4.297	1518.81	17.99	18 0.065 0.071
160.0	156.8	17.768	35.620	25.801	223.93	4.751	1510.50	17.76	19 0.005 0.011
180.0	178.7	17.433	35.520	25.810	223.54	5.191	1517.72	17.40	18 0.125 0.161
200.0	196.5	16.856	35.443	25.890	216.51	5.631	1516.21	16.82	17 0.093 0.097
220.0	218.3	16.504	35.487	26.006	206.08	6.056	1515.57	16.47	17 0.043 0.055
240.0	238.2	16.177	35.455	26.050	201.40	6.466	1514.86	16.14	19 0.028 0.037
260.0	256.0	15.962	35.426	26.095	199.54	6.866	1514.46	15.92	21 0.074 0.057
280.0	277.8	15.363	35.328	26.180	193.79	7.259	1512.70	15.30	18 0.128 0.113
300.0	297.7	14.951	35.351	26.254	184.23	7.636	1511.90	14.91	22 0.052 0.041
320.0	317.5	14.667	35.303	26.279	182.79	8.001	1511.23	14.62	20 0.100 0.129
340.0	337.3	14.155	35.246	26.345	176.45	8.359	1509.86	14.11	19 0.072 0.085
360.0	357.1	13.925	35.253	26.400	171.61	8.701	1509.48	13.87	22 0.068 0.086
380.0	377.0	13.411	35.178	26.440	167.36	9.044	1508.06	13.36	18 0.051 0.045
400.0	396.8	13.150	35.155	26.481	164.30	9.374	1507.47	13.09	16 0.073 0.090
420.0	416.6	12.661	35.098	26.537	159.42	9.697	1506.14	12.60	16 0.049 0.050
440.0	436.4	12.154	35.025	26.579	155.59	10.013	1504.83	12.10	19 0.071 0.068
460.0	456.2	11.708	34.974	26.625	151.30	10.320	1501.41	11.65	21 0.061 0.070
480.0	476.1	11.413	34.957	26.643	146.03	10.619	1502.79	11.37	17 0.021 0.034
500.0	495.9	11.119	34.909	26.683	146.30	10.918	1501.97	11.06	21 0.036 0.033
550.0	545.4	10.225	34.866	26.762	139.12	11.633	1499.49	10.16	19 0.015 0.025
600.0	594.9	9.544	34.729	26.817	134.18	12.320	1497.81	9.47	20 0.028 0.023
700.0	693.9	8.504	34.612	26.892	127.66	13.620	1495.48	8.43	18 0.042 0.046
800.0	792.0	7.427	34.527	26.986	118.84	14.844	1492.93	7.35	20 0.036 0.029
900.0	891.7	6.565	34.469	27.059	111.93	15.994	1491.16	6.48	17 0.049 0.051
1000.0	990.6	5.836	34.466	27.147	103.50	17.064	1489.93	5.75	19 0.019 0.015
1100.0	1089.4	5.246	34.457	27.216	96.92	18.065	1489.17	5.15	20 0.024 0.022
1200.0	1186.1	4.640	34.467	27.294	99.15	18.990	1486.36	4.54	19 0.012 0.014
1300.0	1286.8	4.101	34.488	27.367	81.71	19.845	1487.80	4.00	17 0.016 0.011
1400.0	1385.5	3.714	34.512	27.427	75.75	20.626	1487.00	3.61	17 0.010 0.012
1500.0	1484.1	3.363	34.547	27.469	69.69	21.352	1486.12	3.25	20 0.001 0.004
1600.0	1582.6	3.034	34.563	27.517	64.53	22.026	1486.36	3.01	20 0.009 0.006
1700.0	1681.2	2.813	34.593	27.571	60.67	22.650	1489.17	2.69	20 0.004 0.004
1800.0	1779.6	2.634	34.611	27.607	57.70	23.241	1490.13	2.51	20 0.007 0.004
1900.0	1878.1	2.526	34.627	27.629	55.73	23.809	1491.33	2.39	17 0.005 0.004
2000.0	1976.4	2.452	34.638	27.645	54.49	24.361	1492.69	2.21	19 0.000 0.000
2100.0	2074.8	2.352	34.655	27.664	52.69	24.897	1493.96	2.20	20 0.002 0.003
2200.0	2173.1	2.278	34.663	27.680	51.40	25.418	1495.31	2.12	21 0.004 0.003
2300.0	2271.3	2.209	34.672	27.691	50.48	25.925	1496.72	2.04	19 0.000 0.003
2400.0	2369.5	2.143	34.681	27.705	49.27	26.421	1498.14	1.97	19 0.005 0.003
2500.0	2467.7	2.050	34.692	27.721	47.66	26.905	1499.44	1.87	18 0.004 0.002
2600.0	2565.8	1.952	34.704	27.730	45.87	27.373	1500.71	1.76	20 0.004 0.003





SHIP : HMAS COOK - Primary
 STATION NUMBER : 6 (THROUGH THE CRUISE)
 STATION NUMBER : 6 (THROUGH THE YEAR)
 DATE : 01-FEB-1986 (DAY NUMBER 32)
 START TIME : 0626 GMT - Z
 CRUISE : CX01/86
 POSITION : 32°39'.00S 159°59'.90E
 CAST DEPTH : 1436 METRES
 BOTTOM DEPTH : 1535 METRES

SHIP : HMAS COOK - Primary
 STATION NUMBER : 7 (THROUGH THE CRUISE)
 STATION NUMBER : 7 (THROUGH THE YEAR)
 DATE : 04-FEB-1986 (DAY NUMBER 35)
 START TIME : 0506 GMT - Z
 CRUISE : CX01/86
 POSITION : 32°36'.00S 165°00'.44E
 CAST DEPTH : 2053 METRES
 BOTTOM DEPTH : 2506 METRES

PRESS	DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
10.0	9.9	23.106	35.398	24.206	370.75	0.371	1530.37	23.10
20.0	19.9	22.573	35.542	24.382	354.39	0.733	1529.23	22.57
30.0	29.8	22.454	35.460	24.400	369.20	1.085	1529.13	22.45
40.0	39.7	22.307	35.427	25.458	347.92	1.433	1528.84	22.30
50.0	49.6	21.282	35.299	24.600	313.88	1.774	1525.59	21.28
60.0	59.6	19.946	35.512	25.211	276.78	2.080	1522.54	19.94
70.0	69.5	19.364	35.529	25.313	365.49	2.351	1521.39	19.36
80.0	79.4	18.731	35.556	25.516	248.39	2.608	1519.78	18.73
90.0	89.3	18.427	35.612	25.632	237.35	2.851	1519.24	18.42
100.0	99.2	18.184	35.674	25.667	234.66	3.087	1518.61	18.18
110.0	119.1	18.009	35.617	25.743	220.07	3.547	1518.51	17.99
120.0	139.0	17.678	35.594	25.807	222.58	4.000	1517.86	17.68
130.0	158.0	17.560	35.628	25.857	218.51	4.461	1517.91	17.55
140.0	178.7	17.496	35.635	25.803	216.68	4.875	1518.01	17.47
150.0	198.5	17.211	35.591	25.919	213.88	5.306	1517.42	17.18
160.0	218.2	16.887	35.578	25.980	208.63	5.730	1516.78	16.85
170.0	238.0	16.499	35.452	25.981	208.99	6.146	1515.68	16.45
180.0	258.0	16.023	35.402	26.094	190.25	6.554	1513.99	15.78
190.0	277.8	15.742	35.143	26.184	190.50	6.944	1512.40	15.28
200.0	297.7	14.691	35.299	26.270	182.63	7.318	1510.97	14.65
210.0	317.5	14.178	35.254	26.347	175.72	7.677	1509.62	14.13
220.0	337.1	13.753	35.205	26.390	171.20	8.025	1508.49	13.70
230.0	357.2	13.176	35.133	26.461	165.46	8.361	1506.83	13.13
240.0	377.0	12.601	35.102	26.512	160.85	8.687	1505.86	12.75
250.0	396.8	12.145	35.075	26.564	156.25	9.003	1504.96	12.38
260.0	416.6	11.593	35.020	26.604	152.32	9.313	1503.69	11.91
270.0	436.4	11.652	34.974	26.628	150.63	9.615	1502.94	11.61
280.0	456.0	11.150	34.919	26.648	145.22	9.913	1501.36	11.09
290.0	476.1	10.692	34.806	26.704	143.47	10.202	1500.78	10.81
300.0	495.9	10.548	34.836	26.731	141.28	10.487	1499.80	10.49
310.0	515.4	9.845	34.747	26.761	136.92	11.180	1498.03	9.78
320.0	535.0	9.097	34.664	26.840	131.55	11.889	1496.07	9.03
330.0	554.9	8.172	34.579	26.917	124.83	13.127	1494.16	8.18
340.0	574.8	6.376	34.470	27.008	109.12	15.490	1490.41	6.29
350.0	594.6	5.600	34.432	27.151	102.36	16.549	1488.92	5.51
360.0	614.4	4.965	34.434	27.231	94.81	17.539	1488.00	4.87
370.0	634.1	4.469	34.466	27.312	87.02	18.446	1487.64	4.17
380.0	653.8	4.095	34.485	27.367	81.70	19.288	1487.79	3.99
390.0	673.5	3.685	34.507	27.426	75.32	20.077	1487.75	3.54
400.0	693.2	3.460	34.528	27.465	71.93	20.595	1486.04	3.15

PRESS	DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
10.0	9.9	23.106	35.398	24.206	370.75	0.371	1531.42	23.14
20.0	19.9	22.573	35.542	24.382	354.39	0.733	1529.58	23.07
30.0	29.8	22.454	35.460	24.400	369.20	1.085	1529.42	22.92
40.0	39.7	22.307	35.427	25.458	347.92	1.433	1528.84	22.86
50.0	49.6	21.282	35.299	24.600	313.88	1.774	1525.59	22.71
60.0	59.6	19.946	35.512	25.211	276.78	2.080	1522.54	20.90
70.0	69.5	19.364	35.529	25.313	365.49	2.351	1521.39	19.35
80.0	79.4	18.731	35.556	25.516	248.39	2.608	1519.78	18.73
90.0	89.3	18.427	35.612	25.632	237.35	2.851	1519.24	18.42
100.0	99.2	18.184	35.674	25.667	234.66	3.087	1518.61	18.18
110.0	119.1	18.009	35.617	25.743	220.07	3.547	1518.51	17.99
120.0	139.0	17.678	35.594	25.807	222.58	4.000	1517.86	17.68
130.0	158.0	17.560	35.628	25.857	218.51	4.461	1517.91	17.55
140.0	178.7	17.496	35.635	25.803	216.68	4.875	1518.01	17.47
150.0	198.5	17.211	35.591	25.919	213.88	5.306	1517.42	17.18
160.0	218.2	16.887	35.578	25.980	208.63	5.730	1516.78	16.85
170.0	238.0	16.499	35.452	25.981	208.99	6.146	1515.68	16.45
180.0	258.0	16.023	35.402	26.094	190.25	6.554	1513.99	15.78
190.0	277.8	15.742	35.143	26.184	190.50	6.944	1512.40	15.28
200.0	297.7	14.691	35.299	26.270	182.63	7.318	1510.97	14.65
210.0	317.5	14.178	35.254	26.347	175.72	7.677	1509.62	14.13
220.0	337.1	13.753	35.205	26.390	171.20	8.025	1508.49	13.70
230.0	357.2	13.176	35.133	26.461	165.46	8.361	1506.83	13.13
240.0	377.0	12.601	35.102	26.512	160.85	8.687	1505.86	12.75
250.0	396.8	12.145	35.075	26.564	156.25	9.003	1504.96	12.38
260.0	416.6	11.593	35.020	26.604	152.32	9.313	1503.69	11.91
270.0	436.4	11.652	34.974	26.628	150.63	9.615	1502.94	11.61
280.0	456.0	11.150	34.919	26.648	145.22	9.913	1501.36	11.09
290.0	476.1	10.692	34.806	26.704	143.47	10.202	1500.78	10.81
300.0	495.9	10.548	34.836	26.731	141.28	10.487	1499.80	10.49
310.0	515.4	9.845	34.747	26.761	136.92	11.180	1498.03	9.78
320.0	535.0	9.097	34.664	26.840	131.55	11.889	1496.07	9.03
330.0	554.9	8.172	34.579	26.917	124.83	13.127	1494.16	8.18
340.0	574.8	6.376	34.470	27.008	109.12	15.490	1490.41	6.29
350.0	594.6	5.600	34.432	27.151	102.36	16.549	1488.92	5.51
360.0	614.4	4.965	34.434	27.231	94.81	17.539	1488.00	4.87
370.0	634.1	4.469	34.466	27.312	87.02	18.446	1487.64	4.17
380.0	653.8	4.095	34.485	27.367	81.70	19.288	1487.79	3.99
390.0	673.5	3.685	34.507	27.426	75.32	20.077	1487.75	3.54
400.0	693.2	3.460	34.528	27.465	71.93	20.595	1486.04	3.15



SHIP : HMAS COOK - Pleassey
 STATION NUMBER : 8 (THROUGH THE CRUISE)
 STATION NUMBER : 9 (THROUGH THE YEAR)
 DATE : 04-FEB-1986 (DAY NUMBER 35)
 START TIME : 2200 CDT - Z
 CRUISE : CR01/86
 POSITION : 32139.00S 163:03.00E
 CAST DEPTH : 664 METRES
 BOTTOM DEPTH : 965 METRES

PRESS	DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
10.0	9.9	21.206	35.500	24.255	366.11	0.366	1530.81	23.20
20.0	19.9	21.002	35.449	24.275	364.44	0.731	1510.27	23.00
30.0	29.8	21.155	35.470	24.362	356.63	1.092	1529.08	22.75
40.0	39.7	22.008	35.468	24.401	351.09	1.447	1529.65	22.60
50.0	49.6	22.401	35.360	24.300	355.69	1.801	1528.91	22.39
60.0	59.6	20.447	35.150	24.938	302.24	2.130	1523.42	20.34
70.0	69.5	19.034	35.149	25.357	363.19	2.413	1520.19	19.02
80.0	79.4	18.400	35.084	25.523	247.01	2.649	1518.87	18.47
90.0	89.3	17.676	35.471	25.711	229.87	2.900	1516.71	17.66
100.0	99.3	17.292	35.528	25.851	217.14	3.132	1515.99	17.28
120.0	119.1	16.666	35.520	25.994	204.08	3.553	1514.34	16.65
140.0	139.0	16.366	35.518	26.061	198.18	3.954	1513.78	16.35
160.0	158.8	15.807	35.459	26.144	190.72	4.346	1512.32	15.78
180.0	178.7	15.359	35.428	26.223	183.84	4.720	1511.23	15.33
200.0	198.5	15.005	35.420	26.278	179.17	5.082	1510.74	15.05
220.0	218.3	17.703	35.355	26.329	174.82	5.436	1509.79	14.67
240.0	238.2	14.290	35.317	26.371	171.20	5.783	1508.72	14.25
260.0	258.0	13.919	35.289	26.428	166.24	6.119	1507.83	13.98
280.0	277.8	13.349	35.158	26.485	164.91	6.451	1506.03	13.31
300.0	297.7	12.779	35.117	26.528	157.29	6.772	1504.50	12.74
320.0	317.5	12.456	35.102	26.581	152.69	7.082	1503.79	12.41
340.0	337.3	12.166	35.065	26.607	150.53	7.308	1503.06	12.12
360.0	357.2	11.797	34.985	26.617	149.84	7.608	1502.02	11.75
380.0	377.0	11.371	34.936	26.658	146.11	7.983	1500.81	11.32
400.0	396.8	10.991	34.905	26.703	142.05	8.272	1499.82	10.94
420.0	416.6	10.800	34.874	26.714	141.34	8.554	1499.44	10.75
440.0	436.4	10.577	34.860	26.743	130.88	8.835	1498.96	10.52
460.0	456.3	10.359	34.830	26.763	137.20	9.112	1498.53	10.30
480.0	476.1	10.016	34.785	26.782	135.61	9.388	1497.52	9.96
500.0	495.9	9.675	34.739	26.804	133.62	9.655	1496.60	9.62
520.0	515.4	8.994	34.674	26.865	128.13	10.310	1494.84	8.93
540.0	534.9	8.519	34.626	26.902	125.04	10.944	1493.86	8.46
560.0	554.9	7.516	34.556	26.987	117.41	12.163	1491.87	7.51
580.0	574.9	6.696	34.509	27.074	109.41	13.297	1490.03	6.62
600.0	594.9	5.929	34.509	27.074	109.41	13.297	1489.75	6.34
620.0	614.5	5.415	34.510	27.112	106.07	13.836	1489.75	6.34
640.0	634.3	5.042	34.510	27.112	106.07	13.836	1489.75	6.34
660.0	654.3	4.712	34.510	27.112	106.07	13.836	1489.75	6.34
680.0	674.3	4.412	34.510	27.112	106.07	13.836	1489.75	6.34
700.0	693.9	4.156	34.510	27.112	106.07	13.836	1489.75	6.34
720.0	713.5	3.936	34.510	27.112	106.07	13.836	1489.75	6.34
740.0	733.1	3.756	34.510	27.112	106.07	13.836	1489.75	6.34
760.0	752.7	3.606	34.510	27.112	106.07	13.836	1489.75	6.34
780.0	772.3	3.476	34.510	27.112	106.07	13.836	1489.75	6.34
800.0	792.9	3.366	34.510	27.112	106.07	13.836	1489.75	6.34
820.0	812.5	3.276	34.510	27.112	106.07	13.836	1489.75	6.34
840.0	832.1	3.206	34.510	27.112	106.07	13.836	1489.75	6.34
860.0	851.7	3.156	34.510	27.112	106.07	13.836	1489.75	6.34
880.0	871.3	3.126	34.510	27.112	106.07	13.836	1489.75	6.34
900.0	891.0	3.106	34.510	27.112	106.07	13.836	1489.75	6.34
920.0	911.5	3.095	34.510	27.112	106.07	13.836	1489.75	6.34

SHIP : HMAS COOK - Pleassey
 STATION NUMBER : 9 (THROUGH THE CRUISE)
 STATION NUMBER : 9 (THROUGH THE YEAR)
 DATE : 06-FEB-1986 (DAY NUMBER 37)
 START TIME : 0005 CDT - Z
 CRUISE : CR01/86
 POSITION : 3218.30S 166:59.80E
 CAST DEPTH : 0 METRES
 BOTTOM DEPTH : 963 METRES

PRESS	DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
10.0	9.9	22.641	35.494	24.401	352.17	0.152	1529.50	22.68
20.0	19.9	23.319	35.275	364.00	0.700	1529.33	22.52	19.0 015 0.06
30.0	29.8	23.422	35.357	24.523	341.29	1.043	1529.25	22.42
40.0	39.7	23.174	35.567	24.596	314.72	1.381	1528.75	22.17
50.0	49.6	21.960	35.579	24.660	328.21	1.712	1528.06	21.85
60.0	59.6	21.557	35.573	24.777	318.04	2.035	1527.48	21.55
70.0	69.5	20.908	35.455	24.699	307.40	2.168	1525.37	20.79
80.0	79.4	19.519	35.219	25.303	268.74	2.436	1522.14	19.50
90.0	89.4	19.223	35.597	25.417	250.18	2.900	1521.50	19.21
100.0	99.3	19.614	35.564	25.447	231.82	3.157	1521.06	19.00
120.0	119.1	18.145	35.563	25.603	233.84	3.644	1518.93	18.12
140.0	139.0	17.528	35.591	25.841	219.30	4.099	1517.44	17.50
160.0	158.8	17.116	35.564	25.938	210.89	4.529	1516.56	17.09
180.0	178.7	16.815	35.544	26.047	207.59	4.947	1515.94	16.79
200.0	198.5	16.386	35.501	26.046	201.56	5.156	1514.92	16.15
220.0	218.3	16.100	35.493	26.105	196.54	5.751	1514.38	16.06
240.0	238.2	15.525	35.424	26.182	189.62	6.143	1512.86	15.49
260.0	258.0	15.271	35.394	26.213	187.13	6.519	1512.32	15.23
280.0	277.9	14.747	35.339	26.295	180.28	6.885	1510.93	14.70
300.0	297.7	14.313	35.328	26.345	175.30	7.241	1509.82	14.27
320.0	317.5	14.059	35.264	26.301	172.42	7.588	1509.31	14.01
340.0	337.3	13.714	35.226	26.418	169.28	7.930	1508.44	13.67
360.0	357.2	13.331	35.193	26.481	163.66	8.263	1507.54	13.28
380.0	377.0	13.070	35.166	26.501	161.45	8.590	1506.94	13.02
400.0	396.8	12.781	35.102	26.516	161.02	9.913	1506.18	12.73
420.0	416.6	12.120	35.026	26.568	154.44	9.229	1504.20	12.06
440.0	436.4	11.850	35.017	26.632	150.42	9.514	1501.66	11.79
460.0	456.3	11.629	34.982	26.646	149.35	9.833	1501.16	11.57
480.0	476.1	11.235	34.932	26.682	146.05	10.129	1502.09	11.17
500.0	495.9	10.780	34.873	26.722	142.39	10.418	1500.77	10.72
520.0	514.5	10.331	34.833	26.765	130.92	11.119	1499.95	10.26
540.0	534.9	9.817	34.777	26.809	115.26	11.804	1498.87	9.75
560.0	554.9	9.417	34.716	34.681	26.914	125.94	1496.39	8.64
580.0	574.9	8.792	34.540	26.957	122.43	14.354	1494.97	7.86
600.0	594.9	8.396	34.509	27.074	119.41	14.044	1494.04	7.44
620.0	614.5	7.916	34.510	27.112	106.07	13.836	1489.75	6.34
640.0	634.3	7.516	34.510	27.112	106.07	13.836	1489.75	6.34
660.0	654.3	7.156	34.510	27.112	106.07	13.836	1489.75	6.34
680.0	674.3	6.816	34.510	27.112	106.07	13.836	1489.75	6.34
700.0	693.9	6.516	34.510	27.112	106.07	13.836	1489.75	6.34
720.0	713.5	6.276	34.510	27.112	106.07	13.836	1489.75	6.34
740.0	733.1	6.076	34.510	27.112	106.07	13.836	1489.75	6.34
760.0	752.7	5.876	34.510	27.112	106.07	13.836	1489.75	6.34
780.0	772.3	5.676	34.510	27.112	106.07	13.836	1489.75	6.34
800.0	792.9	5.476	34.510	27.112	106.07	13.836	1489.75	6.34
820.0	812.5	5.276	34.510	27.112	106.07	13.836	1489.7	

SHIP : HMCS COOR - Plessey
 STATION NUMBER : 10 (THROUGH THE CRUISE)
 STATION NUMBER : 10 (THROUGH THE YEAR)
 DATE : 06-FEB-1986 (DAY NUMBER 37)
 START TIME : 0907 GHT - Z
 CRUISE : C001/86
 POSITION : 32°04.00S 169°11.00E
 CAST DEPTH : 2081 METRES
 BOTTOM DEPTH : 4070 METRES

PRESS	DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
0.0	0.0	22.388	35.474	24.470	345.22	0.000	1528.62	22.39
10.0	9.9	22.188	35.446	24.505	342.24	0.344	1528.13	22.19
20.0	19.9	21.876	35.494	24.622	321.53	0.681	1527.53	21.87
30.0	29.8	21.622	35.554	24.669	327.34	1.010	1526.97	21.62
40.0	39.7	21.455	35.612	24.731	321.03	1.335	1526.72	21.45
50.0	49.6	21.178	35.674	24.781	317.27	1.654	1526.09	21.17
60.0	59.5	19.511	35.740	24.951	301.62	1.964	1524.37	20.50
70.0	69.5	19.342	35.746	25.134	284.51	2.257	1522.97	19.32
80.0	79.5	18.908	35.741	25.303	281.01	2.529	1520.05	18.89
90.0	89.4	18.471	35.720	25.560	284.47	2.782	1519.31	18.46
100.0	99.3	18.211	35.511	25.613	239.03	3.024	1518.02	18.19
120.0	119.3	17.394	35.536	25.834	219.34	3.464	1516.43	17.37
140.0	139.0	16.808	35.506	25.250	206.90	3.912	1515.15	16.78
160.0	158.0	16.227	35.493	26.075	197.41	4.317	1513.74	16.20
180.0	178.7	15.656	35.451	26.175	186.44	4.704	1512.26	15.63
200.0	198.5	15.252	35.466	26.226	184.20	5.075	1511.29	15.22
220.0	218.3	14.824	35.366	26.295	180.01	5.436	1510.24	14.79
240.0	238.2	14.425	35.355	26.134	174.40	5.790	1509.79	14.54
260.0	258.0	14.245	35.294	26.363	172.52	6.137	1508.97	14.21
280.0	277.9	13.931	35.279	26.418	167.72	6.477	1508.30	13.89
300.0	297.7	13.752	35.248	26.432	164.93	6.812	1508.00	13.71
320.0	317.4	13.113	35.142	26.481	162.50	7.143	1506.06	13.07
340.0	337.4	12.599	35.095	26.539	157.20	7.461	1504.65	12.55
360.0	357.2	12.259	35.050	26.519	153.79	7.770	1503.29	12.21
380.0	377.0	11.847	35.012	26.429	149.20	8.072	1502.70	11.80
400.0	396.8	11.614	34.996	26.459	146.67	8.360	1502.22	11.56
420.0	416.6	11.230	34.945	26.491	143.05	8.641	1501.14	11.18
440.0	436.5	10.940	34.869	26.700	143.30	9.048	1500.37	10.89
460.0	456.3	10.715	34.692	26.729	139.86	9.229	1500.03	10.68
480.0	476.1	10.451	34.651	26.150	136.23	9.500	1499.30	10.39
500.0	495.9	10.262	34.624	26.170	137.13	9.703	1498.93	10.20
520.0	515.4	9.504	34.721	26.817	133.13	10.456	1496.85	9.44
540.0	535.0	8.800	34.692	26.891	126.15	11.099	1495.09	8.71
560.0	555.0	7.918	34.587	26.961	120.27	12.320	1493.31	7.85
580.0	591.9	7.218	34.531	26.961	112.37	1493.31	7.05	20.056
600.0	722.9	6.949	34.533	27.052	111.94	13.494	1491.74	6.91
900.0	891.8	5.840	34.453	27.140	102.93	14.561	1466.35	5.76
1000.0	990.5	5.465	34.470	27.200	97.74	15.561	1466.51	5.38
1100.0	1089.3	4.913	34.476	27.270	91.09	16.504	1467.91	4.82
1200.0	1188.1	4.322	34.495	27.150	83.05	17.367	1487.16	4.23
1300.0	1286.1	3.987	34.506	27.195	78.02	18.174	1487.40	3.89
1400.0	1384.2	3.302	34.553	27.493	69.30	19.627	1486.27	3.27
1500.0	1484.2	3.062	34.553	27.493	69.30	19.627	1486.27	3.05
1600.0	1582.0	3.069	34.545	27.512	60.64	20.305	1486.60	2.95
1700.0	1681.1	2.759	34.590	27.517	60.64	20.937	1489.15	2.67
1800.0	1779.0	2.594	34.599	27.601	58.01	21.531	1489.94	2.41
1900.0	1878.2	2.451	34.616	27.627	55.63	22.103	1491.04	2.32
2000.0	1976.6	2.295	34.621	27.674	55.63	22.650	1492.03	2.15
2050.0	2015.6	2.237	34.631	27.674	52.61	22.969	1492.67	2.09

SHIP : HMCS COOR - Plessey
 STATION NUMBER : 11 (THROUGH THE CRUISE)
 STATION NUMBER : 11 (THROUGH THE YEAR)
 DATE : 06-FEB-1986 (DAY NUMBER 39)
 START TIME : 1105 GHT - Z
 CRUISE : C001/86
 POSITION : 31°40.00S 173°33.00E
 CAST DEPTH : 1986 METRES
 BOTTOM DEPTH : 3130 METRES


PRESS	DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
10.0	9.9	22.396	35.757	24.520	340.14	0.340	1530.63	22.39
20.0	19.9	22.188	35.759	24.556	337.72	0.679	1530.30	22.34
30.0	29.8	22.015	35.627	24.667	327.62	1.012	1528.27	22.10
40.0	39.7	21.496	35.634	24.842	311.29	1.331	1526.93	21.49
50.0	49.6	21.233	35.647	24.923	301.82	1.639	1526.44	21.22
60.0	59.6	20.790	35.550	24.972	299.68	1.940	1525.11	20.78
70.0	69.5	20.375	35.568	25.203	273.95	2.229	1523.12	19.96
80.0	79.4	19.408	35.508	25.367	262.63	2.499	1521.77	19.39
90.0	89.4	18.023	35.485	25.502	250.76	2.756	1520.41	18.85
100.0	99.3	18.455	35.594	25.631	239.67	3.001	1519.46	18.44
120.0	119.1	17.520	35.580	25.754	227.02	3.464	1518.07	17.63
140.0	139.0	17.361	35.579	25.873	216.27	3.195	1516.96	17.31
160.0	158.0	16.984	35.545	25.941	210.43	4.132	1516.16	16.94
180.0	178.7	16.678	35.545	26.010	204.39	4.747	1515.55	16.65
200.0	198.5	16.512	35.527	26.202	198.70	5.153	1515.34	16.48
220.0	218.3	16.426	35.514	26.320	199.85	5.555	1515.09	16.28
240.0	238.2	16.242	35.511	26.467	198.97	5.952	1515.17	16.20
260.0	258.0	15.768	35.419	26.124	195.78	6.149	1513.89	15.73
280.0	277.9	15.057	35.329	26.214	197.59	6.732	1511.80	15.01
300.0	297.7	14.566	35.292	26.293	190.43	7.100	1510.66	14.52
320.0	317.5	14.178	35.217	26.333	176.98	7.586	1509.68	14.13
340.0	337.4	13.747	35.197	26.393	171.65	7.807	1508.55	13.70
360.0	357.2	13.302	35.157	26.454	166.17	8.148	1507.42	13.25
380.0	377.0	12.184	35.143	26.467	165.40	8.480	1507.35	13.13
400.0	396.8	12.035	35.056	26.472	165.20	8.810	1506.31	12.78
420.0	416.6	11.727	34.996	26.539	159.37	9.131	1504.64	12.31
440.0	436.5	11.552	34.967	26.611	152.26	9.445	1501.27	11.69
460.0	456.3	11.352	34.915	26.609	152.76	9.749	1502.79	11.49
480.0	476.1	11.050	34.874	26.669	147.17	10.050	1501.41	10.99
500.0	495.9	10.915	34.816	26.675	146.90	10.344	1501.24	10.65
520.0	515.5	10.488	34.801	26.713	144.02	11.071	1500.46	10.42
540.0	535.0	9.919	34.720	26.765	139.45	11.789	1498.83	9.75
560.0	555.0	8.956	34.674	26.805	136.55	12.406	1497.52	8.95
580.0	591.8	8.254	34.572	26.905	126.16	13.112	1494.57	8.18
600.0	692.9	6.952	34.464	27.004	116.43	14.728	1491.09	6.68
620.0	791.8	6.171	34.423	27.075	109.66	15.359	1499.61	6.09
640.0	890.5	5.039	34.422	27.212	96.75	12.518	1488.32	4.35
660.0	990.3	4.182	34.467	27.312	87.02	18.439	1487.73	4.18
680.0	1089.3	3.270	34.466	27.379	80.28	19.223	1487.36	3.68
700.0	1188.1	2.452	34.471	27.435	70.20	20.041	1487.91	1.59
720.0	1286.1	1.614	34.512	27.412	11.33	20.729	1488.12	1.30
740.0	1384.2	0.784	34.512	27.355	66.56	21.464	1489.73	1.00
760.0	1484.2	0.681	34.512	27.355	62.66	22.113	1489.47	2.76
780.0	1582.0	2.729	34.508	27.581	60.55	22.724	1490.48	2.60
800.0	1681.1	1.749	34.597	27.601	58.26	23.318	1491.55	2.45
820.0	1779.0	1.078	34.616	27.624	56.22	23.691	1492.57	2.18
840.0	1878.2	2.451	34.616	27.627	52.61	23.969	1492.67	2.09
860.0	1976.6	2.295	34.621	27.674	52.61	22.969	1492.67	2.09
880.0	2015.6	2.237	34.631	27.674	52.61	22.969	1492.67	2.09

SHIP : HMHS COOK - Plessey
 STATION NUMBER : 12 (THROUGH THE CRUISE)
 STATION NUMBER : 12 (THROUGH THE YEAR)
 DATE : 09-FEB-1986 (DAY NUMBER 40)
 START TIME : 1230 GHT - Z
 CRUISE : CX01/86
 POSITION : 31°51.808 179°59.002
 CAST DEPTH : 1749 METRES
 BOTTOM DEPTH : 3010 METRES

PRESS	DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
10.0	9.9	21.418	35.773	24.400	352.31	0.352	1531.68	23.42
20.0	19.9	23.418	35.786	24.408	351.95	0.304	1531.66	23.41
30.0	29.8	23.424	35.786	24.408	352.32	1.056	1532.03	23.42
40.0	39.7	22.177	35.800	24.497	344.20	1.405	1527.94	22.17
50.0	42.6	20.961	35.586	24.948	301.54	1.727	1525.47	20.95
60.0	59.6	19.585	35.586	25.126	284.95	2.021	1523.94	20.30
70.0	69.5	19.643	35.567	25.289	269.70	2.298	1522.20	19.63
80.0	79.4	18.951	35.556	25.455	254.21	2.560	1520.36	18.94
90.0	89.4	18.114	35.593	25.649	236.03	2.865	1518.82	18.30
100.0	99.3	17.605	35.786	25.786	3.036	1517.78	17.87	17.112 0.116
120.0	119.1	17.280	35.591	25.907	212.45	3.474	1516.34	17.24
140.0	139.0	14.409	35.561	25.952	208.77	3.095	1515.76	16.95
160.0	158.8	16.699	35.548	26.007	204.06	4.307	1515.28	16.67
180.0	178.7	16.191	35.529	26.065	199.16	4.712	1514.64	16.36
200.0	198.5	16.042	35.485	26.111	195.16	5.110	1513.86	16.01
220.0	218.4	15.704	35.441	26.155	191.58	5.500	1512.10	15.67
240.0	238.2	15.409	35.414	26.203	187.73	5.081	1512.49	15.37
260.0	258.0	15.111	35.456	26.233	185.33	6.254	1512.00	15.37
280.0	277.9	14.950	35.326	26.233	185.44	6.425	1511.47	14.91
300.0	300.7	14.409	35.269	26.232	180.53	6.989	1510.29	14.44
320.0	317.5	13.766	35.163	26.361	173.95	7.343	1508.17	13.72
340.0	337.4	11.309	35.074	26.405	169.83	7.600	1506.55	13.16
360.0	357.2	12.527	34.981	26.473	163.89	8.022	1504.40	12.40
380.0	377.0	12.369	35.021	26.533	158.41	8.342	1504.46	12.32
400.0	396.9	12.152	34.964	26.533	158.99	8.657	1503.92	12.10
420.0	416.7	11.701	34.918	26.533	158.41	8.966	1502.56	11.65
440.0	436.5	11.101	34.843	26.635	149.44	9.273	1500.82	11.05
460.0	456.3	10.600	14.785	26.681	148.95	9.568	1499.24	10.54
480.0	476.1	10.252	34.770	26.730	140.20	9.855	1498.45	10.20
500.0	496.0	9.912	14.649	26.725	141.21	10.135	1497.44	9.85
550.0	545.5	9.201	14.628	26.795	134.69	10.816	1495.60	9.14
600.0	595.0	8.564	14.578	26.856	129.20	11.473	1494.06	8.50
700.0	694.0	7.575	14.473	26.923	123.49	12.728	1491.84	7.51
800.0	793.0	6.677	14.422	27.007	115.59	13.919	1489.96	6.60
900.0	891.9	6.099	14.406	27.072	109.61	15.045	1489.31	6.02
1000.0	990.7	5.379	14.377	27.137	101.46	16.111	1488.02	5.29
1100.0	1089.5	4.772	14.370	27.203	97.05	17.116	1487.10	4.68
1200.0	1188.3	4.215	14.492	27.286	84.51	18.041	1486.57	4.12
1300.0	1287.0	3.819	14.414	27.354	82.03	18.897	1486.57	3.74
1400.0	1385.7	3.385	14.490	27.444	73.29	19.672	1486.51	3.28
1500.0	1484.3	3.150	14.525	27.492	68.55	20.303	1487.19	3.04
1600.0	1582.9	2.892	14.561	27.345	61.35	21.541	1487.81	2.78
1700.0	1681.4	2.734	14.595	27.578	50.28	21.659	1488.82	2.61
1800.0	1779.9	2.575	14.597	27.603	57.97	22.246	1489.81	2.45
1900.0	1878.4	2.467	14.612	27.632	56.09	22.815	1491.05	2.31
2000.0	1976.8	2.300	14.621	27.636	54.78	23.170	1492.40	2.25
2020.0	1996.4	2.165	14.624	27.641	54.53	23.479	1492.63	2.22
								4.006 0.003

SHIP : HMHS COOK - Plessey
 STATION NUMBER : 13 (THROUGH THE CRUISE)
 STATION NUMBER : 13 (THROUGH THE YEAR)
 DATE : 09-FEB-1986 (DAY NUMBER 40)
 START TIME : 2026 GHT - Z
 CRUISE : CX01/86
 POSITION : 30°56.008 179°52.322
 CAST DEPTH : 1989 METRES
 BOTTOM DEPTH : 2625 METRES



PRESS	DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
10.0	9.9	22.482	35.698	24.613	332.01	0.332	1529.23	22.19
20.0	19.9	22.422	35.714	24.643	325.54	0.663	1529.23	22.42
30.0	29.8	21.591	35.529	24.735	321.07	0.988	1526.65	21.59
40.0	39.7	19.941	35.503	25.162	280.74	1.289	1522.42	19.93
50.0	49.6	18.417	35.453	25.516	247.35	1.553	1518.28	18.41
60.0	59.6	17.745	35.564	25.768	223.82	1.786	1516.76	17.71
70.0	69.5	17.325	35.494	25.820	219.06	2.010	1515.51	17.31
80.0	79.4	16.846	35.504	25.926	212.3	2.223	1514.30	16.84
90.0	89.4	16.290	35.487	26.056	197.17	2.426	1512.76	16.28
100.0	99.3	16.059	35.786	26.786	192.83	2.621	1512.25	16.04
120.0	119.1	15.628	35.444	26.178	186.41	2.999	1511.21	15.61
140.0	139.0	15.130	35.439	26.236	181.23	3.366	1510.60	15.31
160.0	158.8	15.045	35.406	26.272	178.57	3.725	1510.07	15.04
180.0	178.7	14.830	35.378	26.302	176.26	4.079	1509.64	14.80
200.0	198.5	14.654	35.367	26.311	174.00	4.429	1509.40	14.62
220.0	218.4	14.301	35.320	26.354	172.28	4.716	1508.49	14.27
240.0	238.2	14.029	35.224	26.197	168.62	5.117	1507.22	13.79
260.0	258.0	13.244	35.153	26.463	162.65	5.149	1505.55	13.21
280.0	277.9	12.943	35.119	26.497	159.82	5.271	1504.86	12.90
300.0	297.8	12.640	35.065	26.516	158.37	6.089	1504.10	12.60
320.0	317.6	12.369	35.031	26.544	156.05	6.403	1501.46	12.33
340.0	337.4	12.112	35.027	26.589	152.16	6.711	1502.93	12.07
360.0	357.2	11.991	34.994	26.606	150.96	7.013	1502.48	11.84
380.0	377.0	11.472	34.937	26.640	147.89	7.313	1501.28	11.42
400.0	396.9	11.131	34.904	26.679	144.41	7.605	1500.41	11.08
420.0	416.7	10.851	34.851	26.685	144.14	7.891	1499.66	10.80
440.0	436.5	10.509	34.835	26.735	139.56	8.176	1498.78	10.46
460.0	456.3	10.237	34.812	26.749	138.51	8.454	1498.45	10.27
480.0	476.1	9.987	34.773	26.779	135.87	8.729	1491.53	9.93
500.0	496.0	9.773	34.745	26.795	134.85	9.000	1491.05	9.72
550.0	545.5	8.933	34.626	26.839	130.51	9.663	1494.66	8.81
600.0	595.0	8.395	34.591	26.893	125.64	10.202	1491.45	8.33
700.0	694.0	7.496	34.501	26.956	120.26	11.523	1491.58	7.41
800.0	793.0	6.781	34.444	27.011	115.41	12.705	1490.36	6.70
900.0	891.9	5.985	34.404	27.085	106.36	13.820	1488.80	5.70
1000.0	990.7	5.338	34.415	27.172	100.14	14.869	1487.86	5.25
1100.0	1099.5	4.646	34.394	27.230	93.16	15.572	1486.69	4.56
1200.0	1198.3	4.226	34.413	27.295	87.81	16.733	1486.62	4.13
1300.0	1287.0	3.645	34.457	27.311	80.19	17.572	1485.97	3.55
1400.0	1385.7	3.303	34.497	27.455	71.39	18.319	1486.11	3.20
1500.0	1484.3	3.009	34.525	27.515	65.93	19.002	1486.62	2.90
1600.0	1582.9	2.860	34.550	27.537	64.02	19.651	1487.73	2.77
1700.0	1681.4	2.734	34.595	27.578	61.23	20.271	1486.79	2.61
1800.0	1779.9	2.640	34.545	27.586	59.71	20.876	1490.08	2.51
1900.0	1878.4	2.582	34.612	27.621	58.69	21.468	1491.51	2.45
2000.0	1976.8	2.477	34.610	27.621	56.82	22.047	1492.76	2.33
2020.0	1996.4	2.472	34.611	27.623	56.64	23.161	1491.01	2.33
								31.000 0.000 0.005



NAME	DEPTH	TYPE	COL.	SUBSTRATE	PERCENT	PER CENT	CA.	STATE	POLY. DEP.
12.0	2.9	21	212	15.923	24.062	144.45	0.344	1516.27	21.23
20.0	22.9	24	2456	15.728	24.062	144.45	0.567	1516.30	23.05
26.0	28.2	24	2457	15.732	24.068	149.18	1.203	1516.30	22.93
32.0	29.1	22	2445	15.734	24.068	141.76	1.165	1516.30	22.64
50.0	46.8	22	2458	15.669	24.243	120.26	1.693	1516.35	21.79
56.0	52.8	22	2459	15.676	24.221	127.54	1.981	1516.35	20.97
60.0	55.5	23	2459	15.673	24.221	120.13	2.250	1516.30	20.80
66.0	59.4	26	2458	15.620	24.225	124.54	2.522	1516.30	20.99
70.0	64.6	24	2458	15.614	24.226	126.08	2.736	1516.35	20.53
90.0	99.3	26	2458	15.517	23.202	232.38	2.982	1516.30	16.14
100.0	119.1	27	2458	15.517	23.202	232.38	3.044	1516.30	15.64
100.0	119.3	19	2671	15.503	23.202	232.38	3.079	1516.40	17.24
100.0	158.5	16	2458	15.559	23.257	230.85	4.305	1516.34	14.92
100.0	159.0	15	2670	15.521	23.293	206.27	4.710	1516.35	16.50
100.0	159.5	16	2458	15.495	26.029	231.28	5.127	1516.32	15.80
100.0	162.4	16	2454	15.467	26.097	197.20	5.527	1516.17	16.06
100.0	162.6	22	2458	15.559	26.063	199.75	5.598	1516.20	15.86
100.0	166.6	14	2451	15.551	26.063	199.75	5.598	1516.20	15.86
100.0	170.2	15	2458	15.559	26.063	199.75	5.598	1516.20	15.86
100.0	170.8	14	2451	15.551	26.063	199.75	5.598	1516.20	15.86
100.0	177.9	14	2458	15.529	26.298	179.34	6.563	1516.05	14.95
100.0	178.7	11	2471	15.529	26.298	172.54	7.255	1516.01	13.83
100.0	179.5	11	2471	15.513	26.462	179.34	7.357	1516.22	15.57
100.0	182.2	11	2471	15.513	26.462	179.34	7.357	1516.22	15.57
100.0	182.6	12	2471	15.513	26.462	179.34	7.357	1516.22	15.57
100.0	183.0	12	2471	15.513	26.462	179.34	7.357	1516.22	15.57
100.0	187.6	12	2471	15.522	26.521	159.78	8.342	1516.45	15.39
100.0	189.9	11	2476	14.999	26.563	151.84	8.857	1516.32	11.92
100.0	192.0	12	2478	14.997	26.513	150.94	8.965	1516.33	11.37
100.0	194.5	12	2472	14.996	26.519	169.27	9.551	1516.39	9.14
100.0	196.3	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	196.9	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	198.1	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	200.1	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	201.1	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	202.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	202.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	203.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	203.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	203.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	204.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	204.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	205.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	205.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	205.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	206.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	206.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	207.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	207.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	207.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	208.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	208.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	209.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	209.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	209.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	210.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	210.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	211.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	211.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	211.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	212.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	212.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	213.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	213.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	213.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	214.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	214.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	215.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	215.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	215.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	216.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	216.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	217.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	217.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	217.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	218.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	218.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	219.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	219.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	219.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	220.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	220.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	221.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	221.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	221.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	222.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	222.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	223.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	223.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	223.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	224.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	224.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	225.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	225.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	225.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	226.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	226.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	227.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	227.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	227.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	228.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	228.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	229.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	229.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	229.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	230.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	230.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	231.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	231.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	231.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	232.2	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	232.6	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	233.0	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	233.4	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	233.8	12	2472	14.984	26.519	169.27	9.551	1516.39	9.14
100.0	234.2	12	2472	14.					

20F	2 HORN CDR - 20HORN
21C	21 CDR - 21CDR
22C	22 CDR - 22CDR
23C	23 CDR - 23CDR
24C	24 CDR - 24CDR
25C	25 CDR - 25CDR
26C	26 CDR - 26CDR
27C	27 CDR - 27CDR
28C	28 CDR - 28CDR
29C	29 CDR - 29CDR
30C	30 CDR - 30CDR
31C	31 CDR - 31CDR
32C	32 CDR - 32CDR
33C	33 CDR - 33CDR
34C	34 CDR - 34CDR
35C	35 CDR - 35CDR
36C	36 CDR - 36CDR
37C	37 CDR - 37CDR
38C	38 CDR - 38CDR
39C	39 CDR - 39CDR
40C	40 CDR - 40CDR
41C	41 CDR - 41CDR
42C	42 CDR - 42CDR
43C	43 CDR - 43CDR
44C	44 CDR - 44CDR
45C	45 CDR - 45CDR
46C	46 CDR - 46CDR
47C	47 CDR - 47CDR
48C	48 CDR - 48CDR
49C	49 CDR - 49CDR
50C	50 CDR - 50CDR
51C	51 CDR - 51CDR
52C	52 CDR - 52CDR
53C	53 CDR - 53CDR
54C	54 CDR - 54CDR
55C	55 CDR - 55CDR
56C	56 CDR - 56CDR
57C	57 CDR - 57CDR
58C	58 CDR - 58CDR
59C	59 CDR - 59CDR
60C	60 CDR - 60CDR
61C	61 CDR - 61CDR
62C	62 CDR - 62CDR
63C	63 CDR - 63CDR
64C	64 CDR - 64CDR
65C	65 CDR - 65CDR
66C	66 CDR - 66CDR
67C	67 CDR - 67CDR
68C	68 CDR - 68CDR
69C	69 CDR - 69CDR
70C	70 CDR - 70CDR
71C	71 CDR - 71CDR
72C	72 CDR - 72CDR
73C	73 CDR - 73CDR
74C	74 CDR - 74CDR
75C	75 CDR - 75CDR
76C	76 CDR - 76CDR
77C	77 CDR - 77CDR
78C	78 CDR - 78CDR
79C	79 CDR - 79CDR
80C	80 CDR - 80CDR
81C	81 CDR - 81CDR
82C	82 CDR - 82CDR
83C	83 CDR - 83CDR
84C	84 CDR - 84CDR
85C	85 CDR - 85CDR
86C	86 CDR - 86CDR
87C	87 CDR - 87CDR
88C	88 CDR - 88CDR
89C	89 CDR - 89CDR
90C	90 CDR - 90CDR
91C	91 CDR - 91CDR
92C	92 CDR - 92CDR
93C	93 CDR - 93CDR
94C	94 CDR - 94CDR
95C	95 CDR - 95CDR
96C	96 CDR - 96CDR
97C	97 CDR - 97CDR
98C	98 CDR - 98CDR
99C	99 CDR - 99CDR
100C	100 CDR - 100CDR

	Pre	Dep	Imp	Sal	Sale	Sal	G.A.	Sal	Sal	Dep	Imp
0.0	0.0	23.094	15.862	24.524	340.22	0.000	230.62	23.09	4.0	0.000	3.000
22.0	9.9	23.299	15.853	24.522	340.26	0.040	230.92	23.09	4.0	13.005	3.000
22.0	9.9	23.345	15.853	24.520	340.28	0.000	230.92	23.09	4.0	20.210	0.000
22.0	9.9	23.345	15.853	24.518	340.32	1.029	230.92	23.09	4.0	20.250	0.040
44.0	19.7	22.451	15.872	24.605	312.39	1.154	230.92	23.09	4.0	20.265	0.040
50.0	40.5	22.256	15.841	24.516	318.18	3.566	230.92	23.09	4.0	20.300	0.117
50.0	50.6	20.995	15.841	25.024	295.56	2.090	230.92	23.09	4.0	20.324	0.117
70.0	69.5	19.888	15.840	25.264	272.32	2.284	230.92	23.09	4.0	20.378	0.117
80.0	79.4	18.447	15.840	25.361	255.37	2.165	230.92	23.09	4.0	20.410	0.117
90.0	90.4	16.022	15.841	25.365	242.42	2.390	230.92	23.09	4.0	20.417	0.200
100.0	90.3	15.288	15.842	25.369	238.52	3.224	230.92	23.09	4.0	20.467	0.200
120.0	119.1	13.748	15.846	25.395	233.95	3.425	230.92	23.09	4.0	20.528	0.200
140.0	139.0	12.172	15.847	25.395	231.52	3.123	230.92	23.09	4.0	20.612	0.200
160.0	158.8	11.748	15.848	25.398	229.35	4.136	230.92	23.09	4.0	20.721	0.200
180.0	178.7	11.367	15.848	25.392	227.39	4.754	230.92	23.09	4.0	20.820	0.117
200.0	198.5	11.025	15.848	25.383	225.59	5.162	230.92	23.09	4.0	20.920	0.117
220.0	218.4	10.746	15.848	25.362	220.58	5.545	230.92	23.09	4.0	20.945	0.117
240.0	238.2	10.519	15.848	215.16	192.72	5.581	230.92	23.09	4.0	20.985	0.117
260.0	258.0	15.177	15.847	216.25	192.75	6.106	230.92	23.09	4.0	21.021	0.117
280.0	278.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
300.0	298.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
320.0	318.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
340.0	338.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
360.0	358.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
380.0	378.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
400.0	398.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
420.0	418.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
440.0	438.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
460.0	458.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
480.0	488.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
500.0	508.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
520.0	528.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
540.0	548.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
560.0	568.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
580.0	588.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
600.0	608.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
620.0	628.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
640.0	648.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
660.0	668.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
680.0	688.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
700.0	708.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
720.0	728.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
740.0	748.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
760.0	768.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
780.0	788.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
800.0	808.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
820.0	828.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
840.0	848.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
860.0	868.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
880.0	888.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
900.0	908.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
920.0	928.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
940.0	948.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
960.0	968.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
980.0	988.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1000.0	1008.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1020.0	1028.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1040.0	1048.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1060.0	1068.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1080.0	1088.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1100.0	1108.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1120.0	1128.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1140.0	1148.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1160.0	1168.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1180.0	1188.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1200.0	1208.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1220.0	1228.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1240.0	1248.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1260.0	1268.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1280.0	1288.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1300.0	1308.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1320.0	1328.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1340.0	1348.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1360.0	1368.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1380.0	1388.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1400.0	1408.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1420.0	1428.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1440.0	1448.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1460.0	1468.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1480.0	1488.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1500.0	1508.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1520.0	1528.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1540.0	1548.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1560.0	1568.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1580.0	1588.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1600.0	1608.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1620.0	1628.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1640.0	1648.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1660.0	1668.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1680.0	1688.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1700.0	1708.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1720.0	1728.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1740.0	1748.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1760.0	1768.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1780.0	1788.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1800.0	1808.0	9.0	0.000	216.26	200.00	0.000	230.92	23.09	4.0	0.000	0.000
1820.0	1828.0	9.0	0.000	216.							



STATION NUMBER : 26 FREDERICKSBURG
 SECTION NUMBER : 26 FREDERICKSBURG
 DATE : 25-FEB-1982 WAVE NUMBER : 44
 START TIME : 0942 GME - Z
 CRUISE : CNOCL 96
 POSITION : 32°41'N 70°59'W
 CRUISE DEPTH : 1000 METERS
 SECTION DEPTH : 1000 METERS



PRESSURE DEPTH TEMP SPC SECTEMP T SPB C.A. SIGHT P.D. TEMP

15.0 9.9 23.364 35.571 24.565 146.57 2.126 1526.59 22.31 29 0.023 0.049
 19.0 19.3 21.559 35.665 24.568 139.92 2.529 1526.75 20.26 26 0.354 0.399
 23.0 29.8 20.589 35.542 24.822 131.12 2.985 1525.10 20.94 29 0.005 0.067
 27.0 39.3 20.336 35.629 24.991 297.97 3.284 1521.43 20.37 29 0.354 0.412
 31.0 49.6 19.195 35.670 25.138 246.98 3.567 1520.41 20.19 28 0.259 0.254
 35.0 59.6 18.526 35.669 25.542 246.95 3.822 1517.89 18.27 28 0.298 0.279
 39.0 69.5 17.536 35.665 25.571 221.12 4.099 1516.21 17.56 28 0.297 0.247
 43.0 79.4 16.972 35.658 25.988 226.96 4.278 1514.46 16.91 29 0.127 0.196
 47.0 89.3 16.499 35.650 26.000 202.44 4.465 1514.10 16.48 17 0.005 0.051
 51.0 99.1 16.222 35.547 26.020 200.99 4.660 1512.96 16.54 20 0.021 0.098
 55.0 109.1 16.252 35.547 26.020 196.17 4.863 1511.24 16.23 17 0.022 0.021
 59.0 119.0 16.076 35.602 26.116 193.82 5.074 1510.00 15.99 19 0.012 0.041
 63.0 158.8 15.469 35.674 26.145 190.66 5.299 1507.94 15.66 19 0.266 0.613
 67.0 158.7 15.398 35.686 26.199 186.26 5.433 1511.43 15.47 20 0.027 0.234
 71.0 158.6 15.321 35.687 26.215 185.49 5.564 1512.15 15.16 20 0.046 0.286
 75.0 158.5 15.243 35.621 26.267 180.82 4.970 1509.87 14.47 17 0.028 0.224
 79.0 158.2 14.426 35.557 26.296 170.40 5.327 1509.17 14.39 18 0.047 0.262
 83.0 158.0 14.358 35.526 26.326 169.99 5.578 1508.12 13.95 19 0.009 0.087
 87.0 157.8 14.693 35.542 26.393 169.99 5.621 1507.39 13.55 22 0.061 0.063
 91.0 157.7 14.227 35.517 26.439 166.91 6.799 1506.13 13.19 15 0.069 0.250
 95.0 157.6 14.159 35.559 26.477 162.54 6.887 1505.15 12.86 19 0.045 0.039
 99.0 157.5 14.094 34.995 26.522 158.74 7.209 1501.59 12.59 20 0.120 0.159
 103.0 157.2 14.036 34.955 26.577 153.70 7.321 1502.41 11.94 20 0.059 0.060
 107.0 157.0 14.074 34.889 26.619 149.90 7.436 1500.61 11.31 18 0.079 0.086
 111.0 156.8 14.062 34.871 26.664 145.79 7.523 1502.13 11.01 17 0.034 0.026
 115.0 156.5 14.704 34.824 26.679 144.57 8.211 1499.42 19.73 15 0.062 0.042
 119.0 156.4 14.438 34.792 26.716 141.01 8.497 1498.49 19.36 17 0.058 0.051
 123.0 156.3 14.159 34.759 26.740 139.71 8.777 1497.22 19.06 18 0.048 0.046
 127.0 156.2 14.091 34.742 26.759 137.60 9.053 1497.36 9.90 16 0.041 0.047
 131.0 156.0 14.022 34.664 26.756 138.07 9.328 1496.41 9.58 18 0.101 0.103
 135.0 155.8 14.038 34.680 26.628 131.49 9.995 1494.39 8.82 18 0.050 0.046
 139.0 155.6 14.379 34.575 26.883 126.62 18.636 1491.36 8.31 17 0.019 0.019
 143.0 155.3 14.608 34.600 26.939 122.92 11.875 1491.24 7.48 19 0.042 0.044
 147.0 155.1 14.613 34.612 27.010 115.41 13.055 1490.13 5.64 18 0.014 0.018
 151.0 155.0 14.613 34.613 21.093 137.56 14.179 1490.02 5.89 20 0.013 0.012
 155.0 154.9 14.677 34.621 21.150 161.81 15.223 1490.56 5.41 25 0.016 0.013
 159.0 154.8 14.425 34.627 21.171 160.47 15.324 1490.41 5.34 30 0.017 0.009

STATION NUMBER : 27 FREDERICKSBURG
 SECTION NUMBER : 27 FREDERICKSBURG
 DATE : 25-FEB-1982 WAVE NUMBER : 523
 START TIME : 1040 GME - Z
 CRUISE : CNOCL 96
 POSITION : 32°41'N 70°59'W
 CRUISE DEPTH : 1000 METERS
 SECTION DEPTH : 1000 METERS

PRESSURE DEPTH TEMP SPC SECTEMP T SPB C.A. SIGHT P.D. TEMP

10.0 9.9 23.562 35.545 24.545 256.45 0.156 1511.52 23.50 22 0.045 0.215
 14.0 19.9 23.373 35.519 24.524 255.40 0.212 1511.50 23.37 22 0.051 0.241
 18.0 29.8 23.284 35.542 24.593 252.57 1.067 1511.48 23.30 18 0.029 0.211
 22.0 39.7 23.271 35.565 24.639 250.55 1.629 1511.39 22.76 22 0.064 0.219
 26.0 49.7 23.255 35.649 24.671 242.47 1.750 1511.25 22.67 20 0.092 0.216
 30.0 59.6 23.239 35.642 25.263 271.26 2.242 1511.12 22.53 20 0.083 0.239
 34.0 69.5 23.198 35.635 25.263 271.26 2.283 1511.06 22.49 21 0.143 0.230
 38.0 79.4 23.124 35.584 25.988 299.41 2.599 1510.41 22.43 22 0.162 0.232
 42.0 89.4 23.126 35.547 25.988 299.41 2.599 1510.22 22.35 19 0.169 0.152
 46.0 99.3 23.123 35.565 25.988 299.41 3.000 1510.77 22.25 15 0.126 0.244
 50.0 119.3 23.123 35.672 25.979 305.45 3.432 1514.24 16.55 21 0.094 0.099
 54.0 139.0 23.126 35.686 26.099 395.37 3.812 1512.79 16.26 22 0.056 0.069
 58.0 158.0 23.126 35.686 26.117 291.53 6.229 1512.22 15.32 20 0.051 0.066
 62.0 178.0 23.126 35.686 26.117 291.53 6.229 1512.12 15.21 20 0.051 0.066
 66.0 198.0 23.126 35.686 26.117 291.53 6.229 1511.71 14.92 22 0.055 0.061
 70.0 218.0 23.126 35.686 26.117 291.53 6.229 1511.31 14.63 22 0.057 0.064
 74.0 238.0 23.126 35.686 26.117 291.53 6.229 1509.86 14.46 22 0.079 0.084
 78.0 258.0 23.126 35.686 26.117 291.53 6.229 1508.46 14.30 22 0.056 0.084
 82.0 278.0 23.126 35.686 26.117 291.53 6.229 1507.79 13.26 22 0.056 0.084
 86.0 298.0 23.126 35.686 26.117 291.53 6.216 1506.90 13.19 22 0.011 0.221
 90.0 317.0 23.126 35.686 26.117 291.53 6.216 1505.36 13.11 22 0.036 0.051
 94.0 337.0 23.126 35.686 26.117 291.53 6.216 1504.39 12.54 22 0.067 0.055
 98.0 357.0 23.126 35.686 26.117 291.53 6.216 1503.20 12.14 22 0.060 0.054
 102.0 377.0 23.126 35.686 26.117 291.53 6.216 1502.03 11.74 19 0.066 0.075
 106.0 397.0 23.126 35.686 26.117 291.53 6.216 1500.49 11.32 19 0.047 0.049
 110.0 417.0 23.126 35.686 26.117 291.53 6.216 1499.44 10.93 19 0.054 0.059
 114.0 437.0 23.126 35.686 26.117 291.53 6.216 1498.15 10.49 19 0.061 0.064
 118.0 457.0 23.126 35.686 26.117 291.53 6.216 1497.60 10.21 19 0.021 0.222
 122.0 476.5 23.126 35.686 26.117 291.53 6.216 1496.72 9.93 19 0.054 0.044
 126.0 496.0 23.126 35.686 26.117 291.53 6.216 1495.21 9.59 19 0.021 0.236
 130.0 516.2 23.126 35.686 26.117 291.53 6.216 1494.75 9.27 19 0.066 0.066
 134.0 535.7 23.126 35.686 26.117 291.53 6.216 1494.37 9.03 19 0.047 0.045
 138.0 555.2 23.126 35.686 26.117 291.53 6.216 1493.49 8.71 19 0.041 0.043
 142.0 574.7 23.126 35.686 26.117 291.53 6.216 1492.54 8.36 19 0.041 0.043
 146.0 594.0 23.126 35.686 26.117 291.53 6.216 1491.51 7.96 19 0.041 0.043
 150.0 613.0 23.126 35.686 26.117 291.53 6.216 1490.21 7.57 19 0.032 0.229
 154.0 632.0 23.126 35.686 26.117 291.53 6.216 1489.29 6.37 19 0.023 0.020
 158.0 651.0 23.126 35.686 26.117 291.53 6.216 1487.79 5.56 19 0.028 0.025
 162.0 670.0 23.126 35.686 26.117 291.53 6.216 1487.14 5.09 17 0.313 0.018
 166.0 689.0 23.126 35.686 26.117 291.53 6.216 1486.53 4.53 19 0.214 0.010
 170.0 1186.3 1.361 34.499 27.329 0.046 1485.57 1.67 19 0.011 0.007
 174.0 1387.1 1.359 34.447 27.194 77.40 16.113 1485.39 1.03 21 0.015 0.015
 178.0 1585.7 1.358 34.492 27.164 70.57 16.050 1485.55 1.01 19 0.005 0.004
 182.0 1784.4 1.358 34.524 27.152 65.84 16.511 1486.24 1.81 18 0.001 0.002
 186.0 1983.0 1.358 34.556 27.153 62.00 20.172 1487.21 2.54 18 0.008 0.005
 190.0 1981.5 1.358 34.571 27.157 59.82 20.780 1488.37 2.51 19 0.006 0.004
 194.0 1980.0 1.358 34.586 27.159 58.02 21.360 1489.51 2.40 19 0.009 0.004
 198.0 1979.4 1.351 34.599 27.165 56.56 21.939 1490.56 2.30 19 0.002 0.003
 202.0 1976.6 1.351 34.606 27.629 55.51 22.497 1492.25 2.22 19 0.000 0.003
 206.0 1996.5 1.351 34.613 27.633 55.10 22.608 1492.55 2.21 19 0.000 0.003



REC'D : 1985 CDR - POMER
 SECTION NUMBER : 10 CONDUCTIVE THERMOGRAPH
 SECTION NUMBER : 11 CONDUCTIVE THERMOGRAPH
 DATE : 23-FEB-1988 (CDR NUMBER 54)
 START TIME : 2025 CDR - 2
 CRUISE : OCEAN 96
 POSITION : 30-31.888 174-58.888
 EAST DEPTH : 2000 METERS
 BOTTOM DEPTH : 5540 METERS

PRESSURE DEPTH TEMP SAL SIGHT-T STA G.C. Sound Prof.Depth

19.0	9.9	23.952	35.736	24.205	367.11	9.367	1512.72	23.85	17.0	0.056	0.003		
19.5	13.9	23.752	35.752	24.203	363.01	6.712	1512.79	23.76	15.0	0.008	0.005		
20.0	20.0	23.193	35.599	24.136	360.00	1.394	1510.94	23.19	20.0	0.074	0.054		
20.5	29.7	22.213	35.621	24.633	331.25	1.048	1510.77	22.23	23.0	0.095	0.049		
21.0	49.1	21.544	35.764	23.984	339.39	1.765	1516.96	21.53	29.0	0.126	0.173		
21.5	59.5	19.560	35.423	25.105	279.14	2.065	1521.55	19.56	19.0	0.265	0.199		
22.0	64.5	18.817	35.765	25.408	256.49	2.121	1519.02	18.82	17.0	0.229	0.266		
22.5	79.0	17.989	35.657	25.426	237.91	2.579	1517.65	17.98	16.0	0.261	0.254		
23.0	86.0	17.295	35.495	25.822	219.52	2.807	1515.71	17.23	14.0	0.152	0.155		
23.5	99.1	15.199	35.472	25.928	209.71	1.922	1510.44	16.21	17.0	0.113	0.098		
24.0	119.1	16.191	35.469	26.065	191.22	3.438	1512.98	16.17	20.0	0.069	0.257		
24.5	139.0	15.871	35.651	26.125	192.96	3.904	1512.32	15.85	15.0	0.029	0.033		
25.0	150.0	14.494	35.395	26.171	188.27	4.159	1511.42	15.67	17.0	0.021	0.234		
25.5	178.7	15.288	35.395	26.216	184.46	4.573	1511.13	15.26	17.0	0.018	0.222		
26.0	190.0	14.916	35.378	26.251	181.53	4.948	1510.19	14.99	18.0	0.056	0.052		
26.5	226.0	14.451	35.274	26.304	177.12	5.279	1508.94	14.42	20.0	0.076	0.074		
27.0	236.2	13.593	35.199	26.341	173.77	5.450	1507.73	13.95	18.0	0.107	0.129		
27.5	256.1	13.527	35.141	26.397	160.98	5.993	1506.47	13.49	18.0	0.056	0.254		
28.0	277.9	12.901	35.655	26.440	165.21	6.327	1504.08	12.78	18.0	0.046	0.187		
28.5	297.7	12.538	34.995	26.483	161.48	6.451	1501.69	12.56	18.0	0.082	0.181		
29.0	317.6	11.971	34.913	26.541	156.12	6.769	1502.04	11.53	20.0	0.089	0.083		
29.5	337.4	11.540	34.993	26.594	151.00	7.271	1500.95	11.50	18.0	0.055	0.052		
30.0	357.2	11.371	34.823	26.597	150.5	7.576	1499.99	11.13	19.0	0.124	0.122		
30.5	377.1	10.855	34.764	26.635	147.94	7.871	1499.38	10.81	18.0	0.121	0.124		
31.0	396.9	10.469	34.764	26.647	143.23	8.164	1497.92	10.42	19.0	0.045	0.049		
31.5	416.7	10.064	34.764	26.707	141.41	8.449	1496.75	12.01	21.0	0.069	0.061		
32.0	436.5	9.912	34.634	26.729	139.40	8.729	1495.43	9.58	17.0	0.091	0.107		
32.5	456.4	9.234	34.610	26.773	135.04	9.903	1494.31	9.18	18.0	0.036	0.038		
33.0	476.2	8.955	34.593	26.807	132.23	9.271	1491.58	8.90	15.0	0.113	0.005		
33.5	496.0	8.755	34.544	26.808	133.00	9.537	1491.13	8.70	17.0	0.048	0.042		
34.0	515.5	7.998	34.464	26.857	127.76	10.169	1491.02	7.94	17.0	0.040	0.047		
34.5	535.0	7.527	34.443	26.908	123.40	10.816	1490.01	7.47	20.0	0.023	0.023		
35.0	594.0	7.307	34.378	26.958	118.94	12.024	1488.68	6.72	15.0	0.030	0.038		
35.5	690.0	7.170	34.340	27.009	114.52	13.107	1487.05	6.10	18.0	0.024	0.024		
36.0	891.9	5.536	34.120	27.073	100.61	14.303	1486.93	5.96	21.0	0.029	0.024		
36.5	990.0	5.918	34.395	26.166	21.158	100.58	1486.41	4.91	23.0	0.008	0.004		
37.0	1000.0	10.895	4.346	24.363	22.243	92.15	16.121	1485.40	4.36	19.0	0.008	0.005	
37.5	1100.0	11.816	4.181	24.462	21.315	95.02	17.299	1485.10	3.76	21.0	0.018	0.012	
38.0	1207.1	5.527	34.426	27.317	79.01	1485.17	3.43	20.0	0.009	0.005			
38.5	1300.0	3.236	34.462	27.434	73.56	1484.95	3.14	19.0	0.009	0.006			
39.0	1400.0	1305.0	2.374	34.462	27.434	73.56	1484.95	2.87	18.0	0.006	0.004		
39.5	1500.0	1484.4	2.974	34.504	27.492	67.93	151.499	1486.43	2.67	18.0	0.006	0.004	
40.0	1600.0	1583.0	2.782	34.517	27.535	63.77	20.155	1487.29	2.67	19.0	0.006	0.005	
40.5	1700.0	1681.5	2.645	34.562	27.567	60.95	20.777	1488.40	2.52	21.0	0.004	0.004	
41.0	1800.0	1780.0	2.542	34.579	27.594	58.00	21.374	1489.62	2.30	19.0	0.002	0.001	
41.5	1900.0	1878.5	2.443	34.594	27.610	57.10	21.951	1490.91	2.31	19.0	0.002	0.001	
42.0	2000.0	1976.9	2.377	34.603	27.623	56.09	22.519	1492.33	2.23	19.0	0.004	0.004	
42.5	2030.0	1996.6	2.356	34.608	27.629	55.55	22.631	1492.60	2.21	19.0	0.004	0.004	

REC'D : 1985 CDR - POMER
 SECTION NUMBER : 10 CONDUCTIVE THERMOGRAPH
 SECTION NUMBER : 11 CONDUCTIVE THERMOGRAPH
 DATE : 23-FEB-1988 (CDR NUMBER 54)
 START TIME : 2025 CDR - 2
 CRUISE : OCEAN 96
 POSITION : 30-31.888 174-58.888
 EAST DEPTH : 2000 METERS
 BOTTOM DEPTH : 5540 METERS

PRESSURE DEPTH TEMP SAL SIGHT-T STA G.C. Sound Prof.Depth

18.0	9.9	21.479	35.790	24.148	352.25	9.357	1512.28	21.44	19.0	0.019	0.021
18.5	19.9	21.548	35.787	24.151	355.31	9.313	1512.16	21.54	19.0	0.020	0.020
19.0	29.8	21.429	35.773	24.199	351.15	1.064	1512.29	21.43	19.0	0.044	0.025
19.5	37.7	21.242	35.744	24.629	350.66	1.421	1511.64	21.21	19.0	0.062	0.116
20.0	49.1	21.202	35.428	24.516	342.73	1.766	1512.92	21.29	19.0	0.049	0.098
20.5	59.6	20.998	35.426	25.036	342.44	2.095	1512.46	20.08	19.0	0.044	0.099
21.0	69.5	19.813	35.462	25.008	342.37	2.361	1513.29	19.96	19.0	0.046	0.100
21.5	79.6	19.177	35.462	25.046	342.65	2.513	1513.92	19.12	19.0	0.049	0.104
22.0	89.6	19.177	35.473	25.041	342.72	2.544	1514.19	19.24	19.0	0.114	0.116
22.5	99.3	16.169	35.474	25.064	213.91	3.063	1514.87	19.36	19.0	0.139	0.281
23.0	119.1	16.191	35.469	26.125	191.22	3.438	1511.98	16.17	19.0	0.069	0.257
23.5	139.0	15.871	35.651	26.125	192.96	3.904	1512.32	15.85	19.0	0.029	0.028
24.0	150.0	14.494	35.395	26.171	188.27	4.159	1511.42	15.67	17.0	0.021	0.234
24.5	178.7	15.288	35.395	26.216	184.46	4.573	1511.13	15.26	17.0	0.018	0.222
25.0	190.0	14.916	35.378	26.251	181.53	4.948	1510.19	14.99	18.0	0.056	0.052
25.5	226.0	14.451	35.274	26.304	177.12	5.279	1508.94	14.42	20.0	0.076	0.074
26.0	236.0	14.196	35.256	26.341	173.77	5.450	1507.73	13.95	18.0	0.107	0.129
26.5	256.1	13.527	35.141	26.397	160.98	5.993	1506.47	13.49	18.0	0.056	0.254
27.0	277.9	12.901	35.655	26.440	165.21	6.327	1504.08	12.78	18.0	0.046	0.187
27.5	297.7	12.538	34.995	26.483	161.48	6.451	1501.69	12.56	18.0	0.082	0.181
28.0	317.6	11.971	34.913	26.541	156.12	6.769	1502.04	11.53	20.0	0.089	0.083
28.5	337.4	11.540	34.993	26.594	151.00	7.271	1500.95	11.50	18.0	0.044	0.042
29.0	357.2	11.371	34.823	26.597	150.5	7.576	1499.99	11.13	19.0	0.124	0.122
29.5	377.1	10.855	34.764	26.635	147.94	7.871	1499.38	10.81	18.0	0.121	0.124
30.0	396.9	10.469	34.764	26.647	143.23	8.164	1497.92	10.42	19.0	0.045	0.049
30.5	416.7	10.064	34.764	26.707	141.41	8.449	1496.75	12.01	21.0	0.069	0.067
31.0	436.5	9.912	34.634	26.729	139.40	8.729	1495.43	9.58	17.0	0.091	0.056
31.5	456.4	9.234	34.610	26.773	135.04	9.903	1494.31	9.18	18.0	0.036	0.038
32.0	476.2	8.955	34.593	26.807	132.23	9.27					

SHIP : WIRE COK - FORTUNE
 STATION NUMBER : 31 THROUGH THE YEARS
 DATE : 03-08-1988 (STATION NUMBER 423)
 DEPTY TIME : 1500 CDT - 2
 CRUISE : OCEANIC
 POSITION : 18°21.7'N 172°59.4'W
 CAST DEPTH : 1997 METERS
 BOTTOM DEPTH : 2049 METERS

PRESS DEPTH SWP SAL SODIUM T SRA G.A. Sound Pct.Temp

19.0	9.9	28.517	35.223	22.514	547.54	0.547	1543.36	28.64	37.0	0.006	0.004
29.0	19.9	28.568	35.243	22.325	546.04	1.094	1541.49	28.58	37.0	0.019	0.006
39.0	29.6	28.524	35.243	22.467	543.41	1.639	1541.41	30.52	37.0	0.007	0.130
49.0	39.6	27.741	35.286	22.632	522.22	2.172	1541.52	27.73	37.0	0.171	0.303
59.0	49.7	26.532	35.228	23.919	483.00	2.675	1539.06	36.52	37.0	0.302	0.446
69.0	59.6	25.798	35.359	21.400	449.71	3.142	1537.58	25.69	37.0	0.045	0.038
79.0	69.4	25.428	35.309	23.474	442.76	3.580	1537.92	25.41	37.0	0.164	0.164
89.0	79.5	24.022	35.399	21.692	422.58	4.021	1535.69	24.88	37.0	0.199	0.102
99.0	89.4	24.250	35.448	21.904	402.31	4.433	1534.56	24.23	37.0	0.129	0.111
109.0	99.4	23.085	35.517	26.075	306.76	4.828	1532.88	23.94	37.0	0.094	0.360
119.3	119.3	21.278	35.714	24.411	355.43	5.560	1532.91	23.25	37.0	0.151	0.165
129.0	139.1	22.594	35.899	24.669	311.62	6.252	1531.59	22.56	37.0	0.077	0.076
139.0	159.0	21.674	35.821	24.879	312.30	6.990	1530.99	21.84	37.0	0.071	0.114
149.0	178.9	21.154	35.261	25.204	286.73	7.510	1530.55	21.16	37.0	0.042	0.042
159.0	198.0	21.196	35.698	25.184	41.095	8.095	1526.51	20.36	37.0	0.134	0.154
169.0	218.6	19.231	35.546	25.136	271.40	8.649	1525.51	19.69	37.0	0.209	0.276
179.0	238.4	19.061	35.505	25.054	259.30	9.182	1521.42	19.02	37.0	0.076	0.061
189.0	258.3	18.249	35.476	25.526	248.64	9.594	1521.32	18.28	37.0	0.154	0.195
199.0	268.2	17.351	35.373	25.716	235.63	10.179	1518.90	17.31	37.0	0.209	0.214
209.0	278.0	16.543	35.345	25.878	239.67	10.633	1516.94	16.54	37.0	0.075	0.099
219.0	277.9	15.750	35.258	25.993	11.065	1514.77	15.75	37.0	0.045	0.051	
229.0	317.1	14.657	35.083	25.112	199.75	11.477	1511.27	14.61	37.0	0.195	0.218
239.0	357.5	11.195	34.745	26.234	187.00	11.062	1507.40	13.38	37.0	0.147	0.297
249.0	377.4	12.561	34.878	26.365	172.61	12.217	1504.88	12.51	37.0	0.070	0.094
259.0	397.2	11.158	34.670	26.464	164.41	12.555	1500.44	11.33	37.0	0.181	0.261
269.0	417.1	10.495	34.590	26.629	149.09	12.065	1490.20	10.44	37.0	0.060	0.063
279.0	436.9	10.043	34.642	26.564	165.49	13.159	1496.85	9.99	37.0	0.139	0.195
289.0	456.4	9.154	34.564	26.736	165.74	13.444	1494.21	9.20	37.0	0.139	0.139
299.0	476.5	8.730	34.357	26.813	131.90	13.711	1492.65	8.59	37.0	0.043	0.053
309.0	496.4	8.255	34.505	26.847	128.13	13.971	1491.13	8.28	37.0	0.097	0.110
319.0	516.0	8.134	34.416	26.982	114.63	14.572	1486.43	6.79	37.0	0.093	0.076
329.0	535.6	6.175	34.402	27.056	107.38	15.125	1484.65	6.12	37.0	0.055	0.054
339.0	554.7	5.173	34.415	27.193	94.57	16.137	1482.32	5.12	37.0	0.034	0.025
349.0	573.7	4.729	34.444	27.265	87.59	17.043	1482.13	4.67	37.0	0.050	0.044
359.0	591.7	4.256	34.528	27.304	77.00	17.860	1481.97	4.19	37.0	0.008	0.008
369.0	991.7	3.929	34.555	27.440	71.93	18.605	1482.26	3.85	37.0	0.009	0.009
379.0	1190.5	3.181	34.579	27.494	56.96	19.297	1482.50	3.50	37.0	0.010	0.007
389.0	1298.3	3.090	34.619	27.513	59.51	20.556	1483.76	3.00	37.0	0.007	0.005
399.0	1397.1	2.809	34.626	27.595	57.51	21.139	1484.62	2.81	37.0	0.008	0.005
409.0	1495.8	2.729	34.642	27.523	54.91	21.701	1485.51	2.62	37.0	0.012	0.005
419.0	1594.5	2.600	34.651	27.641	51.07	22.229	1486.68	2.49	37.0	0.024	0.000
429.0	1693.0	2.500	34.664	27.661	51.67	22.762	1487.98	2.38	37.0	0.004	0.002
439.0	1791.7	2.403	34.678	27.681	49.93	23.272	1489.15	2.28	37.0	0.002	0.000
449.0	1890.2	2.120	34.683	27.692	49.04	23.768	1490.40	2.19	37.0	0.000	0.002
459.0	1978.7	2.161	34.686	27.699	46.57	24.257	1491.91	2.12	37.0	0.012	0.001
469.0	1990.4	2.139	34.692	27.706	47.98	24.353	1492.10	2.10	37.0	0.000	0.003

SHIP : WIRE COK - FORTUNE
 STATION NUMBER : 31 THROUGH THE YEARS
 DATE : 04-08-1988 (STATION NUMBER 631)
 DEPTY TIME : 1500 CDT - 2
 CRUISE : OCEANIC
 POSITION : 18°21.7'N 172°59.4'W
 CAST DEPTH : 1997 METERS
 BOTTOM DEPTH : 2049 METERS



PRESS DEPTH SWP SAL SODIUM T SRA G.A. Sound Pct.Temp

19.0	9.9	28.517	35.223	22.514	547.54	0.547	1543.36	28.62	37.0	0.005	0.004
29.0	19.9	28.568	35.243	22.325	546.04	1.094	1541.49	28.58	37.0	0.020	0.267
39.0	29.6	28.524	35.243	22.467	543.41	1.639	1541.41	30.52	37.0	0.007	0.130
49.0	39.6	27.741	35.286	22.632	522.22	2.172	1541.52	27.73	37.0	0.171	0.303
59.0	49.7	26.532	35.228	23.919	483.00	2.675	1539.06	36.52	37.0	0.302	0.446
69.0	59.6	25.798	35.359	21.400	449.71	3.142	1537.58	25.69	37.0	0.045	0.038
79.0	69.4	25.428	35.309	23.474	442.76	3.580	1537.92	25.41	37.0	0.164	0.164
89.0	79.5	24.022	35.399	21.692	422.58	4.021	1535.69	24.88	37.0	0.199	0.102
99.0	89.4	24.250	35.448	21.904	402.31	4.433	1534.56	24.23	37.0	0.129	0.111
109.0	99.4	23.085	35.517	26.075	306.76	4.828	1532.88	23.94	37.0	0.094	0.360
119.3	119.3	21.278	35.714	24.411	355.43	5.560	1532.91	23.25	37.0	0.151	0.165
129.0	139.1	22.594	35.899	24.669	311.62	6.252	1531.59	22.56	37.0	0.077	0.076
139.0	159.0	21.674	35.821	24.879	312.30	6.990	1530.99	21.84	37.0	0.071	0.114
149.0	178.9	21.154	35.261	25.204	286.73	7.510	1530.55	21.16	37.0	0.042	0.042
159.0	198.0	21.196	35.698	25.184	41.095	8.095	1526.51	20.36	37.0	0.134	0.154
169.0	218.6	19.231	35.546	25.136	271.40	8.649	1525.51	19.69	37.0	0.209	0.276
179.0	238.4	19.061	35.505	25.054	259.30	9.182	1521.42	19.02	37.0	0.076	0.061
189.0	258.3	18.249	35.476	25.526	248.64	9.594	1521.32	18.28	37.0	0.154	0.195
199.0	268.2	17.351	35.373	25.716	235.63	10.179	1518.90	17.31	37.0	0.209	0.214
209.0	278.0	16.543	35.345	25.878	239.67	10.633	1516.94	16.54	37.0	0.075	0.099
219.0	277.9	15.750	35.258	25.993	209.38	11.065	1514.77	15.75	37.0	0.045	0.051
229.0	317.1	14.657	35.083	25.112	199.75	11.477	1511.27	14.61	37.0	0.195	0.218
239.0	357.5	11.195	34.745	26.234	187.00	11.062	1507.40	13.38	37.0	0.147	0.297
249.0	377.4	12.561	34.878	26.365	172.61	12.217	1504.88	12.51	37.0	0.070	0.094
259.0	397.2	11.158	34.670	26.464	164.41	12.555	1500.44	11.33	37.0	0.181	0.261
269.0	417.1	10.495	34.590	26.629	149.09	12.065	1490.20	10.44	37.0	0.060	0.063
279.0	436.9	10.043	34.642	26.564	165.49	13.159	1496.85	9.99	37.0	0.139	0.195
289.0	456.4	9.154	34.564	26.736	165.74	13.444	1494.21	9.20	37.0	0.139	0.139
299.0	476.5	8.730	34.357	26.813	131.90	13.711	1492.65	8.59	37.0	0.043	0.053
309.0	496.4	8.255	34.505	26.847	128.13	13.971	1491.13	8.28	37.0	0.097	0.110
319.0	516.0	8.134	34.416	26.982	114.63	14.572</td					

STATION NO.: 23 CARRICK ISLE CRASHES
 STATION NUMBER: 1987 (TRANSONIC TIDE NUMBER)
 DATE: 06-08-1988 (TIDE NUMBER 65)
 TIME: 0800 GMZ - Z
 CRUISE: CRUISE 06
 POSITION: 19°57.475 179°30.18W
 OBT DEPTH: 1991 METERS
 BOTTOM DEPTH: 2430 METERS

STATION NO.: 23 CARRICK ISLE CRASHES
 STATION NUMBER: 23 CARRICK ISLE CRASHES
 DATE: 13-08-1988 (TIDE NUMBER 591)
 TIME: 0857 GMZ - Z
 CRUISE: CRUISE 06
 POSITION: 21°29.756 179°34.04E
 OBT DEPTH: 1971 METERS
 BOTTOM DEPTH: 2362 METERS

PRESSURE (DB)	TIDE	STATION NO.	TIME	DEPTH (DB)	G.A.	SOUND SPEED (TIDE)	POLY. TEMP	
12.0	9.3	20.251	25.972	22.434	540.24	1541.84	20.05	26.0 0.006 0.812
20.0	15.9	23.252	25.080	22.516	511.50	1500.00	21.65	28.0 0.179 0.415
30.0	25.8	26.792	25.159	22.916	494.70	1500.00	21.50	28.0 0.134 0.088
40.0	39.8	26.446	25.219	21.959	481.41	2.010	1530.75	26.50 22.0 0.113 0.115
50.0	49.7	26.092	25.225	21.128	478.09	2.554	1530.85	26.00 22.0 0.100 0.151
60.0	59.5	25.738	25.246	21.305	475.01	3.044	1530.85	25.53 21.0 0.124 0.134
70.0	69.3	24.486	25.245	20.625	472.00	3.571	1530.75	24.75 19.0 0.124 0.225
80.0	79.2	24.072	25.263	21.996	469.05	4.072	1530.74	24.05 19.0 0.162 0.166
90.0	89.4	23.736	25.269	21.996	466.70	4.205	1530.80	23.35 19.0 0.177 0.119
100.0	99.4	22.919	25.215	24.349	460.56	4.436	1530.43	22.50 19.0 0.054 0.075
110.0	119.2	22.397	25.260	24.559	461.75	4.740	1530.40	22.37 20.0 0.093 0.068
120.0	139.1	21.595	25.264	24.774	461.75	5.005	1530.66	21.57 19.0 0.101 0.104
130.0	159.0	20.663	25.297	25.015	469.14	5.425	1530.73	20.71 19.0 0.132 0.136
140.0	170.0	20.155	25.313	25.193	469.08	5.733	1530.45	20.12 18.0 0.134 0.154
150.0	190.7	19.309	25.351	25.375	464.80	6.752	1530.66	19.35 17.0 0.091 0.095
160.0	225.0	18.084	25.387	25.508	454.64	6.273	1532.00	18.84 19.0 0.095 0.051
170.0	230.0	18.444	25.356	25.508	466.85	8.777	1522.63	18.40 19.0 0.048 0.056
180.0	250.3	18.083	25.519	25.656	461.52	9.265	1530.88	18.04 18.0 0.059 0.062
190.0	270.1	17.446	25.461	25.744	23.19	9.739	1519.26	17.64 21.0 0.100 0.095
200.0	290.0	16.639	25.370	25.864	20.05	10.190	1517.94	16.59 20.0 0.120 0.145
210.0	317.8	15.982	25.349	26.039	20.65	10.615	1515.16	15.05 19.0 0.047 0.055
220.0	337.6	15.227	25.227	26.097	20.00	11.022	1513.14	15.17 19.0 0.126 0.141
230.0	357.5	14.431	25.158	26.219	18.99	11.411	1510.93	14.38 19.0 0.073 0.099
240.0	377.3	13.736	25.092	26.314	18.05	11.701	1509.01	13.68 19.0 0.057 0.062
250.0	397.2	13.173	25.019	26.373	174.74	12.326	1507.30	12.12 18.0 0.132 0.108
260.0	417.0	12.429	24.934	26.495	166.97	12.477	1505.09	12.37 19.0 0.090 0.086
270.0	436.8	11.631	24.859	26.556	157.97	12.095	1502.65	11.57 19.0 0.076 0.086
280.0	456.7	11.085	24.820	26.621	151.12	13.114	1501.06	11.02 19.0 0.071 0.075
290.0	476.5	10.552	24.762	26.671	146.59	13.412	1499.41	10.49 17.0 0.068 0.063
300.0	496.3	9.951	24.690	26.735	140.20	13.708	1497.16	9.79 16.0 0.092 0.106
310.0	516.2	9.366	24.612	26.787	13.57	14.011	1494.08	8.74 18.0 0.038 0.034
320.0	535.5	7.623	24.405	26.825	121.44	14.991	1490.25	7.56 16.0 0.076 0.069
330.0	554.6	6.410	24.443	27.060	108.87	16.184	1487.27	6.35 21.0 0.008 0.012
340.0	573.6	5.580	24.420	27.146	100.46	17.190	1485.50	5.51 17.0 0.034 0.033
350.0	592.6	4.824	24.434	27.241	90.93	18.153	1484.13	4.75 19.0 0.009 0.017
360.0	611.5	4.081	24.477	27.367	79.13	19.013	1482.74	4.00 18.0 0.020 0.025
370.0	630.2	3.369	24.512	27.459	65.60	20.437	1483.18	3.28 19.0 0.009 0.006
380.0	649.0	2.744	24.597	27.549	61.91	21.077	1483.97	3.06 16.0 0.006 0.004
390.0	668.0	2.003	24.613	27.591	51.62	21.583	1485.01	2.90 19.0 0.005 0.004
400.0	686.5	1.403	24.628	27.608	57.51	22.268	1486.08	2.76 19.0 0.005 0.004
410.0	705.2	1.042	24.657	27.649	53.11	23.369	1486.21	2.46 20.0 0.006 0.003
420.0	723.9	0.713	24.680	27.666	51.64	23.394	1486.44	2.35 19.0 0.001 0.001
430.0	742.0	0.481	24.690	27.699	49.37	24.600	1486.67	2.24 19.0 0.003 0.003
440.0	760.0	0.200	24.690	27.702	46.55	24.993	1486.29	2.15 43.0 0.002 0.004
450.0	778.3	0.230	24.690	27.702	46.83	24.896	1492.07	2.16 31.0 0.000 0.001
460.0	796.0	0.2291	24.693	27.702	46.55	24.993	1492.29	2.15 43.0 0.002 0.004





SHIP : NRP COOK - Plessey
 STATION NUMBER : 24 (THROUGH THE CRUISE)
 DATE : 12-NFM-1986 (DAY NUMBER 713)
 START TIME : 1552 CDT - Z
 CRUISE : CHOL 96
 POSITION : 23:07 50S 174:14.95E
 OBTAIN DEPTH : 1796 METRES
 BOTTOM DEPTH : 4150 METRES

PRESSURE	DEPTH	TEMP	SAL	SIGMA-T	SBA	G.A.	Sound	POT. TEMP
0.0	0.0	26.776	34.964	22.764	506.96	0.000	1530.77	26.77
10.0	9.9	26.759	34.967	22.772	507.25	0.500	1530.83	26.76
20.0	19.9	26.678	34.973	22.882	505.25	1.014	1530.86	26.67
30.0	29.8	26.663	34.987	22.817	504.91	1.519	1530.99	26.66
40.0	39.7	26.596	34.999	22.844	504.65	2.022	1530.94	26.59
50.0	49.7	25.593	35.093	23.132	476.75	2.510	1537.55	25.59
60.0	59.6	24.056	35.169	23.515	486.68	2.967	1535.93	24.94
70.0	69.5	21.173	35.193	24.193	374.20	3.374	1531.75	23.16
80.0	79.5	21.574	35.516	24.449	350.23	3.736	1530.26	22.56
90.0	89.4	22.110	35.504	24.572	350.91	4.000	1529.10	22.09
100.0	99.3	21.236	35.565	24.867	311.07	4.405	1527.00	21.21
120.0	119.2	20.429	35.656	25.149	304.08	4.994	1525.42	20.41
140.0	139.1	19.900	35.644	25.281	372.95	5.555	1524.26	19.87
160.0	159.0	19.763	35.394	25.421	360.24	6.000	1522.90	19.31
180.0	179.8	18.040	35.630	25.543	299.30	6.598	1521.92	18.82
200.0	199.6	18.082	35.670	25.582	299.91	7.008	1521.00	18.37
220.0	219.5	18.012	35.595	25.726	233.01	7.559	1520.16	17.97
240.0	239.3	18.528	35.628	25.813	225.31	8.018	1519.01	17.49
260.0	259.2	16.941	35.525	25.933	214.36	8.459	1517.59	16.96
280.0	279.1	16.520	35.471	25.990	209.14	8.883	1516.57	16.47
300.0	297.9	15.763	35.394	26.106	196.76	9.293	1514.49	15.72
320.0	317.7	15.554	35.390	26.150	195.05	9.668	1514.21	15.50
340.0	337.4	15.082	35.320	26.201	190.53	10.023	1512.91	15.03
360.0	357.4	14.510	35.285	26.295	181.94	10.465	1511.46	14.46
380.0	377.3	14.015	35.211	26.348	177.16	10.805	1510.05	13.96
400.0	397.3	13.461	35.111	26.306	173.79	11.155	1508.42	13.41
420.0	416.9	12.783	35.063	26.495	164.41	11.494	1506.50	12.72
440.0	436.8	12.372	35.005	26.521	161.20	11.820	1505.40	12.32
460.0	456.6	11.661	34.909	26.584	155.26	12.130	1503.13	11.60
480.0	476.4	11.219	34.879	26.642	149.83	12.442	1501.94	11.16
500.0	496.2	10.793	34.836	26.695	145.94	12.739	1500.77	10.73
550.0	545.8	9.493	34.616	26.794	136.24	13.450	1496.71	9.43
600.0	595.4	8.210	34.509	26.857	128.01	14.108	1492.53	8.15
700.0	694.4	6.784	34.410	27.000	115.07	15.302	1486.70	6.72
800.0	793.0	6.048	34.415	27.085	107.27	16.405	1487.47	5.98
900.0	892.4	5.378	34.414	27.167	99.55	17.444	1486.45	5.30
1000.0	991.3	4.913	34.431	27.242	92.49	18.404	1485.91	4.76
1100.0	1090.2	4.133	34.488	27.365	80.28	19.261	1484.72	4.05
1200.0	1189.0	3.747	34.523	27.432	73.79	20.026	1484.76	3.66
1300.0	1287.1	3.468	34.552	27.484	68.98	20.740	1485.32	3.37
1400.0	1386.5	3.194	34.580	27.531	64.40	21.402	1485.86	3.10
1500.0	1485.2	2.952	34.605	27.574	50.25	22.024	1486.48	2.84
1600.0	1583.1	2.753	34.615	27.599	57.83	22.618	1487.34	2.65
1700.0	1682.0	2.620	34.630	27.624	55.26	23.183	1488.39	2.50
1800.0	1781.0	2.494	34.642	27.644	51.79	23.729	1489.57	2.37
1900.0	1879.5	2.304	34.653	27.661	52.00	24.256	1490.73	2.25
2000.0	1977.9	2.310	34.666	27.679	50.66	24.770	1492.15	2.17
2020.0	1997.6	2.293	34.664	27.679	50.68	24.871	1492.14	2.15

SHIP : NRP COOK - Plessey
 STATION NUMBER : 25 (THROUGH THE CRUISE)
 DATE : 13-NFM-1986 (DAY NUMBER 713)
 START TIME : 0346 CDT - Z
 CRUISE : CHOL 96
 POSITION : 23:06 50S 172:29.46E
 OBTAIN DEPTH : 2010 METRES
 BOTTOM DEPTH : 4516 METRES

PRESSURE	DEPTH	TMP	SAL	SIGMA-T	SBA	G.A.	Sound	POT. TEMP
0.0	0.0	26.931	35.047	22.727	506.77	0.000	1539.12	26.33
10.0	9.9	26.828	35.079	22.755	505.47	0.506	1539.00	26.81
20.0	19.9	26.703	35.037	22.842	501.41	1.010	1538.94	26.70
30.0	29.8	26.676	35.034	22.854	501.03	1.511	1539.04	26.66
40.0	39.7	26.629	35.025	23.099	478.06	2.001	1537.59	26.02
50.0	49.7	26.555	35.023	23.132	476.73	2.451	1534.37	24.69
60.0	59.6	26.488	35.169	23.514	324.00	3.061	1532.11	23.59
70.0	69.5	26.425	35.174	23.516	324.00	3.562	1532.11	23.59
80.0	79.5	21.000	35.154	24.626	331.30	3.576	1539.60	22.51
90.0	89.4	21.511	35.153	24.625	331.30	4.102	1537.75	21.51
100.0	99.3	21.322	35.151	24.645	311.32	4.217	1537.41	21.30
120.0	119.2	20.665	35.120	25.081	201.37	4.622	1535.79	20.56
140.0	139.1	20.206	35.092	25.100	200.71	5.391	1535.33	20.22
160.0	159.0	19.765	35.051	25.121	206.80	5.943	1534.20	19.74
180.0	178.9	19.321	35.045	25.132	205.87	6.072	1532.27	19.29
200.0	198.6	18.965	35.020	25.231	251.07	6.701	1522.21	18.83
220.0	218.5	18.461	35.076	25.246	240.70	7.470	1521.40	18.42
240.0	238.1	17.963	35.061	25.274	222.04	7.942	1520.32	17.92
260.0	258.0	17.136	35.079	25.349	222.45	8.397	1518.72	17.29
280.0	278.0	16.872	35.102	25.291	215.11	8.814	1517.60	16.81
300.0	297.9	16.294	35.105	25.426	206.86	9.259	1516.15	16.25
320.0	317.7	15.531	35.145	26.505	210.53	9.666	1514.37	15.54
340.0	337.6	15.019	35.188	26.188	191.69	10.056	1512.71	14.97
360.0	357.4	14.527	35.229	26.252	195.95	10.435	1511.35	14.47
380.0	377.2	13.105	35.215	26.319	196.40	10.800	1509.89	13.93
400.0	397.1	13.410	35.099	26.367	171.58	11.154	1508.27	13.35
420.0	416.9	12.925	35.043	26.442	166.62	11.454	1506.89	12.87
440.0	436.7	12.214	34.945	26.474	165.57	11.812	1504.54	12.16
460.0	456.6	11.422	34.849	26.501	155.32	12.153	1502.21	11.36
480.0	476.4	10.747	34.767	26.648	149.59	12.457	1500.03	10.53
500.0	496.2	9.806	34.594	26.743	140.51	12.750	1497.29	9.81
550.0	545.8	8.712	34.536	26.844	129.58	13.431	1493.81	8.65
600.0	595.4	7.806	34.510	26.918	122.63	14.067	1491.11	7.74
700.0	694.4	6.453	34.411	27.024	111.83	15.236	1487.19	6.39
800.0	793.4	5.547	34.403	27.137	101.46	16.297	1485.45	5.48
900.0	892.3	4.974	34.418	27.217	94.04	17.276	1484.80	4.90
1000.0	991.3	4.425	34.452	27.235	85.58	18.100	1484.21	4.15
1100.0	1090.1	3.979	34.494	27.386	77.89	18.996	1484.09	3.90
1200.0	1189.9	3.649	34.527	27.446	72.24	19.751	1484.38	3.56
1300.0	1287.7	3.145	34.554	27.497	67.34	20.452	1484.79	3.15
1400.0	1386.4	3.043	34.572	27.547	62.74	21.102	1485.18	2.94
1500.0	1485.1	2.878	34.596	27.575	59.06	21.713	1486.14	2.37
1600.0	1583.1	2.716	34.615	27.603	51.29	22.297	1487.17	2.50
1700.0	1682.0	2.587	34.630	27.616	55.20	22.061	1488.38	2.47
1800.0	1780.9	2.470	34.617	27.642	51.04	23.409	1489.47	2.35
1900.0	1879.4	2.368	34.649	27.650	51.17	23.938	1490.68	2.23
2000.0	1977.8	2.162	34.659	27.676	50.85	24.455	1492.01	2.14
2020.0	1997.2	2.249	34.662	27.681	50.38	24.657	1492.46	2.11



Seamap 3 - Route A - Summer

SHIP : HMAS COOK - PISSEY
 STATION NUMBER : 26 (THROUGH THE CRUISE)
 DATE : 14-MAR-1988 (DAY NUMBER 73)
 START TIME : 1754 GHT - Z
 CRUISE : CR01/86
 POSITION : 25°19'20S 169°43.4E
 CAST DEPTH : 1995 METRES
 BOTTOM DEPTH : 2409 METRES

PRESSURE	DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp	
0.0	0.0	25.694	35.371	23.411	446.29	0.000	1536.67	25.69	9.000 0.003
10.0	9.9	25.700	35.371	23.409	446.88	0.447	1536.80	25.70	9.006 0.018
20.0	19.9	25.307	35.316	23.464	441.99	0.091	1536.09	25.38	10.206 0.221
30.0	29.9	24.760	35.319	23.657	423.97	1.324	1534.73	24.75	10.267 0.389
40.0	39.7	23.491	35.468	24.147	377.53	1.725	1531.85	23.48	10.152 0.123
50.0	49.7	22.323	35.366	24.406	375.17	2.090	1528.74	22.31	9.791 0.039
60.0	59.6	20.501	35.611	25.094	381.96	2.411	1524.50	20.50	9.184 0.141
70.0	69.5	20.084	35.548	25.235	374.05	2.492	1523.60	20.07	9.148 0.155
80.0	79.5	19.677	35.548	25.386	365.59	2.563	1522.58	19.66	9.125 0.095
90.0	89.4	19.429	35.554	25.413	364.60	3.224	1522.16	19.41	9.099 0.120
100.0	99.3	19.143	35.670	25.499	360.83	3.479	1521.99	19.12	9.041 0.036
120.0	119.2	18.001	35.667	25.557	365.89	3.975	1521.17	18.00	9.056 0.071
140.0	139.0	18.521	35.471	25.631	379.51	4.461	1520.33	18.50	9.075 0.070
160.0	158.9	18.181	35.625	25.707	321.03	4.932	1519.70	18.15	9.059 0.075
180.0	178.8	17.772	35.391	25.783	288.35	5.390	1518.79	17.74	9.090 0.103
200.0	198.6	17.390	35.547	25.865	210.92	5.875	1517.67	17.26	9.082 0.071
220.0	218.5	16.659	35.521	25.954	211.43	6.266	1516.66	16.82	9.037 0.035
240.0	238.3	16.567	35.475	25.983	208.95	6.606	1516.05	16.52	10.086 0.085
260.0	258.2	16.213	35.446	26.042	201.71	7.099	1515.26	16.17	21.067 0.060
280.0	278.0	15.926	35.427	26.094	199.31	7.501	1514.73	15.88	15.055 0.062
300.0	297.8	15.521	35.390	26.154	193.69	7.996	1513.74	15.47	17.055 0.046
320.0	317.7	15.196	35.309	26.210	188.29	8.270	1512.22	14.92	17.097 0.111
340.0	337.5	14.123	35.220	26.332	177.67	8.644	1509.79	14.07	20.134 0.132
360.0	357.4	13.526	35.146	26.404	171.43	9.992	1508.06	13.47	16.088 0.111
380.0	377.2	12.740	35.058	26.491	162.85	9.327	1505.86	12.69	17.093 0.083
400.0	397.0	12.376	35.047	26.554	153.17	9.645	1504.80	12.32	19.021 0.025
420.0	416.9	12.082	34.999	26.573	155.60	9.950	1504.00	12.03	20.045 0.042
440.0	436.7	11.742	34.961	26.564	152.51	10.266	1503.17	11.69	19.053 0.049
460.0	456.5	11.121	34.885	26.664	147.19	10.568	1501.29	11.06	18.065 0.051
480.0	476.3	10.806	34.860	26.703	143.82	10.850	1500.53	10.75	17.045 0.041
500.0	496.2	10.451	34.803	26.720	142.21	11.144	1499.49	10.39	17.069 0.064
550.0	545.7	9.370	34.584	26.811	133.61	11.934	1496.31	9.31	12.055 0.042
600.0	595.3	8.400	34.581	26.873	127.72	12.487	1493.74	8.42	17.054 0.047
700.0	694.3	7.271	34.491	26.980	117.65	13.105	1490.72	7.20	18.007 0.008
800.0	793.3	6.194	34.420	27.070	108.7	14.041	1488.06	6.12	18.013 0.012
900.0	892.3	5.401	34.416	27.179	98.43	15.096	1486.56	5.32	19.004 0.005
1000.0	991.2	4.726	34.455	27.274	89.17	16.033	1485.46	4.64	18.018 0.008
1100.0	1090.0	4.303	34.487	27.346	82.40	17.691	1485.38	4.22	19.009 0.014
1200.0	1188.8	3.873	34.524	27.421	75.28	18.482	1485.32	3.78	20.014 0.009
1300.0	1287.6	3.492	34.550	27.460	69.42	19.204	1485.17	3.40	16.015 0.008
1400.0	1386.3	3.219	34.508	27.536	64.08	19.068	1485.93	3.12	17.005 0.005
1500.0	1485.0	2.979	34.613	27.578	59.03	19.490	1486.60	2.87	19.003 0.003
1600.0	1583.6	2.836	34.621	27.597	58.31	21.083	1487.65	2.72	19.005 0.003
1700.0	1682.2	2.677	34.635	27.623	55.90	21.658	1488.66	2.56	18.005 0.004
1800.0	1780.7	2.444	34.644	27.641	54.28	22.211	1489.80	2.42	17.004 0.000
1900.0	1879.2	2.439	34.654	27.658	52.68	22.744	1490.97	2.30	19.004 0.004
2000.0	1977.6	2.128	34.662	27.674	51.23	23.262	1492.17	2.19	16.004 0.003
2020.0	1997.3	2.120	34.667	27.679	50.83	23.364	1492.46	2.18	26.000 0.004

SHIP : HMAS COOK - PISSEY
 STATION NUMBER : 27 (THROUGH THE CRUISE)
 DATE : 16-MAR-1988 (DAY NUMBER 75)
 START TIME : 0220 GHT - Z
 CRUISE : CR01/86
 POSITION : 26°46'58S 166°42.2E
 CAST DEPTH : 2002 METRES
 BOTTOM DEPTH : 3440 METRES

PRESSURE	DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp	
0.0	0.0	25.174	35.513	23.761	242.85	0.000	1515.20	25.17	27.0 0.010 0.014
10.0	9.9	25.113	35.508	23.755	423.05	0.413	1515.63	25.11	16.0 0.091 0.122
20.0	19.9	25.052	35.507	23.809	409.02	0.815	1515.42	24.95	22.0 0.015 0.019
30.0	29.8	24.991	35.507	23.820	408.43	1.214	1515.36	24.88	20.0 0.011 0.011
40.0	39.7	24.991	35.507	23.832	407.60	1.542	1515.27	24.77	17.0 0.011 0.011
50.0	49.7	24.621	35.514	23.846	406.68	2.049	1514.84	24.61	17.0 0.144 0.127
60.0	59.6	22.927	35.414	24.170	366.58	2.415	1510.36	22.92	17.0 0.115 0.061
70.0	69.5	21.768	35.612	24.144	321.72	2.779	1508.17	21.77	20.0 0.104 0.111
80.0	79.5	21.293	35.605	24.091	306.10	3.094	1506.79	21.22	18.0 0.181 0.151
90.0	89.4	20.414	35.625	24.049	293.38	3.395	1505.56	20.70	19.0 0.151 0.149
100.0	99.3	20.232	35.623	24.018	280.8	3.561	1514.45	20.21	19.0 0.128 0.112
120.0	119.2	19.620	35.600	23.712	263.55	4.225	1523.17	19.50	19.0 0.071 0.013
140.0	139.0	19.244	35.647	23.545	254.95	4.743	1522.45	19.22	18.0 0.244 0.046
160.0	158.9	18.705	35.639	23.566	246.43	5.245	1521.41	18.75	17.0 0.089 0.092
180.0	178.7	18.428	35.643	23.569	236.17	5.721	1520.75	18.40	16.0 0.184 0.049
200.0	198.6	17.805	35.631	23.573	230.77	5.196	1520.05	18.02	16.0 0.052 0.049
220.0	218.4	17.604	35.589	23.821	223.89	6.652	1518.95	17.57	16.0 0.071 0.060
240.0	238.3	17.285	35.574	23.800	218.12	7.094	1518.35	17.24	16.0 0.031 0.011
260.0	258.1	16.704	35.507	23.715	212.02	7.525	1517.05	16.74	16.0 0.079 0.014
280.0	278.0	16.164	35.435	26.046	201.91	7.941	1515.39	16.12	16.0 0.109 0.124
300.0	297.8	15.521	35.390	26.154	193.69	8.338	1513.91	15.52	21.0 0.011 0.049
320.0	317.7	15.196	35.309	26.210	188.29	8.270	1513.15	15.18	20.0 0.064 0.059
340.0	337.5	14.938	35.326	26.230	186.95	9.101	1512.52	14.89	19.0 0.043 0.049
360.0	357.3	14.490	35.272	26.294	182.04	9.471	1511.38	14.44	20.0 0.057 0.052
380.0	377.2	14.271	35.267	26.177	170.37	9.832	1511.02	14.21	21.0 0.007 0.006
400.0	397.0	13.997	35.206	26.149	177.50	10.186	1510.35	13.34	20.0 0.069 0.011
420.0	416.9	13.472	35.134	26.040	172.97	10.517	1506.92	13.42	18.0 0.115 0.115
440.0	436.7	13.025	35.090	26.459	167.63	10.877	1507.21	12.96	19.0 0.084 0.044
460.0	456.5	12.510	35.034	26.517	162.21	11.203	1506.27	12.45	21.0 0.016 0.014
480.0	476.3	12.160	34.978	26.541	160.20	11.526	1505.36	12.10	19.0 0.102 0.141
500.0	496.1	11.470	34.901	26.613	153.27	11.841	1501.20	11.41	15.0 0.081 0.092
550.0	545.7	10.123	34.799	26.765	138.74	12.514	1499.35	10.11	18.0 0.023 0.019
600.0	595.2	9.217	34.690	26.829	132.69	12.552	1496.52	9.17	17.0 0.065 0.058
700.0	694.3	7.765	34.570	26.968	119.50	14.513	1492.78	7.71	18.0 0.018 0.016
800.0	793.3	6.879	34.508	27.048	112.13	15.566	1490.74	6.90	20.0 0.015 0.015
900.0	892.3	6.127	34.482	27.127	104.72	16.751			

SHIP : HMS COOK - Plessey
 STATION NUMBER : 29 (THROUGH THE CRUISE)
 STATION NUMBER : 29 (THROUGH THE YEAR)
 DATE : 16-MAR-1986 (DAY NUMBER 75)
 START TIME : 1501 CDT - Z
 CRUISE : CR01/86
 POSITION : 27°19.56S 165°27.26E
 CAST DEPTH : 1994 METRES
 BOTTOM DEPTH : 3550 METRES

PRESS. DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
0.0	0.0	25.016	35.726	23.007	400.82	0.000	1595.55
10.0	9.9	25.016	35.726	23.007	401.21	0.001	1595.50
20.0	19.9	25.018	35.731	23.009	401.34	0.002	1595.63
30.0	29.8	25.023	35.733	23.009	401.69	1.204	1595.83
40.0	39.7	24.993	35.722	23.001	402.05	1.605	1596.00
50.0	49.7	24.863	35.701	23.000	402.40	2.007	1595.76
60.0	59.6	23.400	35.682	24.184	374.76	2.394	1511.96
70.0	69.5	22.479	35.638	24.569	370.48	2.750	1530.08
80.0	79.5	21.300	35.565	24.834	311.48	3.076	1527.21
90.0	89.4	20.535	35.635	25.104	300.95	3.377	1525.19
100.0	99.3	19.995	35.650	25.266	272.95	3.656	1523.91
110.0	119.2	19.328	35.672	25.452	255.96	4.183	1522.36
120.0	139.0	18.822	35.691	25.596	242.08	4.600	1521.32
130.0	158.9	18.555	35.695	25.667	236.70	5.100	1520.80
140.0	178.7	18.312	35.693	25.736	231.73	5.626	1520.46
150.0	198.6	18.016	35.699	25.805	224.90	6.005	1519.97
160.0	218.4	17.862	35.695	25.840	222.20	6.533	1519.80
170.0	238.3	17.705	35.667	25.857	221.14	5.975	1519.67
180.0	258.1	17.114	35.590	25.842	213.56	7.411	1518.39
190.0	278.0	16.604	35.562	25.891	209.20	7.934	1517.47
200.0	297.8	16.398	35.503	26.044	204.07	8.200	1516.52
210.0	317.6	16.069	35.464	26.095	201.00	8.652	1515.56
220.0	337.5	15.628	35.425	26.160	194.66	9.047	1514.73
230.0	357.3	15.140	35.367	26.225	188.30	9.432	1513.43
240.0	377.1	14.615	35.315	26.287	183.34	9.805	1512.23
250.0	397.0	14.160	35.245	26.343	178.25	10.167	1510.97
260.0	416.8	13.777	35.214	26.399	173.26	10.518	1510.09
270.0	436.6	13.315	35.166	26.446	169.08	10.859	1508.87
280.0	456.5	12.841	35.098	26.501	164.00	11.193	1507.37
290.0	476.3	12.329	35.051	26.566	157.94	11.513	1505.86
300.0	496.1	11.895	34.996	26.605	154.25	11.824	1504.58
310.0	515.9	10.595	34.860	26.739	141.64	12.564	1500.92
320.0	535.7	10.100	34.743	26.814	134.55	13.256	1496.07
330.0	555.5	9.627	34.624	26.897	68.69	12.265	1487.20
340.0	575.3	9.137	34.648	26.947	122.33	14.536	1494.96
350.0	595.1	8.595	34.628	27.010	114.30	15.725	1491.81
360.0	615.0	8.057	34.614	27.074	108.13	16.936	1492.63
370.0	635.8	7.522	34.586	27.107	100.95	17.867	1490.29
380.0	655.6	7.089	34.553	27.273	91.64	18.852	1489.46
390.0	675.4	6.657	34.511	27.335	84.27	19.004	1488.25
400.0	695.2	6.224	34.453	27.429	75.70	20.545	1487.44
410.0	715.0	5.792	34.392	27.497	68.69	21.265	1487.20
420.0	734.8	5.357	34.340	27.568	59.77	22.521	1486.22
430.0	754.6	4.924	34.287	27.634	52.40	23.108	1489.27
440.0	774.4	4.491	34.234	27.701	45.16	23.794	1490.01
450.0	794.2	4.058	34.171	27.765	38.16	24.197	1491.18
460.0	814.0	3.625	34.119	27.829	31.05	24.714	1492.45
470.0	833.8	3.192	34.067	27.893	24.015	24.015	1492.61

SHIP : HMS COOK - Plessey
 STATION NUMBER : 29 (THROUGH THE CRUISE)
 STATION NUMBER : 29 (THROUGH THE YEAR)
 DATE : 17-MAR-1986 (DAY NUMBER 76)
 START TIME : 1852 CDT - Z
 CRUISE : CR01/86
 POSITION : 29°21.36S 161°14.74E
 CAST DEPTH : 1390 METRES
 BOTTOM DEPTH : 1450 METRES

PRESS. DEPTH	TEMP	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
0.0	0.0	24.071	35.690	24.144	326.31	0.000	1531.11
10.0	9.9	24.076	35.692	24.147	316.45	0.176	1531.24
20.0	19.9	24.069	35.692	24.146	316.86	0.751	1531.40
30.0	29.8	24.064	35.684	24.144	327.95	1.130	1531.36
40.0	39.7	24.066	35.686	24.181	314.33	1.506	1531.19
50.0	49.7	24.073	35.518	24.211	311.58	1.879	1531.69
60.0	59.6	24.070	35.500	24.674	328.00	2.229	1528.28
70.0	69.5	24.069	35.492	24.674	327.95	2.547	1526.95
80.0	79.4	24.070	35.492	25.056	292.36	2.646	1526.05
90.0	89.4	24.060	35.611	25.114	286.96	1.136	1525.41
100.0	99.3	24.077	35.651	25.244	275.12	1.417	1524.05
110.0	119.2	24.030	35.695	25.569	246.72	1.936	1521.52
120.0	139.0	24.030	35.704	25.705	231.53	4.000	1520.89
130.0	158.9	24.034	35.704	25.762	236.55	4.449	1520.89
140.0	178.7	24.039	35.704	25.762	236.55	4.888	1520.34
150.0	198.6	24.032	35.701	25.765	236.13	5.146	1519.90
160.0	218.4	24.032	35.692	25.805	231.92	5.773	1519.41
170.0	238.3	24.032	35.692	25.806	214.78	6.634	1518.63
180.0	258.1	24.032	35.692	25.806	206.73	7.088	1517.14
190.0	278.0	24.032	35.692	25.806	200.45	7.495	1515.95
200.0	297.8	24.032	35.692	25.806	197.00	7.901	1514.95
210.0	317.6	24.032	35.692	25.806	194.76	8.377	1514.02
220.0	337.5	24.032	35.692	25.806	191.43	8.277	1514.42
230.0	357.3	24.032	35.692	25.806	184.69	8.552	1513.01
240.0	377.1	24.032	35.692	25.806	178.10	9.010	1511.55
250.0	396.9	24.032	35.692	25.806	172.18	9.367	1510.81
260.0	416.7	24.032	35.692	25.806	165.93	9.705	1509.10
270.0	436.5	24.032	35.692	25.806	159.81	10.029	1508.13
280.0	456.3	24.032	35.692	25.806	157.01	10.347	1507.19
290.0	476.1	24.032	35.692	25.806	155.29	10.777	1506.55
300.0	496.0	24.032	35.692	25.806	153.59	10.659	1505.73
310.0	515.8	24.032	35.692	25.806	151.93	10.20	1504.80
320.0	535.6	24.032	35.692	25.806	149.43	9.811	1504.40
330.0	555.4	24.032	35.692	25.806	147.89	11.256	1503.37
340.0	575.2	24.032	35.692	25.806	146.34	11.256	1502.37
350.0	595.0	24.032	35.692	25.806	144.81	11.963	1501.58
360.0	614.8	24.032	35.692	25.806	143.31	12.634	1499.25
370.0	634.6	24.032	35.692	25.806	141.81	13.399	1495.47
380.0	654.4	24.032	35.692	25.806	140.31	14.074	1492.01
390.0	674.2	24.032	35.692	25.806	138.81	14.748	1489.15
400.0	694.0	24.032	35.692	25.806	137.31	15.078	1486.76
410.0	713.8	24.032	35.692	25.806	135.81	15.414	1486.76
420.0	733.6	24.032	35.692	25.806	134.31	15.754	1486.76
430.0	753.4	24.032	35.692	25.806	132.81	16.094	1486.76
440.0	773.2	24.032	35.692	25.806	131.31	16.434	1486.76
450.0	793.0	24.032	35.692	25.806	129.81	16.774	1486.76
460.0	812.8	24.032	35.692	25.806	128.31	17.114	1486.76
470.0	832.6	24.032	35.692	25.806	126.81	17.454	1486.76
480.0	852.4	24.032	35.692	25.806	125.31	17.794	1486.76
490.0	872.2	24.032	35.692	25.806	123.81	18.134	1486.76
500.0	892.0	24.032	35.692	25.806	122.31	18.474	1486.76
510.0	911.8	24.032	35.692	25.806	120.81	18.814	1486.76
520.0	931.6	24.032	35.692	25.806	119.31	19.154	1486.76
530.0	951.4	24.032	35.692	25.806	117.81	19.494	1486.76
540.0	971.2	24.032	35.692	25.806	116.31	19.834	1486.76
550.0	991.0	24.032	35.692	25.806	114.81	20.174	1486.76
560.0	1010.8	24.032	35.692	25.806	113.31	20.514	1486.76
570.0	1030.6	24.032	35.692	25.806	111.81	20.854	1486.76
580.0	1050.4	24.032	35.692	25.806	110.31	21.194	1486.76
590.0	1070.2	24.032	35.692	25.806	108.81	21.534	1486.76
600.0	1089.9	24.032	35.692	25.806	107.31	21.874	1486.76
610.0	1109.7	24.032	35.692				

SHIP : WNR COOK - Plessey
 STATION NUMBER : 30 (THROUGH THE CRUISE)
 STATION NUMBER : 30 (THROUGH THE YEAR)
 DATE : 18-FEB-1986 (DAY NUMBER 77)
 SHIFT TYPE : 2704 CME - 2
 CRUISE : CR01/86
 POSITION : 29°58'01S 159°50.79E
 CAST DEPTH : 1877 METERS
 BOTTOM DEPTH : 2036 METERS

PRESSURE DEPTH TEMP SAL SURFACE T SWA G.A. Sound Pot.Temp

0.0	0.0	23.523	35.661	24.285	342.90	0.000	1531.69	23.52	7.0	0.002	0.003
10.0	9.9	23.475	35.650	24.290	342.76	0.361	1531.44	23.47	14.0	0.056	0.076
20.0	19.8	23.282	35.660	24.154	357.29	0.723	1531.32	23.24	17.0	0.036	0.021
30.0	29.4	23.157	35.647	24.361	354.89	1.079	1531.18	23.11	17.0	0.052	0.051
40.0	39.7	23.043	35.629	24.400	353.45	1.433	1531.01	23.03	18.0	0.065	0.094
50.0	49.7	23.075	35.517	24.592	335.52	1.777	1530.43	23.06	17.0	0.051	0.043
60.0	59.5	23.313	35.638	24.892	307.12	2.139	1530.76	23.30	18.0	0.089	0.179
70.0	69.5	23.735	35.648	25.055	292.59	2.498	1530.28	23.72	18.0	0.126	0.229
80.0	79.4	24.254	35.639	25.290	275.77	2.862	1530.29	24.24	18.0	0.108	0.092
90.0	89.4	19.943	35.693	25.307	246.71	3.295	1523.59	19.92	20.0	0.105	0.108
100.0	99.4	19.642	35.708	25.393	260.92	3.219	1522.94	19.62	18.0	0.077	0.076
110.0	119.1	19.143	35.708	25.586	246.91	3.729	1521.88	19.12	20.0	0.059	0.056
120.0	139.0	18.832	35.713	25.611	241.46	4.219	1521.31	18.81	18.0	0.053	0.058
130.0	158.8	18.478	35.648	25.649	224.66	4.695	1520.62	18.45	21.0	0.061	0.067
140.0	178.7	18.079	35.645	25.775	227.05	5.154	1519.78	18.05	20.0	0.069	0.073
150.0	198.5	17.727	35.645	25.835	221.59	5.504	1519.04	17.59	18.0	0.067	0.088
160.0	218.4	17.348	35.612	25.929	213.53	6.039	1517.94	17.21	18.0	0.051	0.049
170.0	238.2	16.695	35.535	25.998	207.43	6.461	1516.50	16.66	19.0	0.076	0.087
180.0	258.1	16.241	35.502	26.084	199.81	6.886	1515.43	16.20	18.0	0.045	0.026
190.0	277.9	15.914	35.484	26.160	194.90	7.264	1514.73	15.87	21.0	0.033	0.033
200.0	297.7	15.428	35.401	26.186	190.92	7.649	1513.44	15.38	23.0	0.216	0.264
210.0	317.6	14.835	35.360	26.286	181.70	8.020	1511.84	14.79	19.0	0.032	0.031
220.0	340.4	14.549	35.318	26.317	179.31	8.381	1511.23	14.56	18.0	0.053	0.059
230.0	357.2	14.205	35.281	26.363	175.78	8.735	1510.38	14.15	19.0	0.061	0.093
240.0	377.1	13.540	35.215	26.392	213.53	9.079	1508.42	13.49	16.0	0.066	0.083
250.0	396.9	13.148	35.177	26.501	162.73	9.407	1507.45	13.04	20.0	0.117	0.140
260.0	416.7	12.780	35.174	26.574	156.08	9.726	1506.62	12.72	20.0	0.094	0.010
270.0	436.5	12.597	35.145	26.588	155.25	10.038	1506.28	12.54	21.0	0.031	0.027
280.0	456.4	12.324	35.113	26.614	152.90	10.347	1505.61	12.24	20.0	0.055	0.025
290.0	476.2	12.173	35.064	26.683	146.51	10.650	1504.13	11.73	18.0	0.019	0.039
300.0	496.0	11.350	34.949	26.688	146.32	10.943	1502.75	11.30	17.0	0.113	0.133
310.0	545.5	9.971	34.813	26.827	132.74	11.639	1496.60	9.91	18.0	0.037	0.028
320.0	595.1	9.208	34.742	26.883	127.59	12.392	1496.50	9.14	18.0	0.035	0.029
330.0	649.1	8.097	34.613	26.972	119.66	12.529	1493.96	8.02	18.0	0.031	0.037
340.0	793.0	6.886	34.595	27.084	108.81	14.672	1490.87	6.81	20.0	0.023	0.017
350.0	990.3	5.070	34.521	27.158	100.86	15.721	1489.27	5.99	17.0	0.022	0.022
360.0	1189.6	4.145	34.538	27.132	64.90	17.569	1487.24	4.63	19.0	0.009	0.007
370.0	1387.1	3.812	34.565	27.459	22.29	19.136	1486.59	3.77	15.0	0.020	0.017
380.0	1585.8	3.445	34.597	27.521	66.15	19.824	1486.81	3.34	20.0	0.020	0.015
390.0	1783.0	2.834	34.656	27.628	55.70	21.045	1487.64	2.75	16.0	0.027	0.004
400.0	1980.1	2.566	34.685	27.673	51.43	22.120	1489.87	2.44	19.0	0.024	0.003
410.0	2178.5	2.501	34.694	27.685	50.53	22.532	1491.18	2.37	42	0.002	0.004

SHIP : WNR COOK - Plessey
 STATION NUMBER : 31 (THROUGH THE CRUISE)
 STATION NUMBER : 31 (THROUGH THE YEAR)
 DATE : 18-FEB-1986 (DAY NUMBER 77)
 SHIFT TYPE : 2951 CME - 2
 CRUISE : CR01/86
 POSITION : 30°42.666 158°12.55E
 CAST DEPTH : 3464 METERS
 BOTTOM DEPTH : 3649 METERS

PRESSURE DEPTH TEMP SAL SURFACE T SWA G.A. Sound Pot.Temp


0.0	0.0	23.428	35.456	24.399	360.62	0.000	1531.50	23.43	28.0	0.000	0.004
10.0	8.9	23.410	35.649	24.300	361.07	0.361	1531.46	23.41	20.0	0.030	0.084
20.0	20.0	19.313	35.621	24.302	357.12	0.720	1531.02	23.19	19.0	0.090	0.099
30.0	29.8	21.022	35.626	24.404	352.69	1.075	1530.81	23.02	19.0	0.051	0.066
40.0	39.7	22.836	35.640	24.406	346.74	1.425	1530.46	22.83	16.0	0.021	0.010
50.0	49.7	22.811	35.649	24.406	349.59	1.777	1530.60	22.80	19.0	0.009	0.013
60.0	59.6	22.561	35.674	24.516	343.66	2.115	1530.07	22.57	18.0	0.185	0.228
70.0	69.5	21.761	35.581	24.712	346.74	2.450	1527.90	21.75	18.0	0.308	0.304
80.0	79.4	20.564	35.629	25.093	288.03	2.757	1524.76	20.55	20.0	0.347	0.334
90.0	89.4	19.718	35.697	25.369	262.00	3.033	1521.00	19.70	21.0	0.072	0.046
100.0	99.4	19.512	35.706	25.429	257.47	3.293	1522.58	19.50	16.0	0.072	0.073
120.0	119.3	19.159	35.700	25.523	249.18	3.799	1521.96	19.14	21.0	0.053	0.069
140.0	139.0	18.760	35.700	25.620	240.62	4.269	1521.15	18.75	17.0	0.024	0.024
160.0	158.8	18.616	35.717	25.660	236.64	4.766	1521.07	18.59	18.0	0.022	0.012
180.0	178.7	18.326	35.723	25.742	232.02	5.236	1520.53	18.30	16.0	0.038	0.048
200.0	198.5	17.968	35.644	25.794	225.92	5.695	1519.00	17.93	15.0	0.024	0.016
220.0	218.4	17.440	35.660	25.820	224.09	6.144	1519.67	17.80	17.0	0.045	0.059
240.0	238.2	17.544	35.647	25.801	218.02	6.586	1519.17	17.50	15.0	0.052	0.049
260.0	258.1	17.038	35.590	25.952	212.61	7.019	1517.93	16.99	18.0	0.064	0.066
280.0	277.9	16.655	35.550	26.036	206.70	7.438	1517.05	16.61	17.0	0.046	0.028
300.0	297.7	16.195	35.499	26.080	201.39	7.846	1515.91	16.15	18.0	0.069	0.070
320.0	317.6	15.716	35.714	26.151	198.02	8.244	1514.71	15.66	19.0	0.073	0.060
340.0	337.4	15.314	35.392	26.202	190.22	8.628	1513.72	15.26	18.0	0.075	0.069
360.0	357.2	14.901	35.365	26.265	184.90	9.003	1512.90	14.90	19.0	0.050	0.061
380.0	377.0	14.340	35.325	26.367	175.60	9.366	1511.25	14.28	18.0	0.038	0.036
400.0	396.9	13.832	35.255	26.419	170.06	9.716	1509.88	13.78	21.0	0.045	0.056
420.0	416.7	13.303	35.205	26.491	164.29	10.056	1508.37	13.17	17.0	0.016	0.025
440.0	436.5	12.913	35.205	26.530	160.98	10.360	1508.08	13.05	19.0	0.067	0.065
460.0	456.4	12.671	35.152	26.577	156.74	10.697	1506.87	12.61	17.0	0.011	0.010
480.0	476.2	12.201	35.096	26.625	152.34	11.005	1505.57	12.14	18.0	0.077	0.061
500.0	500.0	10.040	34.944	26.626	146.04	11.305	1504.55	11.76	17.0	0.035	0.059
550.0	545.5	10.875	34.937	26.749	140.99	12.027	1501.96	10.81	17.0	0.012	0.055
600.0	595.0	10.400	34.844	26.821	134.27	12.717	1499.71	9.98	18.0	0.014	0.040
700.0	694.0	8.493	34.674	26.943	122.90	11.998	1495.47	8.42	22.0	0.011	0.018
800.0	793.0	7.552	34.600	27.026	115.36	15.189	1491.52	7.47	18.0	0.017	

SHIP : WING COOK - Phoenix
 STATION NUMBER : 32 (THROUGH THE CRUISE)
 STATION NUMBER : 32 (THROUGH THE YEAR)
 DATE : 19-NOV-1986 (DAY NUMBER 76)
 START TIME : 2022 CDT - 2
 CRUISE : CR01-86
 POSITION : 31°16.745 156°47.086
 CAST DEPTH : 4487 METERS
 BOTTOM DEPTH : 4637 METERS

PRESS	DEPTH	TEMP	SAL	STWNT	SWS	G.A.	Sound	Pct.Temp
0.0	0.0	25.045	35.455	23.673	421.20	0.000	1515.26	25.04 9.002 0.002
10.0	9.9	25.046	35.456	23.675	421.44	0.421	1515.41	25.04 26.003 0.005
20.0	19.9	25.046	35.461	23.679	421.49	0.643	1515.57	25.04 25.003 0.007
30.0	29.8	25.047	35.464	23.681	421.63	1.264	1515.74	25.04 19.003 0.003
40.0	39.7	24.991	35.474	23.704	419.81	1.665	1515.73	24.99 21.071 0.052
50.0	49.6	24.729	35.591	23.872	404.22	2.097	1515.38	24.72 22.077 0.046
60.0	59.6	24.559	35.650	23.964	395.76	2.497	1515.18	24.55 16.019 0.012
70.0	69.5	24.375	35.667	23.969	396.02	2.893	1514.80	24.36 21.023 0.036
80.0	79.4	22.359	35.633	24.447	350.45	3.266	1514.47	22.34 19.611 0.115
90.0	89.4	21.241	35.574	24.487	310.75	3.597	1512.04	21.22 23.110 0.130
100.0	99.3	20.644	35.570	25.020	296.45	3.905	1512.57	20.65 17.139 0.121
110.0	119.3	19.534	35.626	25.363	284.48	4.460	1512.91	19.51 22.093 0.098
120.0	129.0	18.945	35.628	25.518	250.46	4.973	1512.61	18.92 17.088 0.116
130.0	158.0	18.476	35.635	25.681	239.19	5.463	1512.65	18.45 18.071 0.097
140.0	178.7	18.203	35.647	25.719	232.43	5.933	1512.13	18.17 22.051 0.050
150.0	198.5	17.856	35.642	25.800	225.27	6.391	1511.46	17.82 24.033 0.021
160.0	218.0	17.515	35.612	25.881	220.05	6.817	1511.75	17.40 19.038 0.028
170.0	238.2	17.138	35.533	25.892	217.67	7.278	1512.85	17.10 23.010 0.000
180.0	258.0	16.537	35.448	25.968	210.82	7.708	1516.20	16.49 19.197 0.147
190.0	277.9	16.208	35.441	26.040	204.51	8.120	1516.51	16.16 28.064 0.070
200.0	297.7	15.747	35.374	26.094	199.82	8.523	1514.37	15.70 20.116 0.132
210.0	317.5	15.259	35.348	26.178	192.18	8.913	1513.13	15.21 15.072 0.076
220.0	337.4	14.624	35.252	26.249	195.74	9.292	1511.31	14.57 16.036 0.130
230.0	357.2	13.988	35.175	26.326	178.67	9.654	1509.50	13.94 13.019 0.140
240.0	377.0	13.568	35.181	26.410	170.26	10.001	1508.57	13.51 13.041 0.050
250.0	396.9	13.271	35.131	26.440	168.58	10.346	1507.81	13.22 13.077 0.100
260.0	416.7	12.722	35.044	26.487	164.25	10.672	1506.18	12.66 13.127 0.150
270.0	436.5	12.312	35.005	26.536	159.82	10.993	1505.14	12.25 15.059 0.060
280.0	456.3	11.942	34.965	26.573	156.46	11.308	1504.15	11.88 15.101 0.111
290.0	476.1	11.575	34.942	26.625	151.74	11.613	1501.31	11.51 13.072 0.071
300.0	495.9	11.186	34.910	26.672	147.45	11.904	1502.20	11.12 13.034 0.036
310.0	515.5	10.261	34.795	26.740	141.24	12.638	1499.61	10.20 15.058 0.064
320.0	535.0	9.942	34.692	26.813	134.45	13.125	1497.33	9.36 16.041 0.063
330.0	554.0	9.624	34.695	26.813	134.45	13.125	1497.33	9.36 16.041 0.063
340.0	573.0	9.304	34.697	26.813	134.45	13.125	1497.33	9.36 16.041 0.063
350.0	592.0	8.984	34.698	26.813	134.45	13.125	1497.33	9.36 16.041 0.063
360.0	611.0	8.664	34.698	26.813	134.45	13.125	1497.33	9.36 16.041 0.063
370.0	630.0	8.344	34.698	26.813	134.45	13.125	1497.33	9.36 16.041 0.063
380.0	649.0	8.024	34.698	26.813	134.45	13.125	1497.33	9.36 16.041 0.063
390.0	668.0	7.704	34.503	27.017	115.33	15.804	1491.56	6.91 17.020 0.023
400.0	687.0	7.384	34.471	27.098	107.80	16.918	1490.11	6.21 15.024 0.021
4100.0	706.0	7.064	34.459	27.183	99.53	17.954	1489.76	5.45 15.010 0.007
4200.0	725.0	6.743	34.447	27.181	91.31	18.916	1487.96	4.84 15.009 0.009
4300.0	744.0	6.423	34.434	27.171	85.06	19.808	1487.51	4.32 14.011 0.011
4400.0	763.0	6.103	34.422	27.169	79.46	20.630	1487.62	3.93 14.004 0.002
4500.0	782.0	5.783	34.410	27.167	73.22	21.400	1487.54	3.52 14.018 0.016
4600.0	801.0	5.463	34.398	27.164	67.98	22.180	1487.54	3.12 14.024 0.002
4700.0	820.0	5.143	34.386	27.162	62.74	22.960	1487.55	2.78 14.028 0.002
4800.0	839.0	4.823	34.374	27.160	57.50	23.740	1487.55	2.44 14.032 0.002
4900.0	858.0	4.503	34.362	27.158	52.26	24.520	1487.55	2.10 14.036 0.002
5000.0	877.0	4.183	34.350	27.156	47.02	25.300	1487.55	1.76 14.040 0.002
5100.0	896.0	3.863	34.338	27.154	41.78	26.080	1487.55	1.42 14.044 0.002
5200.0	915.0	3.543	34.326	27.152	36.54	26.860	1487.55	1.08 14.048 0.002
5300.0	934.0	3.223	34.314	27.150	31.30	27.640	1487.55	0.74 14.052 0.002
5400.0	953.0	2.903	34.302	27.148	26.06	28.420	1487.55	0.40 14.056 0.002
5500.0	972.0	2.583	34.290	27.146	20.82	29.190	1487.55	0.06 14.060 0.002
5600.0	991.0	2.263	34.278	27.144	15.58	30.970	1487.55	-0.28 14.064 0.002
5700.0	1010.0	1.943	34.266	27.142	10.34	31.750	1487.55	-0.62 14.068 0.002
5800.0	1029.0	1.623	34.254	27.140	5.10	32.530	1487.55	-0.96 14.072 0.002
5900.0	1048.0	1.303	34.242	27.138	0.86	33.310	1487.55	-1.30 14.076 0.002
6000.0	1067.0	1.083	34.230	27.136	-3.24	34.090	1487.55	-1.64 14.080 0.002
6100.0	1086.0	8.663	34.218	27.134	-8.48	34.870	1487.55	-2.98 14.084 0.002
6200.0	1105.0	6.443	34.206	27.132	-13.72	35.650	1487.55	-4.32 14.088 0.002
6300.0	1124.0	4.223	34.194	27.130	-18.96	36.430	1487.55	-5.66 14.092 0.002
6400.0	1143.0	2.003	34.182	27.128	-24.20	37.210	1487.55	-7.00 14.096 0.002
6500.0	1162.0	-1.783	34.170	27.126	-29.44	37.990	1487.55	-8.34 14.100 0.002
6600.0	1181.0	-4.003	34.158	27.124	-34.68	38.770	1487.55	-9.68 14.104 0.002
6700.0	1200.0	-6.283	34.146	27.122	-39.92	39.550	1487.55	-11.02 14.108 0.002
6800.0	1219.0	-8.563	34.134	27.120	-45.16	40.330	1487.55	-12.36 14.112 0.002
6900.0	1238.0	-10.843	34.122	27.118	-50.40	41.110	1487.55	-13.70 14.116 0.002
7000.0	1257.0	-13.123	34.110	27.116	-55.64	41.890	1487.55	-15.04 14.120 0.002
7100.0	1276.0	-15.403	34.098	27.114	-60.88	42.670	1487.55	-16.38 14.124 0.002
7200.0	1295.0	-17.683	34.086	27.112	-66.12	43.450	1487.55	-17.72 14.128 0.002
7300.0	1314.0	-20.003	34.074	27.110	-71.36	44.230	1487.55	-19.06 14.132 0.002
7400.0	1333.0	-22.323	34.062	27.108	-76.60	45.010	1487.55	-20.40 14.136 0.002
7500.0	1352.0	-24.643	34.050	27.106	-81.84	45.790	1487.55	-21.74 14.140 0.002
7600.0	1371.0	-26.963	34.038	27.104	-87.08	46.570	1487.55	-23.08 14.144 0.002
7700.0	1390.0	-29.283	34.026	27.102	-92.32	47.350	1487.55	-24.42 14.148 0.002
7800.0	1409.0	-31.603	34.014	27.100	-97.56	48.130	1487.55	-25.76 14.152 0.002
7900.0	1428.0	-33.923	34.002	27.098	-102.80	48.910	1487.55	-27.10 14.156 0.002
8000.0	1447.0	-36.243	33.990	27.096	-108.04	49.690	1487.55	-28.44 14.160 0.002
8100.0	1466.0	-38.563	33.978	27.094	-113.28	50.470	1487.55	-29.78 14.164 0.002
8200.0	1485.0	-40.883	33.966	27.092	-118.52	51.250	1487.55	-31.12 14.168 0.002
8300.0	1504.0	-43.203	33.954	27.090	-123.76	52.030	1487.55	-32.46 14.172 0.002
8400.0	1523.0	-45.523	33.942	27.088	-129.00	52.810	1487.55	-33.80 14.176 0.002
8500.0	1542.0	-47.843	33.930	27.086	-134.24	53.590	1487.55	-35.14 14.180 0.002
8600.0	1561.0	-50.163	33.918	27.084	-139.48	54.370	1487.55	-36.48 14.184 0.002
8700.0	1580.0	-52.483	33.906	27.082	-144.72</			



SHIP : HMS COOK - Plessey
 STATION NUMBER : 33 (THROUGH THE CRUISE)
 STATION NUMBER : 11 (THROUGH THE YEAR)
 DATE : 20-MAR-1986 (DAY NUMBER 79)
 START TIME : 0932 GRT - Z
 CRUISE : CR01/86
 POSITION : 31°10.50S 155°54.40E
 CAST DEPTH : 4546 METRES
 BOTTOM DEPTH : 4764 METRES

PRESSURE	DEPTH	TEMP	SAL	SIGMA-T	SRA	G.A.	SOUND	POC TEMP
0.0	0.0	23.893	35.690	24.197	371.23	'000	1532.62	23.89 22 0.000 0.001
10.0	9.9	23.859	35.645	24.100	372.46	'032	1532.46	23.86 15 0.051 0.074
20.0	19.9	23.722	35.645	24.244	367.58	'042	1532.47	23.72 19 0.012 0.010
30.0	29.8	23.698	35.687	24.253	367.09	'109	1532.56	23.69 18 0.005 0.003
40.0	39.7	23.669	35.648	24.256	367.18	'176	1532.67	23.68 20 0.003 0.000
50.0	49.6	23.636	35.644	24.238	369.36	'185	1532.58	23.63 20 0.073 0.154
60.0	59.6	22.323	35.425	24.452	349.24	'203	1530.72	22.31 22 0.673 0.713
70.0	69.5	20.558	35.432	24.944	302.61	'250	1524.19	20.54 17 0.441 0.409
80.0	79.4	19.374	35.319	25.223	366.81	'284	1521.36	19.36 18 0.318 0.306
90.0	89.4	18.547	35.564	25.568	243.74	'370	1519.36	18.53 18 0.177 0.171
100.0	99.3	18.193	35.615	25.696	231.92	'300	1518.67	18.18 17 0.036 0.043
120.0	119.1	17.502	35.555	25.821	220.65	'363	1516.87	17.48 20 0.093 0.095
140.0	139.0	16.886	35.494	25.922	211.60	'419	1515.31	16.86 17 0.100 0.113
160.0	158.7	16.287	35.432	26.015	213.23	'469	1513.72	16.26 21 0.067 0.092
180.0	178.7	15.837	35.416	26.106	195.14	'500	1512.74	15.81 22 0.054 0.076
200.0	198.5	15.178	35.356	26.208	185.87	'530	1510.07	15.15 22 0.068 0.060
220.0	218.4	14.591	35.267	26.268	180.54	'576	1508.20	14.56 19 0.144 0.134
240.0	238.2	13.972	35.261	26.396	168.79	'610	1507.66	13.94 20 0.025 0.029
260.0	258.0	13.540	35.211	26.447	164.79	'640	1506.36	13.50 21 0.079 0.064
280.0	277.9	13.051	35.154	26.501	159.33	'676	1505.18	13.01 20 0.041 0.074
300.0	297.7	12.608	35.049	26.549	155.22	'701	1503.55	12.45 21 0.074 0.070
320.0	317.4	12.110	35.051	26.608	149.97	'730	1502.56	12.07 22 0.040 0.040
340.0	337.2	11.831	35.016	26.634	147.72	'764	1501.96	11.79 21 0.014 0.047
360.0	357.2	11.395	34.949	26.664	145.16	'797	1500.63	11.35 21 0.063 0.080
380.0	377.0	10.963	34.902	26.706	141.32	'826	1499.43	10.92 22 0.051 0.063
400.0	396.8	10.542	34.849	26.740	136.27	'854	1498.20	10.49 22 0.048 0.045
420.0	416.7	10.183	34.789	26.756	136.88	'880	1497.20	10.13 21 0.071 0.081
440.0	436.5	9.857	34.771	26.798	133.10	'909	1496.37	9.81 22 0.036 0.035
460.0	456.3	9.469	34.709	26.818	131.64	'935	1495.15	9.42 21 0.067 0.071
480.0	476.1	9.204	34.697	26.849	128.54	'961	1494.53	9.15 20 0.021 0.024
500.0	495.9	8.954	34.661	26.861	127.54	'980	1493.90	8.90 22 0.048 0.046
550.0	545.5	8.299	34.603	26.918	122.40	'1095	1492.33	8.24 19 0.026 0.034
600.0	595.0	7.691	34.548	26.964	118.12	'1105	1490.66	7.63 19 0.050 0.049
700.0	694.2	6.975	34.516	27.027	111.83	'1223	1489.56	6.91 21 0.023 0.022
800.0	792.9	6.238	34.481	27.112	105.02	'1321	1488.25	6.16 21 0.016 0.014
900.0	891.9	5.658	34.466	27.174	99.44	'1332	1487.56	5.58 21 0.027 0.024
1000.0	990.2	4.945	34.475	27.265	90.52	'1521	1486.35	4.86 22 0.022 0.019
1100.0	1089.5	4.394	34.497	27.344	82.03	'1615	1485.88	4.31 20 0.007 0.006
1200.0	1186.2	3.910	34.516	27.410	76.31	'1692	1485.39	3.82 22 0.025 0.016
1300.0	1287.0	3.520	34.545	27.472	70.28	'1760	1485.55	3.43 19 0.005 0.005
1400.0	1385.6	3.227	34.568	27.519	65.61	'1836	1485.05	3.13 20 0.010 0.006
1500.0	1484.3	2.962	34.593	27.564	61.27	'1897	1486.58	2.85 18 0.005 0.004
1600.0	1582.0	2.768	34.611	27.600	57.78	'1952	1487.39	2.65 20 0.004 0.004
1700.0	1681.2	2.591	34.636	27.631	54.75	'2015	1488.28	2.45 20 0.004 0.002
1800.0	1779.8	2.481	34.647	27.649	53.21	'2059	1487.50	2.35 22 0.001 R.302
1900.0	1878.0	2.391	34.664	27.670	51.35	'2121	1486.71	2.26 15 0.001 0.003
2000.0	1976.7	2.319	34.664	27.690	50.61	'2175	1492.16	2.18 20 0.002 0.000
2100.0	2075.0	2.226	34.687	27.703	48.57	'2222	1491.56	2.08 18 0.005 0.004
2200.0	2171.3	2.151	34.695	27.715	47.52	'2272	1494.86	2.00 20 0.004 0.001
2300.0	2271.6	2.072	34.705	27.729	46.27	'23170	1496.21	1.91 20 0.003 0.004
2400.0	2369.2	2.005	34.712	27.741	45.21	'2367	1497.51	1.83 19 0.001 0.000
2500.0	2468.0	1.928	34.719	27.752	44.07	'24071	1498.92	1.75 18 0.002 0.001
2600.0	2566.1	1.836	34.723	27.763	42.82	'24506	1500.25	1.64 20 0.002 0.001
2700.0	2664.2	1.754	34.727	27.772	41.92	'24918	1501.56	1.56 19 0.000 0.000
2800.0	2762.1	1.674	34.729	27.780	41.04	'25142	1502.89	1.47 19 0.005 0.000
2900.0	2860.2	1.595	34.729	27.786	40.29	'25749	1504.34	1.19 19 0.004 0.001
3000.0	2958.1	1.530	34.727	27.789	39.81	'26149	1505.61	1.31 18 0.002 0.001
3100.0	3056.0	1.459	34.721	27.795	39.09	'26543	1507.15	1.23 19 0.005 0.004
3200.0	3151.9	1.396	34.723	27.795	38.44	'26933	1508.61	1.16 12 0.003 0.003
3300.0	3251.7	1.329	34.721	27.799	38.23	'27317	1510.02	1.09 20 0.004 0.003
3400.0	3349.5	1.278	34.721	27.805	37.52	'27695	1511.55	1.03 19 0.000 0.004
3500.0	3447.2	1.242	34.722	27.805	37.37	'28070	1513.07	0.96 20 0.003 0.000
3600.0	3544.9	1.220	34.723	27.805	37.21	'28445	1514.67	0.95 17 0.004 0.004
3700.0	3642.5	1.198	34.714	27.805	37.42	'28810	1516.35	0.92 20 0.004 0.000
3800.0	3740.1	1.185	34.716	27.805	37.62	'29191	1518.01	0.90 20 0.001 0.001
3900.0	3837.2	1.178	34.717	27.805	37.61	'29566	1519.63	0.88 18 0.003 0.002
4000.0	3935.2	1.172	34.719	27.808	37.64	'29941	1521.51	0.86 19 0.001 0.003
4100.0	4032.6	1.169	34.716	27.808	37.98	'30316	1523.18	0.85 20 0.003 0.003
4200.0	4130.0	1.174	34.716	27.808	38.21	'30698	1524.90	0.84 20 0.002 0.001
4300.0	4227.4	1.176	34.721	27.809	38.14	'31080	1526.70	0.83 17 0.004 0.002
4400.0	4324.8	1.181	34.722	27.809	38.36	'31465	1528.46	0.83 17 0.003 0.003
4500.0	4422.1	1.184	34.722	27.810	38.56	'31851	1530.29	0.82 20 0.003 0.004
4600.0	4519.3	1.192	34.717	27.805	39.25	'32141	1532.04	0.81 19 0.003 0.001
4700.0	4548.5	1.194	34.716	27.806	39.10	'32150	1532.50	0.81 18 0.001 0.001



SHIP	: HMAS COOK - Primary
STATION NUMBER	: 34 (THROUGH THE CRUISE)
STATION NUMBER	: 34 (THROUGH THE YEAR)
DATE	: 21-MAR-1968 (DAY NUMBER 80)
START TIME	: 0233 UTC = Z
CRUISE	: C001/96
POSITION	: 32°40.04S 155°15.80E
CAST DEPTH	: 4581 METRES
BOTTOM DEPTH	: 4715 METRES

PRESS DEPTH TEMP SAL SICHA T SWA G.A. SALT P.P.T.



Seamap 3 - Route A - Summer

DEP. : 1986 CTD - T-2
 SECTION NUMBER : 15 STATION T-2 CTD
 SECTION NUMBER : 15 STATION T-2 CTD
 DATE : 24-JUL-1986 CTD NUMBER: 631
 SURF TIME : 2105 GMT -
 CRUISE : CTDL90
 POSITION : 21-45.94N 151-20.22E
 CAST DEPTH : 4714 METERS
 REWIND DEPTH : 4614 METERS

DEPTHS (M)	TIDE (SL)	SAL (PSU)	TMP (C)	SWD (W/m²)	Precip (mm)
0.0	0.0	33.212	15.615	24.186	372.92
12.5	0.0	33.305	15.641	24.196	372.66
19.2	0.0	33.398	15.644	24.195	372.21
30.2	0.0	33.755	15.626	24.199	373.50
39.7	0.0	33.516	15.612	24.243	360.38
50.0	0.0	33.625	15.615	24.207	361.79
50.5	0.0	33.125	15.608	24.361	357.96
70.0	0.0	33.765	15.571	24.436	354.13
80.5	0.0	33.421	15.561	24.619	348.38
90.1	0.0	33.253	15.548	24.628	315.58
100.0	0.0	33.345	15.546	24.696	307.42
109.7	0.0	33.259	15.612	24.705	315.69
120.0	0.0	33.615	15.653	25.092	299.37
130.0	0.0	33.611	15.660	25.126	294.06
140.0	0.0	33.611	15.660	25.126	294.06
150.0	0.0	33.615	15.660	25.126	294.06
160.0	0.0	33.615	15.660	25.126	294.06
170.0	0.0	33.715	15.660	25.162	257.06
180.0	0.0	33.715	15.660	25.162	257.06
190.0	0.0	33.715	15.660	25.162	257.06
200.0	0.0	33.715	15.660	25.162	257.06
210.0	0.0	33.715	15.660	25.162	257.06
220.0	0.0	33.715	15.660	25.162	257.06
230.0	0.0	33.715	15.660	25.162	257.06
240.0	0.0	33.715	15.660	25.162	257.06
250.0	0.0	33.715	15.660	25.162	257.06
260.0	0.0	33.715	15.660	25.162	257.06
270.0	0.0	33.715	15.660	25.162	257.06
280.0	0.0	33.715	15.660	25.162	257.06
290.0	0.0	33.715	15.660	25.162	257.06
300.0	0.0	33.715	15.660	25.162	257.06
310.0	0.0	33.715	15.660	25.162	257.06
320.0	0.0	33.715	15.660	25.162	257.06
330.0	0.0	33.715	15.660	25.162	257.06
340.0	0.0	33.715	15.660	25.162	257.06
350.0	0.0	33.715	15.660	25.162	257.06
360.0	0.0	33.715	15.660	25.162	257.06
370.0	0.0	33.715	15.660	25.162	257.06
380.0	0.0	33.715	15.660	25.162	257.06
390.0	0.0	33.715	15.660	25.162	257.06
400.0	0.0	33.715	15.660	25.162	257.06
410.0	0.0	33.715	15.660	25.162	257.06
420.0	0.0	33.715	15.660	25.162	257.06
430.0	0.0	33.715	15.660	25.162	257.06
440.0	0.0	33.715	15.660	25.162	257.06
450.0	0.0	33.715	15.660	25.162	257.06
460.0	0.0	33.715	15.660	25.162	257.06
470.0	0.0	33.715	15.660	25.162	257.06
480.0	0.0	33.715	15.660	25.162	257.06
490.0	0.0	33.715	15.660	25.162	257.06
500.0	0.0	33.715	15.660	25.162	257.06
510.0	0.0	33.715	15.660	25.162	257.06
520.0	0.0	33.715	15.660	25.162	257.06
530.0	0.0	33.715	15.660	25.162	257.06
540.0	0.0	33.715	15.660	25.162	257.06
550.0	0.0	33.715	15.660	25.162	257.06
560.0	0.0	33.715	15.660	25.162	257.06
570.0	0.0	33.715	15.660	25.162	257.06
580.0	0.0	33.715	15.660	25.162	257.06
590.0	0.0	33.715	15.660	25.162	257.06
600.0	0.0	33.715	15.660	25.162	257.06
610.0	0.0	33.715	15.660	25.162	257.06
620.0	0.0	33.715	15.660	25.162	257.06
630.0	0.0	33.715	15.660	25.162	257.06
640.0	0.0	33.715	15.660	25.162	257.06
650.0	0.0	33.715	15.660	25.162	257.06
660.0	0.0	33.715	15.660	25.162	257.06
670.0	0.0	33.715	15.660	25.162	257.06
680.0	0.0	33.715	15.660	25.162	257.06
690.0	0.0	33.715	15.660	25.162	257.06
700.0	0.0	33.715	15.660	25.162	257.06
710.0	0.0	33.715	15.660	25.162	257.06
720.0	0.0	33.715	15.660	25.162	257.06
730.0	0.0	33.715	15.660	25.162	257.06
740.0	0.0	33.715	15.660	25.162	257.06
750.0	0.0	33.715	15.660	25.162	257.06
760.0	0.0	33.715	15.660	25.162	257.06
770.0	0.0	33.715	15.660	25.162	257.06
780.0	0.0	33.715	15.660	25.162	257.06
790.0	0.0	33.715	15.660	25.162	257.06
800.0	0.0	33.715	15.660	25.162	257.06
810.0	0.0	33.715	15.660	25.162	257.06
820.0	0.0	33.715	15.660	25.162	257.06
830.0	0.0	33.715	15.660	25.162	257.06
840.0	0.0	33.715	15.660	25.162	257.06
850.0	0.0	33.715	15.660	25.162	257.06
860.0	0.0	33.715	15.660	25.162	257.06
870.0	0.0	33.715	15.660	25.162	257.06
880.0	0.0	33.715	15.660	25.162	257.06
890.0	0.0	33.715	15.660	25.162	257.06
900.0	0.0	33.715	15.660	25.162	257.06
910.0	0.0	33.715	15.660	25.162	257.06
920.0	0.0	33.715	15.660	25.162	257.06
930.0	0.0	33.715	15.660	25.162	257.06
940.0	0.0	33.715	15.660	25.162	257.06
950.0	0.0	33.715	15.660	25.162	257.06
960.0	0.0	33.715	15.660	25.162	257.06
970.0	0.0	33.715	15.660	25.162	257.06
980.0	0.0	33.715	15.660	25.162	257.06
990.0	0.0	33.715	15.660	25.162	257.06
1000.0	0.0	33.715	15.660	25.162	257.06
1010.0	0.0	33.715	15.660	25.162	257.06
1020.0	0.0	33.715	15.660	25.162	257.06
1030.0	0.0	33.715	15.660	25.162	257.06
1040.0	0.0	33.715	15.660	25.162	257.06
1050.0	0.0	33.715	15.660	25.162	257.06
1060.0	0.0	33.715	15.660	25.162	257.06
1070.0	0.0	33.715	15.660	25.162	257.06
1080.0	0.0	33.715	15.660	25.162	257.06
1090.0	0.0	33.715	15.660	25.162	257.06
1100.0	0.0	33.715	15.660	25.162	257.06
1110.0	0.0	33.715	15.660	25.162	257.06
1120.0	0.0	33.715	15.660	25.162	257.06
1130.0	0.0	33.715	15.660	25.162	257.06
1140.0	0.0	33.715	15.660	25.162	257.06
1150.0	0.0	33.715	15.660	25.162	257.06
1160.0	0.0	33.715	15.660	25.162	257.06
1170.0	0.0	33.715	15.660	25.162	257.06
1180.0	0.0	33.715	15.660	25.162	257.06
1190.0	0.0	33.715	15.660	25.162	257.06
1200.0	0.0	33.715	15.660	25.162	257.06
1210.0	0.0	33.715	15.660	25.162	257.06
1220.0	0.0	33.715	15.660	25.162	257.06
1230.0	0.0	33.715	15.660	25.162	257.06
1240.0	0.0	33.715	15.660	25.162	257.06
1250.0	0.0	33.715	15.660	25.162	257.06
1260.0	0.0	33.715	15.660	25.162	257.06
1270.0	0.0	33.715	15.660	25.162	257.06
1280.0	0.0	33.715	15.660	25.162	257.06
1290.0	0.0	33.715	15.660	25.162	257.06
1300.0	0.0	33.715	15.660	25.162	257.06
1310.0	0.0	33.715	15.660	25.162	257.06
1320.0	0.0	33.715	15.660	25.162	257.06
1330.0	0.0	33.715	15.660	25.162	257.06
1340.0	0.0	33.715	15.660	25.162	257.06
1350.0	0.0	33.715	15.660	25.162	257.06
1360.0	0.0	33.715	15.660	25.162	257.06
1370.0	0.0	33.715	15.660	25.162	257.06
1380.0	0.0	33.715	15.660	25.162	257.06
1390.0	0.0	33.715	15.660	25.162	257.06
1400.0	0.0	33.715	15.660	25.162	257.06
1410.0	0.0	33.715	15.660	25.162	257.06
1420.0	0.0	33.715	15.660	25.162	257.06
1430.0	0.0	33.715	15.660	25.162	257.06
1440.0	0.0	33.715	15.660	25.162	257.06
1450.0	0.0	33.715	15.660	25.162	257.06
1460.0	0.0	33.715	15.660	25.162	257.06
1470.0	0.0	33.715	15.660	25.162	257.06
1480.0	0.0	33.715	15.660	25.162	257.06
1490.0	0.0	33.715	15.660	25.162	257.06
1500.0	0.0	33.715	15.660	25.162	257.06
1510.0	0.0	33.715	15.660	25.162	257.06
1520.0	0.0	33.715	15.660	25.162	257.06
1530.0	0.0	33.71			

STATION 1 22.298 150.42E SEAMAP 3									
DATE= 20/01/1986 TIME= 000000					DEPTH= 4002				
DEPTH	TEMP	SALINITY	BOTTLE-T	A.G.V	CR	POT TEMP	S.S.	CR/T	W/SEC
CBS 22	22.798	32.363	24.423	221.8	0.00	22.70	1526.6	-	-
CBS 225	22.798	32.363	27.458	221.8	0.00	22.69	1480.4	-	-
CBS 237	22.798	32.363	27.458	20.8	0.00	19.98	1254.9	-	-
CBS 248	22.798	32.363	27.458	20.8	0.00	19.76	1254.9	-	-
STATION 2 22.298 150.42E SEAMAP 3									
DATE= 21/01/1986 TIME= 140000					DEPTH= 4002				
DEPTH	TEMP	SALINITY	BOTTLE-T	A.G.V	CR	POT TEMP	S.S.	CR/T	W/SEC
CBS 20	22.800	32.377	24.203	264.3	0.00	22.94	1231.2	-	-
CBS 1423	22.800	32.377	27.639	261.1	0.00	22.32	1480.2	-	-
STATION 3 22.298 150.42E SEAMAP 3									
DATE= 20/01/1986 TIME= 220000					DEPTH= 4002				
DEPTH	TEMP	SALINITY	BOTTLE-T	A.G.V	CR	POT TEMP	S.S.	CR/T	W/SEC
CBS 21	22.800	32.363	24.414	221.8	0.00	22.87	1526.9	-	-
CBS 1207	22.800	32.377	27.547	221.8	0.00	22.89	1487.1	-	-
CBS 4294	22.800	32.377	27.601	20.8	0.00	19.82	1227.6	-	-
CBS 4754	22.800	32.377	27.607	20.8	0.00	19.76	1225.3	-	-
STATION 4 22.298 150.42E SEAMAP 3									
DATE= 21/01/1986 TIME= 210000					DEPTH= 4703				
DEPTH	TEMP	SALINITY	BOTTLE-T	A.G.V	CR	POT TEMP	S.S.	CR/T	W/SEC
CBS 22	22.800	32.363	24.263	226.7	0.00	23.04	1231.3	-	-
CBS 1208	22.800	32.377	27.487	20.8	0.00	19.26	1486.6	-	-
CBS 4274	22.800	32.377	27.796	20.8	0.00	19.84	1227.4	-	-
CBS 4692	22.800	32.377	27.796	48.4	0.00	48.41	1224.9	-	-
STATION 5 22.298 150.42E SEAMAP 3									
DATE= 21/01/1986 TIME= 220000					DEPTH= 2004				
DEPTH	TEMP	SALINITY	BOTTLE-T	A.G.V	CR	POT TEMP	S.S.	CR/T	W/SEC
CBS 32	22.878	32.379	24.412	222.8	0.00	22.86	1526.8	-	-
CBS 1204	22.878	32.379	27.465	20.8	0.00	19.21	1486.4	-	-
CBS 3461	22.878	32.713	27.796	20.8	0.00	19.82	1213.8	-	-
CBS 3488	22.878	32.713	27.796	20.8	0.00	19.76	1219.8	-	-

Listings of Niskin bottle data for VCTOD stations 1 to 35, taken using a rosette sampler on upcasts.
Summer survey SEAMAP 3 (RANRL 1/86) route A

STATION 10 22.948 170.316 SEAMAP3										STATION 11 21.178 170.396 SEAMAP3									
DATE= 06/02/1986 TIME= 0900EST DEPTH= 4070					DATE= 10/02/1986 TIME= 1000EST DEPTH= 4046														
DEPTH	TEMP	SALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.I.	DEPTH	TEMP	SALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.I.				
CBS 10 24.700	24.700	27.200	97.7	0.00	4.94	1470.1	0.0	CBS 001	12.700	33.300	24.300	120.0	0.00	12.34	1493.5				
CBS 100 24.200	24.200	27.200	97.7	0.00	4.93	1470.1	0.0	CBS 007	12.810	33.310	24.320	120.1	0.00	12.34	1493.6				
CBS 1270 24.200	24.200	27.200	97.4	0.00	2.94	1469.4	0.0	CBS 1907	22.040	33.624	27.637	33.4	0.00	2.12	1492.7				
CBS 2070 24.643	24.643	27.643	91.9	0.00	2.12	1467.7	0.0												
STATION 12 21.400 172.336 SEAMAP3										STATION 13 20.400 172.096 SEAMAP3									
DATE= 06/02/1986 TIME= 1000EST DEPTH= 3120					DATE= 21/02/1986 TIME= 1000EST DEPTH= 6445														
DEPTH	TEMP	SALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.I.	DEPTH	TEMP	SALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.I.				
CBS 42 21.710	21.710	26.640	99.7	0.00	21.70	1420.2	0.0	CBS 003	7.820	34.324	26.927	121.9	0.00	7.76	1491.3				
CBS 977 33.248	34.420	27.120	101.7	0.00	5.45	1460.0	0.0	CBS 008	9.280	34.266	27.104	105.7	0.00	5.20	1492.4				
CBS 1225 33.330	34.300	27.300	101.7	0.00	5.21	1460.3	0.0	CBS 1900	2.320	34.616	27.637	33.6	0.00	2.19	1492.4				
CBS 1900 34.614	37.600	27.600	93.9	0.00	2.20	1462.0	0.0												
STATION 14 21.948 170.396 SEAMAP3										STATION 15 20.150 172.306 SEAMAP3									
DATE= 06/02/1986 TIME= 1200EST DEPTH= 2010					DATE= 23/02/1986 TIME= 0815EST DEPTH= 3761														
DEPTH	TEMP	SALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.I.	DEPTH	TEMP	SALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.I.				
CBS 36 23.360	23.823	24.414	231.9	0.00	23.49	1532.7	0.0	CBS 180	16.770	33.356	25.997	281.3	0.00	16.15	1515.2				
CBS 35 23.260	23.823	24.414	232.0	0.00	23.49	1532.7	0.0	CBS 403	16.620	34.816	26.781	142.2	0.00	16.27	1499.6				
CBS 442 0.630	34.337	26.922	123.3	0.00	7.46	1465.0	0.0	CBS 1900	2.320	34.732	27.100	104.1	0.00	5.44	1497.2				
CBS 1900 34.398	37.796	36.4	0.00	2.53	1460.0	0.0													
STATION 16 20.348 170.324 SEAMAP3										STATION 17 20.328 174.596 SEAMAP3									
DATE= 06/02/1986 TIME= 2024EST DEPTH= 2620					DATE= 23/02/1986 TIME= 2030EST DEPTH= 3330														
DEPTH	TEMP	SALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.I.	DEPTH	TEMP	SALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.I.				
CBS 19 21.670	23.723	24.813	313.3	0.00	21.87	1520.3	0.0	CBS 70	19.200	35.637	25.452	254.1	0.00	19.29	1522.1				
CBS 946 31.130	34.392	27.176	99.3	0.00	5.87	1467.2	0.0	CBS 2001	2.210	34.337	27.094	106.0	0.00	5.32	1497.4				
CBS 1900 34.607	37.617	37.2	0.00	2.24	1463.1	0.0													
STATION 18 21.100 177.006 SEAMAP3										STATION 19 23.378 172.306 SEAMAP3									
DATE= 15/02/1986 TIME= 0720EST DEPTH= 4030					DATE= 13/03/1986 TIME= 0346UTC DEPTH= 4516														
DEPTH	TEMP	SALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.I.	DEPTH	TEMP	SALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.I.				
CBS 224 13.370	23.430	26.193	199.0	0.00	13.35	1513.9	0.0	CBS 8	4.370	34.436	27.292	79.6	0.00	4.52	1498.1				
CBS 495 12.090	23.826	26.293	155.3	0.00	12.84	1504.3	0.0	CBS 491	4.326	34.436	27.282	66.0	0.00	4.44	1498.1				
CBS 700 7.440	34.332	26.706	117.3	0.00	7.39	1491.0	0.0	CBS 1904	2.260	34.656	27.673	38.7	0.00	2.12	1492.2				
CBS 1972 31.250	34.650	27.661	32.0	0.00	2.11	1462.7	0.0												

Listings of Niskin bottle data for VCTOD stations 1 to 35, taken using a rosette sampler on upcasts.
Summer survey SEAMAP 3 (RANRL 1/86) route A

STATION 26		23.198	169.43E	SEAMAP 3				STATION 31		26.436	159.13E	SEAMAP 3				
		DATE= 16/03/1986 TIME= 1750UTC DEPTH= 2400								DATE= 16/03/1986 TIME= 2030UTC DEPTH= 2600						
DEPTH	TEMP	BALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.S	DEPTH	TEMP	BALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.S	
CDS 74	19.330	33.719	23.425	256.0	0.00	19.32	1522.0	CDS 2400	1.970	34.731	27.799	251.0	0.00	1.74	1497.5	
CDS 798	6.120	34.446	27.998	186.2	0.00	6.06	1466.8	CDS 2600	1.970	34.731	27.799	251.0	0.00	1.74	1497.5	
CDS 1999	2.350	34.455	27.667	31.4	0.00	2.19	1487.5	CDS 2600	1.970	34.731	27.799	251.0	0.00	1.74	1497.5	
STATION 27		26.478	166.42E	SEAMAP 3				STATION 32		31.200	156.45E	SEAMAP 3				
		DATE= 16/03/1986 TIME= 0220UTC DEPTH= 3400								DATE= 19/03/1986 TIME= 2020UTC DEPTH= 4627						
DEPTH	TEMP	BALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.S	DEPTH	TEMP	BALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.S	
CDS 146	19.818	33.710	23.363	246.3	0.00	18.98	1522.6	CDS 3400	23	35.078	25.476	25.482	471.1	0.00	25.86	1525.0
CDS 499	6.840	34.610	26.940	130.3	0.00	7.99	1496.2	CDS 3400	370	36.920	36.790	26.982	135.7	0.00	7.93	1499.5
CDS 1490	5.170	34.600	27.254	45.0	0.00	5.00	1487.7	CDS 3400	2466	32.000	34.787	27.733	46.7	0.00	5.87	1500.0
CDS 1998	2.340	34.600	27.677	31.1	0.00	2.22	1492.6	CDS 3400	1.300	34.697	27.700	46.7	0.00	1.83	1531.7	
STATION 28		27.200	165.37E	SEAMAP 3				STATION 33		31.200	156.45E	SEAMAP 3				
		DATE= 16/03/1986 TIME= 1500UTC DEPTH= 3300								DATE= 19/03/1986 TIME= 2020UTC DEPTH= 4627						
DEPTH	TEMP	BALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.S	DEPTH	TEMP	BALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.S	
CDS 183	19.950	33.732	23.333	266.6	0.00	19.93	1524.3	CDS 3300	23	35.078	25.476	25.482	471.1	0.00	25.86	1525.0
CDS 596	12.970	33.060	26.439	151.6	0.00	11.93	1502.9	CDS 3300	370	36.920	36.790	26.982	135.7	0.00	7.93	1499.5
CDS 1991	2.340	34.673	27.640	30.9	0.00	2.22	1492.6	CDS 3300	4466	32.000	34.787	27.733	46.7	0.00	5.87	1500.0
STATION 29		29.210	161.13E	SEAMAP 3				STATION 34		31.200	156.45E	SEAMAP 3				
		DATE= 17/03/1986 TIME= 1030UTC DEPTH= 1450								DATE= 19/03/1986 TIME= 2020UTC DEPTH= 4627						
DEPTH	TEMP	BALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.S	DEPTH	TEMP	BALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.S	
CDS 32	24.120	33.712	24.147	377.3	0.00	24.11	1534.1	CDS 1450	23	35.078	25.476	25.482	471.1	0.00	25.86	1525.0
CDS 195	20.340	33.719	25.221	277.3	0.00	20.32	1525.6	CDS 1450	370	36.920	36.790	26.982	135.7	0.00	7.93	1499.5
CDS 799	7.360	34.566	27.624	115.4	0.00	7.38	1493.1	CDS 1450	4466	32.000	34.787	27.733	46.7	0.00	5.87	1500.0
CDS 1394	3.550	34.576	27.694	67.1	0.00	3.44	1487.5	CDS 1450	1.300	34.697	27.700	46.7	0.00	1.83	1531.7	
STATION 30		29.300	159.31E	SEAMAP 3				STATION 35		31.200	156.45E	SEAMAP 3				
		DATE= 18/03/1986 TIME= 0700UTC DEPTH= 2030								DATE= 19/03/1986 TIME= 2020UTC DEPTH= 4627						
DEPTH	TEMP	BALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.S	DEPTH	TEMP	BALINITY	SIGMA-T	A.S.V	O/I	POT.TEMP	S.S	
CDS 41	23.140	33.683	24.407	352.0	0.00	23.13	1531.8	CDS 2030	23	35.078	25.476	25.482	471.1	0.00	25.86	1525.0
CDS 43	23.140	33.687	24.416	352.1	0.00	23.13	1531.8	CDS 2030	370	36.920	36.790	26.982	135.7	0.00	7.93	1499.5
CDS 450	12.440	33.137	26.687	155.6	0.00	12.40	1506.6	CDS 2030	4466	32.000	34.787	27.733	46.7	0.00	5.87	1500.0

Listings of Niskin bottle data for VCTOD stations 1 to 35, taken using a rosette sampler on upcasts.

Summer survey SEAMAP 3 (RANRL 1/86) route A

THE VCTOD SALINITY IS NOT WELL CALIBRATED AND NO CALIBRATION DATA IS AVAILABLE FOR STATIONS 33 TO 35 .

PART B PRESENTS SUMMER DATA FOR ROUTE B OF FIGURE 1 (SEE PAGE 2)

ROUTE B WAS COVERED BY TWO SURVEYS :-

SURVEY SEAMAP 1 IN JANUARY TO FEBRUARY 1984

SURVEY SEAMAP 5 IN FEBRUARY 1987

Text continued on page 81




Figure 30. Track plot and oceanographic station positions for SEAMAP 1 (RANRL 1/84) summer survey on route B in the South Pacific Ocean, 24 January 1984 to 22 February 1984

PART B - SUMMER SURVEYS FOR SEAMAP SOUTH PACIFIC ROUTE B

Part B presents oceanographic data for two surveys. Survey RANRL 1/84 (SEAMAP 1) was made in south hemispheric oceanographic summer (February to March 1984) from Sydney to south of New Zealand, Chatham Islands, Cook Strait, Bass Strait, and return to Sydney (figure 30). Acoustic and geophysical data for the cruise are given in other sources (see Appendix II). This was the first of the SEAMAP series of cruises made on the naval oceanographic research vessel HMAS Cook. The remainder of route B between Sydney and New Zealand was completed on cruise SEAMAP 5 (RANRL 18/87) discussed in the following section (page 110).

Data for the winter counterparts of the summer cruise data given here, designated as RANRL 6/85 (SEAMAP 2), and RANRL 17/86 (SEAMAP 4) will be given in a following report (Hamilton and Boyle, 1989).

Data for SEAMAP survey one (RANRL 1/84) - route B - Summer***Surface parameters******Sea state, swell height, and wind vectors***

Values of observations made at four-hourly intervals are shown in figures 31 and 32. Table 1 (on page 5) shows the sea conditions associated with the sea state values. Much of the cruise occurred in sea states of 4 or less, associated with winds under 25 kn, and swell height of 2 m, corresponding to slight to moderate conditions. Wind speeds to 40 kn were encountered east of the Chatham Islands with rough to very rough seas and 5 m swell.

Surface temperature and salinity**Sea Surface Temperature (SST)**

SST is shown in figure 33 as discrete values taken at four-hourly intervals from the continuous record of a hull mounted sensor. The data is uncalibrated. The spatial distribution does not allow good contours to be drawn from this data, but see figure 34 for an attempt. Highest temperatures are seen along and east of the east Australian coast, in the East Australian Current and its eastward continuation as the Tasman Front. Coldest waters are seen south-west of New Zealand. Temperature range is 11.9 to 24.4°C (uncalibrated).

RMC Wellington satellite derived SST patterns are shown for New Zealand waters (figure 37) for weeks ending 30 January, and 6, 13, 20 February 1984. The RMC charts state that the derived SSTs may be low by 1 to 4°C. Warm waters extend down the west coast of the South Island, but their southwards extension below South Island is not defined. Uncalibrated salinity and temperature hourly values from a thermo-salinograph are shown in figures 35 and 36.

Four Nansen bottle values plotted for comparison, with the salinity scale shown as (Salinity - 34) PSU, show the salinity values to be high by approximately 0.25 PSU. Surface salinity decreases from 43°S, 160°E along the track to reach minimum values around 47°S, 173°40'E with values less than 35 uncalibrated units to near waypoint E. The general area of lower salinity to the east of New Zealand is indicative of the usual position of lower salinities seen south of the Subtropical Convergence.

Bathymetry (figures 39, 41, 44, 46)

The bathymetry is shown as five sections (in four diagrams) along ship track corresponding to the waypoints Sydney, ABCDEF shown in figure 30. The sections are drawn from hourly observations from either the centre beam of the Stabilised Narrow Beam Echo Sounding System (SNBESS) or a Precision Depth Recorder (PDR). In cases where depth was not available, eg when depth was lost because of rough sea conditions, depth is taken from GEBCO chart 5.10 (General Bathymetric Charts of the Oceans published by the Canadian Hydrographic Service, Ottawa, Canada). GEBCO values are marked with a G. Features such as seamounts are named where possible but since the bathymetry is self explanatory no further descriptions will be made. Note that features are occasionally crossed more than once when the ship backtracks. The sections are smoothed interpretations showing major features, not detailed bathymetric data.

Temperature and salinity cross sections

XBT Temperature cross sections

Six XBT sections are given, corresponding to straight line traverses between way points Sydney and ABCDEF shown on figure 30

Sydney to south of New Zealand (figure 38)

An eddy or meander of the East Australian Current is crossed from XBT numbers 1 to 13. A subsurface warm core feature is sited on XBTs 6 and 17 which is masked above 200 m by the surface expression of the first meander. XBTs 18 and 19 show cooler waters separating the first meander from another warm water eddy or meander between XBTs 20 and 28 which is very much weaker than the first, eg the 15°C isotherm is at 400 m in the first feature and at 100 m in the second. The two features are followed by a third body of shallow warm surface water (XBT 32) which has no subsurface expression below about 70 m. Waters then get cooler to the south and isotherm slopes indicate northwards flow until point A, where southward flowing warmer waters are crossed on the western side of the Snares Shelf. XBT are not available to properly define the eastern side of this current. Sloping isotherms indicate a northward flow component of current east of the plateau (the Southland current). RMC SST isotherms (figure 37) indicate the two currents are linked. The western current may be related to the Subtropical Convergence, at least in the south.

Text continued on page 96

THIS IS A BLANK PAGE




Figure 31. Sea state and swell height for SEAMAP route B in summer 1984 on survey
SEAMAP 1 (RANRL 1/84)





Figure 32. Wind vectors for SEAMAP route B in summer 1984 on survey SEAMAP 1 (RANRL 1/84)






Figure 35. Sea surface salinity values for SEAMAP route B in summer 1984 on survey
SEAMAP 1 (RANRL 1/84)

Seamap 1 - Route B - Summer




Fig. 36. Surface temperature and salinity (uncalibrated) SEAMAP 1.
 RANRL 1/84 - Summer.
 A-E are waypoints. ① - ④ are Nansen stations.

Figure 36. Surface temperature and salinity versus cumulative distance travelled for SEAMAP route B in summer 1984 on survey SEAMAP 1 (RANRL 1/84)




Figure 37. Sea surface temperature contours derived by Royal Meteorological Centre Wellington, New Zealand from satellite data for 30 January and 6, 13, 20 February 1984 coinciding with sections of SEAMAP 1 summer survey (RANRL 1/84) route B




Figure 38. XBT temperature section from Sydney to waypoint C (47°49'S, 170°E) for 24 to 29 January 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B. Parallel vertical lines show isothermal waters




Figure 39. Bathymetry from Sydney to waypoint A (48°S , 165°E). Summer survey SEAMAP 1 (RANRL 1/84) route B. (See figure 41 for bathymetry from waypoint A to waypoint C)




Figure 40. XBT temperature section from waypoint C ($47^{\circ}49'S$, $170^{\circ}E$) to way- point D ($44^{\circ}45'S$, $175^{\circ}W$) for 29 January to 4 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B. Parallel vertical lines show isothermal waters




Figure 41. Bathymetry from waypoint A (48° S, 165° E) to waypoint D ($44^{\circ}45'$ S, 175° W) via waypoint C ($47^{\circ}49'$ S, 170° E). Summer survey SEAMAP 1 (RANRL 1/84) route B




Figure 42. XBT temperature section from waypoint D ($44^{\circ}45'$ S, 175° W) to way- point E (42° S, 175° W) for 4, 5 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B. (See figure 44 for Bathymetry)




Figure 43. XBT temperature section from waypoint E (42°S , 175°W) to eastern Cook Strait ($41^{\circ}37'\text{S}$, $174^{\circ}51'\text{E}$) for 6 to 8 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B




Figure 44. Bathymetry from waypoint D ($44^{\circ}45'S$, $175^{\circ}W$) to Waypoint F (via waypoint E). Summer survey SEAMAP 1 (RANRL 1/84) route B

South of New Zealand (figure 40)

XBT 57 to 66 show isothermal waters between about 200 to 400 m, with the thermocline at 70 m depth from XBT 57 to 80. The weak thermocline indicates summer heating of surface waters. These sections show the coldest waters for the cruise, related to northward extension of the Subtropical Convergence. A meander of the convergence is sited on XBT 70. North of XBT 77 waters become warmer below 100 m, with the 7°C isotherm deepening by 450 m, as the Subtropical Convergence is crossed.

East of Chatham Islands (figure 42)

The waters from way point D northwards become very much warmer at depth between XBT 91 to 93, again indicating crossing of the Subtropical Convergence before XBT 91; with near surface waters warming gradually. There is a gap in coverage between XBTs 98 and 99, caused by rough weather and high sea states.

North of Chatham Islands to south of North Island (figure 43)

Some broad scale weak meandering structure is seen centred on XBT 108 and 109, and XBT 116. Isotherms shallow from XBT 116 towards New Zealand, perhaps a northward expression of a part of the Subtropical Convergence. Summer heating has apparently capped the two warm core structures with warm pools of water, which have not masked the surface expression of these features.

Nelson to Bass Strait (figure 45)

This section is shown on one figure to 800 m and on another to 2000 m. An East Australian Current eddy or meander is seen about XBTs 161 and 162, showing a southward penetration past Bass Strait. This flow occurs between Australia and the Janzoon seamount. The feature has stronger temperature gradients on the western side. A weaker warm core feature is seen about XBT 152. See figures 33 to 34 for the surface manifestation of this structure. From Nelson to XBT 149 broad scale weak meandering is suggested, with a broad southwards current on the edge of the western New Zealand coastline, with surface recirculation to the north to 100 m. Warm surface waters at 162°30'E occur on the western edge of a meander.

The section to 2000 m (figure 45) shows that features from the Australian coast to 158°E show good correlation over the whole water column. East of 158°E, away from the influence of the East Australian current, the correlations are not nearly as marked, indicating that surface currents do not have as much penetration as the EAC area.

Text continued on page 100




Figure 45(a). XBT temperature section from west of Cook Strait to Bass Strait for 14, 18 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B to 800 m




Figure 45(b). XBT temperature section from west of Cook Strait to Bass Strait for 14, 18 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B to 2000 m




Figure 46. Bathymetry from Cook Strait to Bass Strait. Summer survey SEAMAP 1 (RANRL 1/84) route B

NANSEN station data and listings

Sites of the eight Nansen stations occupied are shown in figure 30.

Listings and profiles of temperature, salinity, density (σ_t), and sound-speed are given pages 104 to 108, with a composite temperature-salinity diagram. All Nansen stations show warmer less dense surface waters with a rapid increase in density to about 100 m, followed by more gradual density increases, consistent with summer heating of surface waters. Deep mixed layers are not seen in the Nansen data. Sonic layer depths cannot be estimated from the Nansen data because of the bottle spacing used, except that they are less than 50 m at the eight Nansen sites. Highest geostrophic current component between station pairs is 5.5 cm/s to the east relative to 1000 m for stations 2 and 4 (which are separated by the Chatham Rise). Temperature and salinity sections drawn between the widely spaced stations do show some structure (figures 47 and 48). The higher value salinity minimum at station 4 may be caused by a branch of Antarctic water entering from the Tasman Sea from north of New Zealand (with the East Auckland and East Cape Currents) or from the north east. Between stations 2 and 3 is seen evidence of the northward progression of another branch of AAIW flowing round the Chatham Rise (eg Wyrtki, 1962). The salinity section shows the Subtropical Convergence to be south of station 2, as also found from the XBT cross-section of figure 40.

VCTOD station data and listings

VCTOD stations were not occupied on this cruise.

Currents

Figure 33 shows surface current directions inferred from the XBT data and surface isotherms. Nansen station spacing is too large to allow adequate resolution of geostrophic current components. Surface geostrophic values between 1 and 2 are negligible; between 2 and 3 is less than 4 cm/s to the east; between 3 and 4 are about 1 cm/s to the north.

Additional data

Tracks of vessels involved in the CSIRO merchant ship XBT programme have not been ascertained.

Text continued on page 104

THIS IS A BLANK PAGE




Figure 47. NANSEN temperature section from station 1 to station 6 for 31 January to 8 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B. (See figure 44 for more detailed bathymetry from station 3 to station 6)





Figure 48. NANSEN salinity section from station 1 to station 6 for 31 January to 8 February 1984. Summer survey SEAMAP 1 (RANRL 1/84) route B. (See figure 44 for more detailed bathymetry from station 3 to station 6)



NANSEN STATION DATA FOR EIGHT STATIONS TAKEN ON SUMMER SURVEY SEAMAP 1
(RANRL 1/84).

A composite temperature - salinity diagram for the stations is given below. The station data are given on following pages.



Text continued on page 109

STATION 1		47.175		173.04E		SEAMAP ONE		DEPTHs 1400		STATION 2		45.458		170.32W		SEAMAP ONE		DEPTHs 4123	
DATE= 31/01/84		TIME= 0000GMT								DATE= 03/02/84		TIME= 0000GMT							
DEPTH	TEMP	SALINITY	SIGMAR-T	A.S.V	OK	POT.TDOP	S.S			DEPTH	TEMP	SALINITY	SIGMAR-T	A.S.V	OK	POT.TDOP	S.S		
m	°C	PPT	CL/T	M/L	°C	M/Sec	Dyn.s			m	°C	PPT	CL/T	M/L	°C	M/Sec	Dyn.s		
0	12.870	34.299	26.932	196.7	0.00	12.07	1400.0			0	14.210	34.057	25.724	225.0	0.00	14.21	1504.2		
40	10.560	34.293	26.916	170.7	0.00	10.49	1402.1			30	11.920	34.410	26.317	170.7	0.00	11.02	1404.2		
97	7.300	34.265	26.900	150.8	0.00	7.35	1401.2			60	7.900	34.061	26.067	119.1	0.00	7.00	1403.5		
132	7.070	34.272	26.915	115.2	0.00	7.05	1401.0			151	7.520	34.447	26.946	115.6	0.00	7.51	1402.6		
202	6.950	34.276	26.934	114.1	0.00	6.93	1401.4			202	7.320	34.430	26.926	114.9	0.00	7.30	1402.9		
302	6.770	34.240	26.930	115.0	0.00	6.74	1402.2			300	7.120	34.415	26.942	115.9	0.00	7.09	1403.7		
400	6.700	34.215	26.970	112.9	0.00	6.24	1403.5			400	6.070	34.311	26.999	111.4	0.00	6.03	1402.7		
501	5.990	34.295	27.100	162.6	0.00	5.93	1402.0			702	5.940	34.305	27.120	161.2	0.00	4.98	1401.0		
620	4.870	34.322	27.245	99.5	0.00	3.95	1400.9			987	3.930	34.313	27.247	98.1	0.00	3.00	1400.5		
1102	3.220	34.265	27.370	76.9	0.00	3.14	1401.0			1002	3.220	34.402	27.367	75.6	0.00	3.14	1400.9		
1300	2.700	34.417	27.407	66.7	0.00	2.70	1402.6			1291	2.830	34.464	27.400	66.5	0.00	2.74	1402.0		
										1400	2.000	34.551	27.562	66.1	0.00	2.50	1400.1		
										1495	2.460	34.622	27.631	94.3	0.00	2.34	1407.9		
										1579	2.200	34.083	27.987	40.6	0.00	2.12	1402.1		





STATION 3 41.598 175.07W SEAMAP ONE
DATE: 05/02/84 TIME: 2135GDT DEPTH: 2000

DEPTH	TEMP °C	SALINITY Ppt	SIGMA-T	A.S.V.	OK	POT TEMP °C	S.S. M/Sec	Dyn.o
0	17.10	35.250	25.062	231.0	0.00	17.10	1514.4	
50	16.88	35.092	26.087	192.8	0.00	14.70	1507.7	
100	12.000	35.143	26.544	150.0	0.00	12.70	1502.0	
150	12.230	35.078	26.800	146.3	0.00	12.21	1500.8	
200	11.810	34.961	26.833	144.4	0.00	11.50	1499.4	
250	10.810	34.816	26.703	130.7	0.00	10.57	1497.3	
300	9.620	34.620	26.001	125.3	0.00	8.57	1492.9	
350	7.300	34.515	26.982	117.0	0.00	7.32	1491.4	
400	6.200	34.470	27.106	106.0	0.00	6.12	1489.9	
450	4.930	34.450	27.254	92.0	0.00	4.84	1488.9	
500	4.020	34.365	27.300	79.3	0.00	3.92	1487.8	
550	3.300	34.395	27.503	66.1	0.00	3.10	1487.9	
600	2.700	34.363	27.500	59.3	0.00	2.64	1489.9	
650	2.330	34.333	27.651	53.4	0.00	2.19	1492.4	



STATION 4 41.598 178.59W SEAMAP ONE
DATE: 07/02/84 TIME: 0800GDT DEPTH: 2000

DEPTH	TEMP °C	SALINITY Ppt	SIGMA-T	A.S.V.	OK	POT TEMP °C	S.S. M/Sec	Dyn.o
0	17.90	35.145	25.405	234.7	0.00	17.90	1515.9	
50	15.710	35.354	26.007	193.0	0.00	15.70	1510.9	
100	13.190	35.161	26.564	154.7	0.00	13.14	1503.3	
150	12.810	35.130	26.532	127.1	0.00	12.79	1502.9	
200	12.530	35.114	26.375	150.2	0.00	12.50	1502.7	
250	11.300	34.932	26.052	144.9	0.00	11.35	1500.1	
300	9.870	34.817	26.830	129.5	0.00	9.82	1493.9	
350	7.270	34.488	26.975	118.1	0.00	7.20	1490.9	
400	6.340	34.454	27.078	109.0	0.00	6.26	1490.5	
450	5.100	34.454	27.222	96.2	0.00	5.09	1489.1	
500	4.190	34.460	27.300	82.0	0.00	4.09	1488.0	
550	3.700	34.537	27.400	70.4	0.00	3.27	1488.2	
600	3.000	34.501	27.563	62.1	0.00	2.74	1489.4	
650	2.400	34.611	27.627	55.8	0.00	2.26	1492.4	





STATION	5	42,045	177,31E	SEAMAP ONE	DEPTH	2000		
DATE	8/2/84		TIME	0050GKT				
DEPTH		TEMP	SALINITY	SIGMA-T	A.S.V	OK	POT TEMP	5.5
		°C	Ppt.		CL/T	M/L	°C/M Sec	Dyn.s
085	0	17.11	35.199	25.642	233.7	0.00	17.11	1514.1
085	10	15.200	35.187	26.051	196.4	0.00	17.29	1508.4
085	103	15.149	35.181	26.308	154.5	0.00	13.13	1503.3
085	152	13.060	35.223	26.554	151.1	0.00	13.04	1503.7
085	202	12.846	35.200	26.595	151.4	0.00	12.91	1504.2
085	302	11.869	35.127	26.715	150.3	0.00	11.82	1502.1
085	500	9.536	35.000	27.030	111.5	0.00	9.47	1499.9
085	701	8.610	34.700	27.943	112.9	0.00	7.94	1494.1
085	996	6.510	34.483	27.024	116.0	0.00	6.82	1482.6
085	1101	5.999	34.449	27.109	102.5	0.00	5.99	1491.3
085	1299	4.490	34.481	27.331	91.3	0.00	4.38	1460.8
085	1494	3.800	34.523	27.449	74.2	0.00	3.46	1460.9
085	1694	2.860	34.565	27.565	62.2	0.00	2.76	1460.8
085	1993	2.300	34.540	27.643	54.0	0.00	2.16	1492.4
ISL	0	17.11	35.20	25.642	233.7	0.00	17.11	1514.1
ISL	10	16.77	35.20	25.722	226.4	0.00	16.77	1513.3
ISL	25	16.23	35.19	25.844	215.3	0.00	16.23	1511.9
ISL	50	15.38	35.19	26.051	196.4	0.00	15.29	1509.4
ISL	75	14.01	35.18	26.317	171.6	0.00	14.00	1505.6
ISL	100	13.20	35.18	26.491	155.8	0.00	13.19	1503.4
ISL	150	13.06	35.22	26.593	151.2	0.00	13.04	1503.0
ISL	200	12.95	35.21	26.564	151.4	0.00	12.92	1504.2
ISL	250	12.43	35.17	26.630	145.7	0.00	12.40	1503.3
ISL	300	11.88	35.13	26.712	139.5	0.00	11.84	1501.2
ISL	400	10.60	35.09	26.915	121.9	0.00	10.55	1499.2
ISL	500	9.53	35.01	27.020	111.5	0.00	9.47	1496.0
ISL	600	8.72	34.85	27.041	112.0	0.00	8.86	1495.3
ISL	800	7.47	34.57	27.034	114.5	0.00	7.39	1493.5
ISL	1000	6.30	34.47	27.095	109.5	0.00	6.20	1492.1
ISL	1300	4.46	34.48	27.322	87.2	0.00	4.38	1490.9
ISL	1500	3.57	34.53	27.453	73.0	0.00	3.46	1494.0

STATION 6		42,008	173,406	SEAWATER	TIME	DEPTH	2532		
DEPTH	TIDE	SALINITY	SIGHT- DIST.	A.S.V.	OR	POT. TIDE	S.S.		
m	°C	Ppt		CL/T	M/L	CL/M	M/Sec	DEPTH	
0	15.100	34.830	25,040	233.1	0.00	15.10	1507.5		
06	14.270	34.780	25,951	205.7	0.00	14.26	1505.6		
105	12.540	34.750	26,281	174.7	0.00	12.53	1500.7		
144	12.210	34.900	26,479	157.9	0.00	12.19	1500.4		
ISL	0	15.18	34.83	25,040	233.1	0.00	15.10	1507.5	0.000
ISL	10	15.00	34.87	25,708	227.7	0.00	15.05	1507.3	.023
ISL	25	14.88	34.72	25,790	219.5	0.00	14.80	1506.8	.057
ISL	50	14.27	34.77	25,951	205.7	0.00	14.26	1505.6	.110
ISL	75	13.30	34.76	26,117	190.6	0.00	13.29	1502.7	.159
ISL	100	12.64	34.75	26,284	177.2	0.00	12.62	1501.0	.206



STATION 7		40.015		155.20E		SEAMAP ONE		DEPTH= 4805		STATION 8		38.375		148.52E		SEAMAP ONE		DEPTH= 2755	
		DATE= 16/02/84		TIME= 0114GMT								DATE= 16/2/84		TIME= 0901GMT					
DEPTH	TDP	SALINITY	SIGHT-F	A.S.V	ON	POT TEMP	S.S	N/Sec	Dyn.s	DEPTH	TDP	SALINITY	SIGHT-F	A.S.V	ON	POT TEMP	S.S	N/Sec	Dyn.s
088 0	18.250	35.245	25.475	249.5	0.00	16.25	1517.6			088 0	18.320	35.610	25.412	255.5	0.00	19.32	1521.0		
088 50	14.810	35.339	26.276	175.0	0.00	14.80	1508.0			088 50	17.000	35.500	25.750	224.4	0.00	17.79	1517.4		
088 100	12.920	35.247	26.801	145.3	0.00	12.91	1502.6			088 100	13.810	35.210	26.307	164.0	0.00	13.80	1505.5		
088 150	12.440	35.203	26.982	140.7	0.00	12.42	1501.7			088 150	12.830	35.173	26.302	150.3	0.00	12.81	1503.0		
088 200	11.710	35.090	26.721	130.2	0.00	11.60	1499.9			088 200	12.300	35.194	26.642	143.9	0.00	12.30	1502.3		
088 300	11.100	35.043	26.791	131.6	0.00	11.06	1499.3			088 300	10.820	34.951	26.770	135.4	0.00	10.76	1498.2		
088 500	9.260	34.780	26.695	124.7	0.00	9.20	1495.6			088 500	8.620	34.667	26.910	121.9	0.00	8.57	1493.1		
088 700	7.930	34.556	26.936	122.9	0.00	7.96	1493.6			088 700	6.770	34.507	27.082	109.3	0.00	6.70	1490.6		
088 897	6.440	34.462	27.084	109.5	0.00	6.30	1491.0			088 900	5.300	34.403	27.221	94.6	0.00	5.30	1486.6		
088 1097	4.860	34.463	27.206	91.4	0.00	4.77	1487.9												
088 1297	3.750	34.470	27.395	70.1	0.00	3.65	1486.8			ISL 0	18.25	35.42	25.412	255.5	0.00	19.32	1521.0	0.000	
088 1497	3.040	34.540	27.521	65.0	0.00	2.93	1487.1			ISL 10	19.21	35.61	25.498	251.6	0.00	19.21	1520.9	.025	
088 1697	2.650	34.612	27.607	57.4	0.00	2.53	1488.0			ISL 25	18.07	35.50	25.540	243.5	0.00	18.06	1520.2	.062	
088 1996	2.300	34.605	27.695	49.3	0.00	2.16	1492.5			ISL 50	17.00	35.57	25.750	224.4	0.00	17.79	1517.4	.120	
ISL 0	18.25	35.34	25.475	249.5	0.00	18.25	1517.6	0.000		ISL 75	15.43	35.30	26.137	186.9	0.00	15.42	1510.3	.172	
ISL 10	17.44	35.34	25.674	231.0	0.00	17.44	1515.4	.024		ISL 100	13.81	35.22	26.307	184.9	0.00	13.80	1505.5	.217	
ISL 25	16.34	35.34	25.935	206.6	0.00	16.33	1512.3	.050		ISL 150	12.63	35.17	26.942	150.3	0.00	12.61	1503.0	.295	
ISL 50	14.81	35.34	26.270	175.0	0.00	14.80	1508.0	.106		ISL 200	12.30	35.16	26.842	143.9	0.00	12.30	1502.3	.370	
ISL 75	13.00	35.29	26.471	157.0	0.00	13.00	1504.7	.140		ISL 250	11.57	35.05	26.711	136.3	0.00	11.53	1500.1	.440	
ISL 100	12.92	35.25	26.601	145.3	0.00	12.91	1502.8	.180		ISL 300	10.82	34.99	26.770	133.4	0.00	10.78	1498.2	.500	
ISL 150	12.44	35.20	26.682	140.7	0.00	12.42	1501.7	.250		ISL 400	9.00	34.70	26.844	127.0	0.00	9.03	1495.5	.630	
ISL 200	11.71	35.10	26.721	136.2	0.00	11.60	1499.9	.327		ISL 500	8.62	34.67	26.910	121.9	0.00	8.57	1493.1	.764	
ISL 250	11.43	35.08	26.750	133.6	0.00	11.40	1499.7	.364		ISL 600	7.94	34.57	26.900	115.9	0.00	7.58	1490.0	.882	
ISL 300	11.10	35.04	26.791	131.6	0.00	11.00	1499.3	.461		ISL 800	6.02	34.49	27.140	102.2	0.00	5.95	1487.7	1.100	
ISL 400	10.12	34.90	26.851	127.5	0.00	10.07	1497.2	.591											
ISL 500	9.26	34.77	26.895	124.7	0.00	9.20	1495.6	.717											
ISL 600	8.62	34.64	26.992	123.8	0.00	8.55	1494.7	.841											
ISL 800	7.20	34.51	27.007	118.0	0.00	7.12	1492.4	1.084											
ISL 1000	5.57	34.47	27.184	99.0	0.00	5.49	1489.2	1.102											
ISL 1300	3.74	34.46	27.397	77.9	0.00	3.64	1486.6	1.166											
ISL 1500	3.03	34.55	27.522	65.4	0.00	2.92	1487.1	1.710											



DATA FOR SUMMER SURVEY SEAMAP 5 (RANRL 18/87) ARE PRESENTED ON FOLLOWING PAGES.

SURVEY SEAMAP 5 WAS CONDUCTED IN FEBRUARY 1987

Text continued on page 111

Seamap 5 - Route B - Summer




Figure 49. Track plot and oceanographic station positions for SEAMAP 5 (RANRL 18/87) summer survey on route B in the south west Pacific Ocean, 9 to 19 February 1987

Data for SEAMAP survey five (RANRL 18/87) - route B - summer

Oceanographic data are presented for a cruise made in southern hemisphere oceanographic summer (February 1987) from Sydney to Cook Strait, New Zealand (figure 49). Acoustic and geophysical data for the cruise are given in other sources (see Appendix II). The survey, designated as RANRL 18/87, and SEAMAP 5, was the fifth of the project SEAMAP surveys made on the naval oceanographic research vessel HMAS COOK. This survey completes route B for summer. The remainder of route B was traversed on SEAMAP 1 (RANRL 1/84), discussed in the previous section.

Data for the winter counterpart of this summer leg of route B, designated as RANRL 17/86 (SEAMAP 4), will be given in a following report.


*Surface parameters**Sea state, swell height, and wind vectors*

Four-hourly observations are shown in figures 50 and 51. Table 1 shows sea conditions associated with the sea state values. Sea states of 2 and 3, with winds of 15 kn to 18 kn or less were encountered from Sydney to 169°E (smooth to slight conditions), with a period of moderate seas (sea state 4) about 155°E. Sea states 4 and 5 with 2 m swell and 20 kn winds occurred approaching New Zealand (moderate to rough seas). Westerly winds occurred from 160°E to New Zealand, with easterly winds before 160°E.

*Sea surface temperature and salinity**Sea surface temperature (SST)*

From SST data of figure 52, speculative sea surface contours can be drawn (figure 53) for much of the cruise track, which correspond quite well to features seen in XBT sections (figures 58 and 60). Frontal activity occurs from waypoints A to G where the higher temperature waters of the East Australian Current are crossed. Meandering of contours is then seen, particularly about waypoint I. Coolest waters are seen on the New Zealand coastline, associated with a weak front. The contours help to resolve indistinct features in a CSIDA (CSIRO Division of Atmospheric Research) satellite image of 7 February 1987 for Australia to 156°E (figure 54). Two RMC maps are available from 165°E to 180°E for 16 and 23 February 1987 (figure 55). The map for 16 February agrees roughly with the SST contours.

Text continued on page 122






Figure 51. Wind vectors for SEAMAP route B in summer 1987 on survey SEAMAP 5 (RANRL 18/87)




Figure 52. Sea surface temperature values for SEAMAP route B in summer 1987 on survey SEAMAP 5 (RANRL 18/87)




Figure 53. Sea surface temperature contours for SEAMAP route B in summer 1987 on survey
SEAMAP 5 (RANRL 18/87)




Figure 54. Sea surface temperature contours derived by CSIRO Division of Atmospheric Research, Aspendale Victoria from satellite data for 7 February 1987. Coinciding with sections of SEAMAP 5 summer survey (RANRL 18/87) route A




Figure 55. Sea surface temperature contours derived by Royal Meteorological Centre Wellington, New Zealand from satellite data for 16, 23 February 1987. Coinciding with SEAMAP 5 summer survey (RANRL 18/87) route A




Figure 56. Sea surface salinity values for SEAMAP route B in summer 1987 on survey SEAMAP 5 (RANRL 18/87)




Figure 57. Temperature-salinity scatter diagram for surface samples for SEAMAP route B in summer 1987 on survey SEAMAP 5 (RANRL 18/87)




Figure 58. XBT temperature section from Sydney to waypoint I ($38^{\circ}20'S$, $166^{\circ}15'E$) for 9 to 16 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B. (+ show depth of surface mixed layer)




Figure 59. Bathymetry from Sydney to waypoint I ($38^{\circ}20'S$, $166^{\circ}15'E$) for 9 to 16 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B

Sea surface salinity

Sea surface salinity (figure 56) generally decreases with temperature, being highest on the northern (warmer) side of the Tasman Front in this area. This trend is shown quite well in a scatter plot of temperature and salinity samples collected by surface bucket (figure 57). Lowest salinities occur in association with the lower temperatures off the New Zealand coastline.

Bathymetry

Bathymetry is shown as sections along ship track in figures 59 and 61. Also see the VCTOD cross-sections (figures 62 and 63).

Temperature and salinity cross sections

XBT Temperature cross sections (figures 58 and 60).

The sections confirm that waypoint E lies in an eddy or meander of the EAC. A second eddy or meander lies after H which is about the same width as the meander crossed from C to D. A thermocline is seen at about 50 m after points A and H. Narrow eddy or meander structures are seen after point L and before the New Zealand coastline.

The meandering pattern seen in SST about waypoints I, J and K is likely related to the presence of the Lord Howe Rise, and the Challenger Plateau. Some evidence of bottom interaction can be seen in CTD station 14 in the form of a near well mixed bottom layer. Station 15 may show some similar evidence in the formation of a near bottom thermocline. These stations are on the Challenger Plateau (figures 49 and 61).

VCTOD Temperature and salinity sections

VCTOD temperature and salinity sections are shown in figures 62 and 63. Salinity data is not well calibrated, with only a single Nansen bottle strung on the wire above the VCTOD (but no conductivity shifts were seen on this cruise so that the data is expected to be self consistent). Stations are not closely spaced so that a smoothed picture is seen. The meanders in the XBT sections extend to the depth limits of the VCTOD data (2000 m) both in salinity and temperature.

Sonic layer depths ranged from 0 to 20 m from the East Australian Current area to station 8. The 20 m values were associated with warmer waters from the north. Sonic layer depths for stations 9 to 15 ranged from 30 to 50 m. The 50 m value occurred in a broad warm meander at station 15. Sonic layers were almost always found in association with surface mixed layers as defined by isothermal waters seen in XBT traces.

The warm feature of station 14 shows the structure seen after point L in the XBT section to extend to the bottom (520 m), with contours parallel to the bottom between station 14

and 15. The Antarctic Intermediate Water salinity minimum lies at about 1000 m for the section. Salinity and temperature contours appear highly correlated to the section depth of 2000 m.

NANSEN station data listings and profiles

Nansen stations were not occupied on this cruise.

VCTOD station data listings and profiles

Fifteen VCTOD stations were occupied to 2000 m at the sites shown in figure 49. Listings and profiles are given on pages 132 to 139. Temperature and salinity cross-sections from these data have been discussed earlier.

T-S curves generally show a salinity maximum at or near the surface (after allowing for extreme salinity spiking at the base of the mixed layer), with salinity values decreasing to the salinity minimum of the AAIW at about 1000 m. The exceptions are station 7 and station 5 which have a shallow layer of low salinity surface water, (an effect masked to some degree by the 10 m averages), possibly carried out by the front from coastal areas. The monotonically decreasing S and T values are also occasionally interrupted by intrusions of Bass Strait water (higher salinity waters seen to 300 m and deeper) particularly in stations 5 and 7.

Currents

Components of surface geostrophic current perpendicular to station pairs relative to 1500 dbar (or the surface if this depth is not reached) are shown schematically in figure 64. The highest surface value is 37 cm/s (3/4 kn) to the south between stations 6 and 5. The current direction inferred from directions of SST isotherms between these two stations is to south-east, so the actual current strength relative to 1500 dbar is possibly about one knot. Current components become weak east of station 10 (5 cm/s to the north between stations 10 and 11), indicating that the main return flow of the Tasman Front is then north of the cruise track. Drifting buoy tracks (DRIBU data) are also shown. Depth of drogue and release dates are unknown.

Additional data

Tracks of vessels involved in the CSIRO merchant ship XBT programme are shown in figure 65. XBT are widely spaced.

Text continued on page 131




Figure 60. XBT temperature section from waypoint I ($38^{\circ}20'S$, $166^{\circ}15'E$) to waypoint M ($40^{\circ}52'S$, $172^{\circ}02'E$) south of Cape Farewell, New Zealand. For 16 to 19 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B. (+ show depth of surface mixed layer)




Figure 61. Bathymetry from waypoint I to waypoint M. For 16 to 19 February 1987.
Summer survey SEAMAP 5 (RANRL 18/87) route B




Figure 62. VCTOD temperature section from Sydney to south of Cape Farewell, New Zealand for 9 to 19 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B




Figure 63. VCTOD salinity section from Sydney to south of Cape Farewell, New Zealand for 9 to 19 February 1987. Summer survey SEAMAP 5 (RANL 18/87) route B. Subject to error because of a poor salinity calibration




Figure 64. Surface current directions inferred from VCTOD, XBT and sea surface temperature data, 9 to 19 February 1987. Summer survey SEAMAP 5 (RANRL 18/87) route B. Geostrophic current values are subject to error because of a poor salinity calibration




Figure 65(a). Tracks of vessels in the CSIRO merchant ship XBT programme in the south West Pacific Ocean for late January and February 1987. Coinciding with the period of summer survey SEAMAP 5 (RANRL 18/87) route B




Figure 65(b). Tracks of vessels in the CSIRO merchant ship XBT programme in the south west Pacific Ocean for late January and February 1987. Coinciding with the period of summer survey SEAMAP 5 (RANRL 18/87) route B

TABLES OF VCTOD DATA FOR 15 STATIONS OCCUPIED ON SUMMER SURVEY SEAMAP 5 (RANRL 18/87) ARE GIVEN ON FOLLOWING PAGES.

DATA ARE FOR DOWNCASTS. SPURIOUS SPIKES OCCUR IN SALINITY AND TEMPERATURE - SALINITY PROFILES, ESPECIALLY NEAR THE SURFACE.

SEE FIGURE 49 (PAGE 110) FOR A CHART OF STATION POSITIONS.

FOR THIS SURVEY A ROSETTE SAMPLER WAS NOT AVAILABLE, AND ONLY A SINGLE NANSEN BOTTLE SAMPLE WAS TAKEN, THE NANSEN BOTTLE BEING STRUNG ON THE WIRE 2 TO 3 m ABOVE THE CTD. SALINITY IS THEREFORE NOT WELL CALIBRATED.

Text continued on page 140

STATION NUMBER : WNRG CICK - Primary
 STATION NUMBER : 1 (CICKON THE CRUISE)
 STATION NUMBER : 2 (CICKON THE TIDE)
 DATE : 29-JUL-1987 (DAY NUMBER 201)
 START TIME : 1200 UTC - Z
 CRUISE : CICK-87
 POSITION : 34-31.00S 152-30.00E
 CAST DEPTH : METERS
 BOTTOM DEPTH : 4644 METERS



PRESS DEPTH TIDE SAL SIGHT-T SWA G.A. Sound Pot.Temp

0.0 0.0 24.216 35.459 24.238 376.92 9.000 1532.83 24.00 10 0.003 0.002
 15.0 9.9 24.065 35.566 24.246 326.55 6.177 1532.83 24.00 54 0.814 8.819
 31.0 19.5 23.432 35.423 24.223 369.54 9.758 1531.93 23.43 51 0.246 8.274
 46.0 29.2 22.651 35.468 25.993 338.05 1.184 1529.86 22.65 48 0.138 8.317
 61.0 39.7 23.313 35.464 24.884 309.22 1.628 1526.22 21.31 50 0.254 8.267
 76.0 49.6 23.541 35.429 25.993 307.73 1.726 1524.39 20.55 50 0.120 8.195
 91.0 59.2 23.836 35.595 25.237 276.13 2.087 1522.75 19.91 45 0.224 8.245
 106.0 78.6 25.595 35.463 25.151 27.271 1520.47 19.24 52 0.234 8.259
 121.0 95.9 27.271 35.575 25.649 235.20 2.515 1518.43 18.26 53 0.167 8.141
 136.0 113.8 27.864 35.575 25.763 225.29 2.746 1517.25 17.79 53 0.133 8.154
 151.0 131.1 27.374 35.557 25.953 216.92 3.967 1516.14 17.36 55 0.180 8.188
 166.0 149.1 26.649 35.477 26.211 382.39 3.108 1513.63 16.43 61 0.115 8.129
 181.0 159.8 15.791 35.421 36.129 192.54 1.768 1511.51 15.77 52 0.124 8.140
 196.0 175.6 15.216 35.398 25.299 185.11 4.157 1510.77 15.29 42 0.057 8.067
 211.0 178.6 14.901 35.265 36.234 126.49 5.522 1509.00 14.88 46 0.015 8.012
 226.0 180.8 14.412 35.247 36.314 175.54 6.877 1508.29 14.30 36 0.092 8.108
 241.0 215.1 13.297 35.210 36.481 167.64 5.238 1508.68 13.76 27 0.064 8.069
 256.0 239.1 13.425 35.259 36.492 159.45 5.549 1505.91 13.29 154 0.025 8.027
 271.0 259.0 13.130 35.161 36.491 160.00 5.869 1505.14 13.10 113 0.078 8.004
 286.0 277.6 12.499 35.137 36.530 155.98 6.184 1504.39 12.77 32 0.022 8.025
 300.0 297.6 12.493 35.080 36.557 154.49 6.494 1503.56 12.45 38 0.075 8.084
 315.0 317.5 12.116 35.047 36.465 150.23 6.795 1502.58 12.07 34 0.036 8.003
 330.0 337.1 11.659 34.991 36.642 166.97 7.095 1501.29 11.65 36 0.075 8.080
 345.0 357.1 11.297 34.963 36.692 142.39 7.303 1500.35 11.25 23 0.039 8.057
 360.0 376.9 10.899 34.905 36.722 139.75 7.665 1499.14 10.84 32 0.064 8.056
 375.0 396.8 10.501 34.865 36.268 136.36 7.942 1498.09 10.45 36 0.056 8.043
 390.0 416.6 10.211 34.831 36.284 134.38 8.212 1497.35 10.16 36 0.067 8.064
 405.0 436.4 9.928 34.779 36.815 131.52 8.477 1496.46 9.98 39 0.042 8.041
 420.0 456.2 9.590 34.771 36.943 129.04 8.738 1495.79 9.54 33 0.044 8.047
 435.0 476.0 9.273 34.731 36.989 126.70 8.994 1494.94 9.22 36 0.031 8.027
 450.0 495.8 9.016 34.714 36.992 124.64 9.246 1494.23 8.96 39 0.037 8.029
 465.0 515.3 8.608 34.643 36.912 121.17 9.961 1492.47 8.25 31 0.031 8.028
 480.0 534.8 7.948 34.610 36.976 127.34 10.455 1491.76 7.99 35 0.042 8.028
 495.0 633.8 7.151 34.549 37.043 111.58 11.596 1490.27 7.08 34 0.042 8.042
 510.0 732.7 6.379 34.516 37.122 104.39 12.473 1488.86 6.20 36 0.012 8.009
 525.0 851.6 5.635 34.497 37.201 96.36 13.045 1487.50 5.56 37 0.016 8.014
 540.0 950.5 5.130 34.498 37.282 91.23 14.625 1487.12 5.05 32 0.018 8.019
 555.0 1059.2 4.838 34.502 37.323 85.48 15.505 1486.79 4.55 27 0.029 8.019
 570.0 1168.0 4.167 34.527 37.393 76.63 16.320 1486.52 4.07 28 0.010 8.006
 585.0 1286.7 3.705 34.543 37.451 72.58 17.087 1486.24 3.61 33 0.012 8.006
 600.0 1395.3 3.040 34.566 37.500 67.96 17.708 1486.66 2.90 33 0.020 8.013
 615.0 1493.9 3.123 34.590 37.546 63.43 18.441 1487.15 1.01 33 0.010 8.007
 630.0 1580.5 2.916 34.607 37.579 60.1 19.058 1487.95 2.80 32 0.003 8.004
 645.0 1681.0 2.755 34.630 37.622 56.06 19.636 1488.74 2.58 36 0.000 8.002
 660.0 1787.9 2.579 34.640 37.636 54.86 20.193 1489.89 2.45 30 0.005 8.004
 675.0 1887.7 2.446 34.660 37.662 52.31 20.729 1491.04 2.31 41 0.006 8.005
 690.0 1976.2 2.352 34.674 37.682 50.62 21.243 1492.31 2.21 33 0.003 8.004
 705.0 1986.1 2.343 34.676 37.684 50.43 21.294 1492.45 2.20 34 0.004 8.002

STATION NUMBER : WNRG CICK - Primary
 STATION NUMBER : 2 (CICKON THE CRUISE)
 STATION NUMBER : 3 (CICKON THE TIDE)
 DATE : 09-FEB-1987 (DAY NUMBER 46)
 START TIME : 1200 UTC - Z
 CRUISE : CICK-87
 POSITION : 34-31.00S 152-30.00E
 CAST DEPTH : METERS
 BOTTOM DEPTH : 4644 METERS

PRESS DEPTH TIDE SAL SIGHT-T SWA G.A. Sound Pot.Temp

0.0 0.0 23.721 35.675 24.236 367.51 0.568 1512.20 21.72 1 0.000 0.000
 15.0 9.9 23.721 35.675 24.236 367.50 0.368 1512.22 21.72 47 0.003 0.008
 30.0 19.5 23.206 35.645 24.185 367.82 0.170 1510.79 21.25 53 0.174 0.501
 45.0 29.8 23.721 35.625 24.770 367.98 1.067 1517.11 21.72 59 0.149 0.369
 60.0 39.7 20.793 35.675 25.064 290.33 1.370 1514.92 20.79 61 0.190 0.196
 75.0 49.6 20.429 35.593 25.297 187.73 1.657 1514.75 20.42 59 0.035 0.047
 90.0 59.5 20.816 35.627 25.237 274.77 1.936 1513.08 20.81 51 0.260 0.276
 105.0 69.4 19.114 35.669 25.654 182.02 2.208 1510.64 19.18 62 0.365 0.394
 120.0 79.4 18.341 35.669 25.655 235.18 2.444 1516.76 18.33 55 0.159 2.168
 135.0 89.3 17.881 35.597 25.755 225.56 2.675 1517.54 17.87 64 0.121 0.130
 150.0 99.3 17.512 35.568 25.683 217.87 2.897 1516.66 17.50 66 0.121 0.130
 165.0 119.1 16.462 35.518 26.066 196.97 3.312 1513.65 16.32 73 0.116 0.130
 180.0 138.9 15.511 35.477 26.226 182.49 3.691 1511.24 15.50 71 0.095 0.110
 195.0 158.8 15.111 35.335 26.292 176.49 4.056 1511.12 15.31 46 0.062 0.072
 210.0 178.6 14.664 35.327 26.298 176.55 4.403 1509.02 14.64 41 0.271 0.352
 225.0 198.5 13.927 35.252 26.398 167.64 4.746 1506.97 13.90 45 0.064 0.065
 240.0 218.3 13.431 35.269 26.468 161.22 5.076 1505.64 13.40 56 0.245 0.036
 255.0 238.1 13.077 35.266 26.505 165.56 5.396 1504.77 13.04 50 0.051 0.054
 270.0 256.8 12.673 35.120 35.552 1513.99 5.707 1501.73 12.64 44 0.057 0.062
 285.0 277.8 12.403 35.102 35.591 1501.15 6.012 1501.15 12.36 51 0.032 0.027
 300.0 297.6 12.271 35.092 36.688 149.55 6.312 1501.05 12.24 52 0.016 0.025
 315.0 317.5 12.054 35.056 36.612 147.58 6.569 1502.66 12.01 44 0.027 0.024
 330.0 337.3 11.901 35.044 36.647 146.57 6.764 1502.30 11.84 44 0.211 0.226
 345.0 357.1 11.529 35.037 36.681 143.81 7.195 1501.42 11.49 46 0.008 0.008
 360.0 376.9 11.173 34.963 21.679 144.21 7.463 1501.19 11.12 44 0.051 0.059
 375.0 396.8 11.075 34.944 21.719 144.06 7.769 1500.36 11.01 44 0.026 0.011
 390.0 416.6 10.668 34.897 21.752 137.70 8.046 1499.28 10.64 27 0.012 0.028
 405.0 436.4 10.408 34.847 21.769 136.39 8.321 1498.01 10.42 24 0.046 0.055
 420.0 456.2 10.139 34.819 21.788 134.72 8.592 1497.00 10.08 26 0.059 0.071
 435.0 476.0 9.799 34.781 21.817 132.08 8.859 1496.93 9.74 26 0.054 0.052
 450.0 495.8 9.401 34.762 21.854 130.69 9.120 1496.13 9.42 31 0.011 0.029
 465.0 515.3 8.936 34.699 26.093 125.46 9.756 1494.86 8.06 24 0.016 0.033
 480.0 534.8 8.238 34.620 26.940 121.53 10.59 1492.98 8.17 31 0.038 0.025
 495.0 633.8 7.204 34.563 27.075 112.53 11.539 1490.99 7.23 31 0.011 0.005
 510.0 732.7 6.094 34.512 37.103 106.39 12.631 1499.46 6.42 23 0.024 0.013
 525.0 851.6 5.760 34.492 27.181 98.96 13.664 1498.12 5.68 24 0.024 0.024
 540.0 950.5 5.101 34.504 27.270 90.41 14.609 1487.12 5.02 30 0.008 0.007
 555.0 1059.2 4.570 34.513 27.330 83.05 15.481 1486.62 4.46 28 0.009 0.008
 570.0 1168.0 4.174 34.529 27.393 86.25 14.665 1486.65 4.05 25 0.012 0.010
 585.0 1286.7 3.867 34.549 27.441 74.16 17.051 1487.01 3.77 27 0.002 0.001
 600.0 1395.3 3.564 34.566 27.487 64.29 17.764 1487.35 3.45 31 0.010 0.011
 615.0 1493.9 3.211 34.593 27.541 54.29 18.435 1487.64 3.13 27 0.012 0.005
 630.0 1580.5 2.942 34.579 27.505 50.92 18.052 1488.19 2.83 32 0.007 0.003
 645.0 1681.0 2.752 34.640 27.620 56.47 19.634 1489.07 2.63 32 0.006 0.006
 660.0 1779.4 2.579 34.640 27.650 54.00 20.184 1490.04 2.46 27 0.004 0.004
 675.0 1879.7 2.446 34.660 27.673 51.57 20.711 1491.31 2.35 27 0.003 0.001
 690.0 1976.2 2.377 34.674 27.694 49.66 21.220 1492.53 2.24 51 0.005 0.003
 705.0 1986.1 2.371 34.692 27.695 49.57 21.270 1492.65 2.23 39 0.000 0.003



SHIP : M/V COOK - Pleasure
 STATION NUMBER : 3 (THREE ON THE CRUISE)
 POSITION NUMBER : 3 (THREE ON THE YEAR)
 DATE : 10-FEB-1987 (DAY NUMBER 41)
 START TIME : 0152 CDT - Z
 CRUISE : COOK-87
 POSITION : 34°32.000' N 151°16.000' E
 DEPTH : METERS
 BOTTOM DEPTH : 4440 METERS

PRESSURE	DEPTH	TOWF	SAL	SIGMA-T	SBA	G.A.	Sound	POT.TEMP
18.0	9.9	22.942	25.677	24.460	346.61	0.246	1530.27	22.36
20.0	10.9	22.075	25.568	24.699	324.20	0.462	1537.92	22.07
20.0	10.9	21.434	25.495	24.808	325.35	0.597	1536.57	21.42
40.0	10.7	21.139	25.691	24.944	297.79	1.200	1525.92	21.13
50.0	10.6	20.726	25.659	25.073	300.74	1.200	1524.54	20.72
60.0	10.6	19.584	25.666	25.268	304.68	1.267	1521.89	19.57
70.0	10.5	18.876	25.678	25.556	344.74	1.230	1520.33	18.93
80.0	10.4	18.238	25.635	25.644	221.08	2.357	1518.42	18.22
90.0	10.3	17.567	25.605	25.839	217.95	2.542	1516.71	17.57
100.0	9.9	17.116	25.558	25.938	200.78	2.796	1515.54	17.11
110.0	11.9	15.967	25.522	26.186	185.26	3.187	1512.33	15.95
120.0	11.9	15.484	25.484	26.272	178.08	3.549	1511.21	15.45
130.0	11.9	15.222	25.513	26.319	174.17	3.901	1510.60	15.38
140.0	11.6	14.594	25.415	26.379	168.86	4.248	1510.94	14.58
150.0	11.5	14.261	25.356	26.403	167.12	4.595	1508.18	14.25
160.0	11.3	13.978	25.309	26.432	164.82	4.915	1507.44	13.95
170.0	11.1	13.486	25.261	26.497	159.03	5.239	1506.13	13.45
180.0	11.0	13.258	25.277	26.556	153.83	5.551	1505.77	13.22
190.0	11.0	12.884	25.254	26.592	150.83	5.856	1505.15	12.88
200.0	10.9	12.598	25.254	26.602	150.82	6.156	1504.15	12.58
210.0	10.7	12.120	25.099	26.630	147.34	6.453	1502.66	12.08
220.0	10.7	11.357	25.066	26.703	141.31	6.739	1501.84	11.71
230.0	10.7	11.277	24.946	26.865	141.07	7.028	1500.27	11.23
240.0	10.6	10.974	24.794	26.777	136.25	7.307	1498.91	10.95
250.0	10.6	10.567	24.603	26.773	136.08	7.580	1498.23	10.46
260.0	10.6	10.256	24.495	26.795	131.31	7.849	1497.63	10.21
270.0	10.6	9.990	24.415	26.809	132.13	8.114	1496.95	9.94
280.0	10.6	9.711	24.374	26.813	129.63	8.376	1496.27	9.64
290.0	10.6	9.490	24.326	26.816	127.86	8.634	1495.36	9.32
300.0	10.6	9.186	24.278	26.871	126.53	8.888	1494.92	8.91
310.0	10.5	8.485	24.145	26.928	121.60	9.506	1492.98	8.41
320.0	10.5	7.805	24.603	26.975	117.38	10.103	1491.64	7.84
330.0	10.5	6.938	24.528	27.054	110.21	11.242	1489.46	6.87
340.0	10.5	6.214	24.511	27.159	102.52	12.304	1488.27	6.14
350.0	10.4	5.582	24.493	27.204	96.44	13.297	1487.33	5.50
360.0	10.4	5.042	24.509	27.281	92.28	14.226	1486.83	4.96
370.0	10.0	4.534	24.520	27.347	82.93	15.084	1486.41	4.45
380.0	10.0	4.141	24.512	27.400	77.95	15.187	1486.43	4.05
390.0	10.0	3.836	24.507	27.465	71.88	16.632	1486.50	3.65
400.0	10.0	3.593	24.574	27.494	68.47	17.336	1487.07	3.39
410.0	10.0	3.483	24.574	27.494	63.57	17.995	1487.55	3.09
420.0	10.0	3.402	24.613	27.575	60.99	18.615	1488.41	2.90
430.0	10.0	3.229	24.656	27.643	54.37	19.767	1490.19	2.50
440.0	10.0	3.179	24.671	27.697	51.37	20.207	1489.18	2.67
450.0	10.0	3.177	24.682	27.743	47.37	20.747	1489.33	2.60
460.0	10.0	3.177	24.694	27.787	43.37	21.287	1489.58	2.53
470.0	10.0	3.177	24.711	27.831	39.37	21.827	1489.83	2.46
480.0	10.0	3.177	24.728	27.875	35.37	22.367	1489.83	2.39
490.0	10.0	3.177	24.745	27.919	31.37	22.807	1489.83	2.32
500.0	10.0	3.177	24.762	27.963	27.37	23.247	1489.83	2.25
510.0	10.0	3.177	24.779	28.007	23.37	23.687	1489.83	2.18
520.0	10.0	3.177	24.796	28.051	23.47	24.127	1489.83	2.11
530.0	10.0	3.177	24.813	28.095	23.57	24.567	1489.83	2.04
540.0	10.0	3.177	24.830	28.139	23.67	25.007	1489.83	1.97
550.0	10.0	3.177	24.847	28.183	23.77	25.447	1489.83	1.90
560.0	10.0	3.177	24.864	28.227	23.87	25.887	1489.83	1.83
570.0	10.0	3.177	24.881	28.271	23.97	26.327	1489.83	1.76
580.0	10.0	3.177	24.898	28.315	24.07	26.767	1489.83	1.70
590.0	10.0	3.177	24.915	28.359	24.17	27.207	1489.83	1.63
600.0	10.0	3.177	24.932	28.403	24.27	27.647	1489.83	1.56
610.0	10.0	3.177	24.949	28.447	24.37	28.087	1489.83	1.50
620.0	10.0	3.177	24.966	28.491	24.47	28.527	1489.83	1.43
630.0	10.0	3.177	24.983	28.535	24.57	28.967	1489.83	1.36
640.0	10.0	3.177	24.999	28.579	24.67	29.407	1489.83	1.30
650.0	10.0	3.177	25.016	28.623	24.77	29.847	1489.83	1.23
660.0	10.0	3.177	25.033	28.667	24.87	30.287	1489.83	1.16
670.0	10.0	3.177	25.050	28.711	24.97	30.727	1489.83	1.10
680.0	10.0	3.177	25.067	28.755	25.07	31.167	1489.83	1.03
690.0	10.0	3.177	25.084	28.799	25.17	31.607	1489.83	0.97
700.0	10.0	3.177	25.101	28.843	25.27	32.047	1489.83	0.90
710.0	10.0	3.177	25.118	28.887	25.37	32.487	1489.83	0.83
720.0	10.0	3.177	25.135	28.931	25.47	32.927	1489.83	0.76
730.0	10.0	3.177	25.152	28.975	25.57	33.367	1489.83	0.70
740.0	10.0	3.177	25.169	29.019	25.67	33.807	1489.83	0.63
750.0	10.0	3.177	25.186	29.063	25.77	34.247	1489.83	0.56
760.0	10.0	3.177	25.203	29.107	25.87	34.687	1489.83	0.50
770.0	10.0	3.177	25.220	29.151	25.97	35.127	1489.83	0.43
780.0	10.0	3.177	25.237	29.195	26.07	35.567	1489.83	0.36
790.0	10.0	3.177	25.254	29.239	26.17	36.007	1489.83	0.30
800.0	10.0	3.177	25.271	29.283	26.27	36.447	1489.83	0.23
810.0	10.0	3.177	25.288	29.327	26.37	36.887	1489.83	0.16
820.0	10.0	3.177	25.305	29.371	26.47	37.327	1489.83	0.10
830.0	10.0	3.177	25.322	29.415	26.57	37.767	1489.83	0.03
840.0	10.0	3.177	25.339	29.459	26.67	38.207	1489.83	-0.03
850.0	10.0	3.177	25.356	29.503	26.77	38.647	1489.83	-0.09
860.0	10.0	3.177	25.373	29.547	26.87	39.087	1489.83	-0.15
870.0	10.0	3.177	25.390	29.591	26.97	39.527	1489.83	-0.21
880.0	10.0	3.177	25.407	29.635	27.07	39.967	1489.83	-0.27
890.0	10.0	3.177	25.424	29.679	27.17	40.407	1489.83	-0.33
900.0	10.0	3.177	25.441	29.723	27.27	40.847	1489.83	-0.39
910.0	10.0	3.177	25.458	29.767	27.37	41.287	1489.83	-0.45
920.0	10.0	3.177	25.475	29.811	27.47	41.727	1489.83	-0.51
930.0	10.0	3.177	25.492	29.855	27.57	42.167	1489.83	-0.56
940.0	10.0	3.177	25.509	29.899	27.67	42.607	1489.83	-0.62
950.0	10.0	3.177	25.526	29.943	27.77	43.047	1489.83	-0.68
960.0	10.0	3.177	25.543	29.987	27.87	43.487	1489.83	-0.74
970.0	10.0	3.177	25.560	30.031	27.97	43.927	1489.83	-0.80
980.0	10.0	3.177	25.577	30.075	28.07	44.367	1489.83	-0.86
990.0	10.0	3.177	25.594	30.119	28.17	44.807	1489.83	-0.92
1000.0	10.0	3.177	25.611	30.163	28.27	45.247	1489.83	-0.98
1010.0	10.0	3.177	25.628	30.207	28.37	45.687	1489.83	-1.04
1020.0	10.0	3.177	25.645	30.251	28.47	46.127	1489.83	-1.10
1030.0	10.0	3.177	25.662	30.295	28.57	46.567	1489.83	-1.16
1040.0	10.0	3.177						

SHIP : HMS CROWN - PLEASANT
 STATION NUMBER : 5 (THROUGH THE CRUISE)
 STATION NUMBER : 5 (THROUGH THE YEAR)
 DATE : 11-17/8-1967 (DAY NUMBER 42)
 START TIME : 1227 GCT - Z
 CRUISE : CRUISE 87
 POSITION : 36°15'N 005°15'W-004.00E
 CAST DEPTH : METRES
 BOTTOM DEPTH : 4733 METRES



PRESS DEPTH TEMP SAL SIGMA-T SVA C.A. Sound. Pot.Temp

10.0	9.9	25.523	35.362	23.456	442.30	0.442	1536.21	25.52	39.0	0.010	0.013	
20.0	19.9	25.521	35.361	23.454	442.76	0.805	1536.30	25.52	43.0	0.028	0.034	
30.0	29.8	25.509	35.321	23.452	443.21	1.164	13.314	155.53	25.50	50.0	0.120	0.169
40.0	39.7	24.217	35.257	24.015	390.16	1.718	151.66	24.15	45.0	0.133	0.193	
50.0	49.6	24.116	35.162	24.075	305.13	2.105	151.68	24.11	42.0	0.004	0.007	
60.0	59.6	24.096	35.114	24.075	305.44	2.490	151.70	24.08	45.0	0.003	0.003	
70.0	69.5	23.467	35.537	24.142	379.0	2.872	151.72	23.67	51.0	0.428	0.467	
80.0	79.4	22.466	35.577	24.528	342.91	3.233	152.09	22.45	49.0	0.277	0.303	
90.0	89.3	21.659	35.574	24.751	321.3	3.566	152.71	21.64	42.0	0.275	0.266	
100.0	99.3	21.027	35.611	24.953	302.8	3.700	152.96	21.01	46.0	0.173	0.173	
120.0	119.1	20.347	35.589	25.150	299.9	4.463	154.75	20.32	57.0	0.095	0.095	
140.0	139.9	19.510	35.635	25.379	261.6	5.014	152.93	19.48	70.0	0.130	0.134	
160.0	159.6	18.540	35.451	25.600	261.11	5.510	152.06	18.42	63.0	0.159	0.162	
180.0	178.6	18.853	35.425	25.874	217.32	5.981	151.77	16.82	55.0	0.102	0.102	
200.0	198.5	16.066	35.556	25.306	205.63	6.401	151.70	16.04	33.0	0.069	0.066	
220.0	219.3	15.581	35.367	26.126	194.35	6.806	151.55	15.55	37.0	0.155	0.155	
240.0	239.1	14.684	35.321	26.251	182.8	7.177	151.67	14.83	37.0	0.057	0.056	
260.0	258.0	14.203	35.231	26.216	177.00	7.530	150.70	14.17	40.0	0.114	0.125	
280.0	277.8	13.897	35.346	26.402	169.79	7.282	150.68	13.33	36.0	0.084	0.084	
300.0	297.6	13.515	35.217	26.457	164.42	8.216	150.70	13.47	27.0	0.048	0.048	
320.0	317.4	13.002	35.146	26.508	159.85	8.541	150.88	12.96	41.0	0.103	0.111	
340.0	337.3	12.760	35.474	26.572	154.05	8.856	150.40	12.42	37.0	0.070	0.070	
360.0	357.1	11.954	35.027	26.618	160.98	9.161	150.27	11.92	40.0	0.074	0.062	
380.0	376.9	11.602	35.000	26.665	145.63	9.457	150.26	11.55	37.0	0.023	0.023	
400.0	396.7	11.277	34.954	26.690	145.17	9.746	151.21	11.33	41.0	0.093	0.106	
420.0	416.5	10.815	34.895	26.727	140.10	10.030	149.89	10.76	35.0	0.047	0.047	
440.0	436.4	10.681	34.869	26.767	135.52	10.307	149.66	10.43	42.0	0.020	0.020	
460.0	456.2	10.522	34.836	26.798	134.81	10.579	149.42	10.17	32.0	0.041	0.041	
480.0	476.0	9.990	34.810	26.814	132.46	10.846	149.73	9.98	37.0	0.022	0.019	
500.0	495.8	9.506	34.767	26.837	130.45	11.110	149.90	9.55	43.0	0.042	0.042	
520.0	515.6	9.228	34.700	26.875	125.22	11.179	149.75	10.87	38.0	0.021	0.020	
540.0	535.4	8.928	34.726	26.895	121.58	12.366	149.31	9.33	43.0	0.022	0.022	
560.0	554.2	8.636	34.747	26.915	117.34	13.544	149.11	7.71	43.0	0.054	0.054	
580.0	573.0	8.421	34.565	27.017	114.37	13.544	149.11	7.35	43.0	0.054	0.054	
600.0	591.9	7.742	34.447	26.937	112.58	14.366	149.89	5.46	46.0	0.014	0.014	
620.0	610.7	7.255	34.555	27.056	106.87	14.646	149.59	5.46	46.0	0.014	0.014	
640.0	629.9	6.991	34.840	27.164	105.75	15.560	149.69	5.76	21.0	0.036	0.036	
660.0	649.0	6.540	34.206	27.241	93.61	16.657	149.87	5.22	26.0	0.016	0.016	
680.0	668.1	6.182	34.506	27.308	87.17	17.557	149.77	4.79	24.0	0.014	0.014	
700.0	687.2	5.834	34.512	27.354	81.71	18.400	149.54	4.23	28.0	0.024	0.024	
720.0	706.3	5.568	34.545	27.436	74.49	19.136	149.31	3.77	30.0	0.011	0.011	
740.0	725.2	5.385	34.573	27.499	64.39	19.000	149.11	3.36	37.0	0.006	0.006	
760.0	744.0	5.215	34.595	27.546	63.69	20.549	149.77	3.06	43	0.014	0.014	
780.0	762.9	5.060	34.622	27.590	59.24	21.126	149.88	2.79	33.0	0.007	0.008	
800.0	781.7	4.914	34.649	27.621	56.28	21.730	149.19	2.50	36.0	0.004	0.006	
820.0	800.6	4.779	34.650	27.653	51.07	22.282	149.05	2.41	27.0	0.005	0.005	
840.0	819.4	4.647	34.671	27.673	51.33	22.800	149.11	2.30	37.0	0.005	0.005	
860.0	838.2	4.505	34.684	27.593	49.46	23.256	149.75	2.21	37.0	0.005	0.005	
880.0	857.0	4.355	34.684	27.593	44.37	23.256	149.75	2.11	37.0	0.005	0.005	
900.0	875.8	4.212	34.684	27.593	40.00	23.256	149.75	2.01	37.0	0.005	0.005	
920.0	894.6	4.066	34.684	27.593	35.63	23.256	149.75	1.91	37.0	0.005	0.005	
940.0	913.4	3.921	34.684	27.593	31.36	23.256	149.75	1.81	37.0	0.005	0.005	
960.0	932.2	3.775	34.684	27.593	27.09	23.256	149.75	1.71	37.0	0.005	0.005	
980.0	951.0	3.628	34.684	27.593	23.82	23.256	149.75	1.61	37.0	0.005	0.005	
1000.0	969.8	3.481	34.684	27.593	19.55	23.256	149.75	1.51	37.0	0.005	0.005	
1020.0	988.6	3.335	34.684	27.593	15.28	23.256	149.75	1.41	37.0	0.005	0.005	
1040.0	1007.4	3.188	34.684	27.593	11.01	23.256	149.75	1.31	37.0	0.005	0.005	
1060.0	1026.2	3.041	34.684	27.593	6.74	23.256	149.75	1.21	37.0	0.005	0.005	
1080.0	1045.0	2.894	34.684	27.593	2.47	23.256	149.75	1.11	37.0	0.005	0.005	
1100.0	1063.8	2.747	34.684	27.593	-1.82	23.256	149.75	1.01	37.0	0.005	0.005	
1120.0	1082.6	2.600	34.684	27.593	-6.09	23.256	149.75	0.91	37.0	0.005	0.005	
1140.0	1091.4	2.453	34.684	27.593	-11.86	23.256	149.75	0.81	37.0	0.005	0.005	
1160.0	1100.2	2.306	34.684	27.593	-17.63	23.256	149.75	0.71	37.0	0.005	0.005	
1180.0	1119.0	2.159	34.684	27.593	-23.40	23.256	149.75	0.61	37.0	0.005	0.005	
1200.0	1137.8	2.012	34.684	27.593	-29.17	23.256	149.75	0.51	37.0	0.005	0.005	
1220.0	1156.6	1.865	34.684	27.593	-34.94	23.256	149.75	0.41	37.0	0.005	0.005	
1240.0	1175.4	1.715	34.684	27.593	-40.71	23.256	149.75	0.31	37.0	0.005	0.005	
1260.0	1194.2	1.568	34.684	27.593	-46.48	23.256	149.75	0.21	37.0	0.005	0.005	
1280.0	1213.0	1.421	34.684	27.593	-52.25	23.256	149.75	0.11	37.0	0.005	0.005	
1300.0	1231.8	1.274	34.684	27.593	-58.02	23.256	149.75	0.01	37.0	0.005	0.005	
1320.0	1250.6	1.127	34.684	27.593	-63.79	23.256	149.75	-0.89	37.0	0.005	0.005	
1340.0	1269.4	9.759	34.684	27.593	-69.56	23.256	149.75	-1.96	37.0	0.005	0.005	
1360.0	1288.2	8.312	34.684	27.593	-75.33	23.256	149.75	-2.93	37.0	0.005	0.005	
1380.0	1307.0	6.844	34.684	27.593	-81.10	23.256	149.75	-3.90	37.0	0.005	0.005	
1400.0	1325.8	5.385	34.684	27.593	-86.87	23.256	149.75	-4.87	37.0	0.005	0.005	
1420.0	1344.6	4.066	34.684	27.593	-92.64	23.256	149.75	-5.84	37.0	0.005	0.005	
1440.0	1363.4	2.615	34.684	27.593	-98.41	23.256	149.75	-6.81	37.0	0.005	0.005	
1460.0	1382.2	1.175	34.684	27.593	-104.18	23.256	149.75	-7.78	37.0	0.005	0.005	
1480.0	1401.0	1.594	34.684	27.593	-109.95	23.256	149.75	-8.75	37.0	0.005	0.005	
1500.0	1419.8	1.024	34.684	27.593	-115.72	23.256	149.75	-9.72	37.0	0.005	0.005	
1520.0	1438.6	2.904	34.684	27.593	-121.49	23.256	149.75	-10.69	37.0	0.005	0.005	
1540.0	1457.4	1.562	34.684	27.593	-127.26	23.256	149.75	-11.66	37.0	0.005	0.005	
1560.0	1476.2	2.904	34.684	27.593	-132.93	23.256	149.75	-12.63	37.0	0.005	0.005	
1580.0	1495.0	2.747	34.684	27.593	-138.70	23.256	149.75	-13.60	37.0	0.005	0.005	
1600.0	1513.8	2.310	34.684	27.593	-144.47	23.256	149.75	-14.57	37.0	0.005	0.005	
1620.0	1532.6	1.175	34.684	27.593	-150.24	23.256	149.75	-15.54	37.0	0.005	0.005	
1640.0	1551.4	1.594	34.684	27.593	-155.01	23.256	149.75	-16.51	37.0	0.005	0.005	
1660.0	1570.2	2.904	34.684	27.593	-160.78	23.256	149.75	-17.48	37.0	0.005	0.005	
1680.0	1589.0	2.747	34.684	27.593	-166.55	23.256	149.75	-18.45	37.0	0.005	0.005	
1700.0	1607.8	2.310	34.684	27.593	-172.32	23.256	149.75	-19.42	37.0	0.005	0.005	
1720.0	1626.6	1.175	34.684	27.593	-178.09	23.256	149.75	-20.39	37.0	0.005	0.005	
1740.0	1645.4	1.594	34.684	27.593	-183.86	23.256	149.75	-21.36	37.0	0.005	0.005	
1760.0	1664.2	2.904	34.684	27.593	-189.63	23.256	149.75	-22.33	37.0	0.005	0.005	
1780.0	1683.0	2.747	34.684	27.593	-195.40	23.256	149.75	-23.30	37.0	0.005	0.005	
1800.0	1701.8	2.31										

SHIP : MPPS COOK - Pleasure
 STATION NUMBER : 6 (TWO FOR THE CRUISE)
 STATION NUMBER : 6 (THREE FOR THE YEAR)
 DATE : 17-FEB-1967 (DAY NUMBER 43)
 START TIME : 0900 GRT + 2
 CRUISE : 8/67
 POSITION : 34°40.00S 153°56.00E
 LAST DEPTH : METRES
 BOTTOM DEPTH : 4660 METRES

PRESS DEPTH TEMP SAL SIGHT-T STA C.A. Sound Pot.Temp

0.0	0.0	23.209	35.590	24.322	359.33	0.000	150.71	23.21	11	0.005	0.015
10.0	9.9	23.121	35.501	24.341	357.09	0.359	150.53	23.12	11	0.043	0.042
20.0	19.9	22.872	35.441	24.398	352.89	0.714	150.02	22.87	10	0.099	0.105
30.0	29.8	22.655	35.350	24.471	346.39	1.064	150.24	22.53	50	0.144	0.268
40.0	39.7	20.501	35.151	25.149	346.06	1.390	152.53	20.54	53	0.783	0.703
50.0	49.6	18.944	35.514	25.148	255.99	1.671	151.75	18.94	53	0.215	0.250
60.0	59.6	18.203	35.559	25.651	234.04	1.916	151.96	18.19	54	0.153	0.147
70.0	69.5	17.770	35.520	25.752	225.25	2.147	151.66	17.69	60	0.142	0.223
80.0	79.4	17.249	35.591	25.101	218.76	2.369	151.40	17.22	55	0.215	0.244
90.0	89.3	16.856	35.542	22.457	206.53	2.562	151.60	16.57	50	0.184	0.216
100.0	99.3	15.151	35.727	35.343	196.03	1.944	151.14	15.71	47	0.240	0.257
110.0	119.1	14.495	35.308	26.120	172.77	3.152	150.75	14.46	50	0.090	0.092
120.0	139.3	13.977	35.271	24.244	165.94	3.490	150.23	13.89	55	0.076	0.083
130.0	158.6	13.360	35.192	26.469	159.45	3.816	150.80	13.34	46	0.096	0.098
140.0	178.6	12.992	35.133	24.194	157.17	4.132	150.83	12.97	31	0.076	0.093
150.0	198.5	12.663	35.117	24.364	152.81	4.441	150.14	12.65	30	0.034	0.030
160.0	218.3	12.116	35.047	24.594	146.74	4.745	150.55	12.12	32	0.071	0.039
170.0	238.1	11.572	34.528	24.614	147.09	5.040	149.95	11.54	51	0.167	0.166
180.0	258.0	11.047	34.554	25.733	136.74	5.322	149.41	10.01	32	0.029	0.046
190.0	277.8	10.730	34.510	24.761	133.75	5.592	149.72	10.70	27	0.019	0.019
200.0	297.6	10.501	34.491	26.078	132.24	5.859	149.08	10.47	37	0.038	0.044
210.0	317.5	10.233	34.462	26.365	129.59	6.123	149.45	10.19	32	0.017	0.015
220.0	337.3	10.009	34.431	26.308	130.21	6.383	149.14	10.03	32	0.054	0.061
230.0	357.1	9.845	34.422	26.828	127.49	6.641	149.57	9.80	33	0.010	0.009
240.0	376.9	9.613	34.778	26.844	127.34	6.896	149.58	9.57	26	0.049	0.048
250.0	396.7	9.393	34.750	26.264	125.30	7.149	149.57	9.36	36	0.028	0.032
260.0	416.6	9.120	34.719	26.878	124.44	7.399	149.87	9.07	31	0.046	0.044
270.0	436.4	8.845	34.633	26.395	123.04	7.646	149.13	8.80	32	0.050	0.052
280.0	456.2	8.592	34.665	26.321	120.76	7.899	149.52	8.54	30	0.035	0.040
290.0	476.0	8.353	34.611	26.393	119.51	8.129	149.47	8.20	31	0.077	0.082
300.0	495.8	7.974	34.601	26.398	116.30	8.364	149.45	7.97	34	0.059	0.055
310.0	515.6	7.543	34.570	27.021	111.85	8.932	149.49	7.36	30	0.025	0.023
320.0	535.4	7.265	34.567	27.043	110.22	9.496	149.66	7.19	30	0.006	0.005
330.0	553.8	6.925	34.539	27.500	107.62	10.581	149.50	6.76	32	0.012	0.012
340.0	572.7	6.695	34.547	27.149	101.31	11.626	149.08	11.26	59	0.205	0.333
350.0	591.6	5.330	34.501	27.527	92.11	12.595	149.50	5.25	29	0.012	0.005
360.0	610.4	4.764	34.506	27.311	85.07	13.490	149.26	4.64	22	0.155	0.152
370.0	629.3	4.112	34.530	27.374	79.37	14.108	148.05	4.23	29	0.016	0.014
380.0	648.1	3.589	34.546	27.428	74.89	15.077	148.42	3.90	30	0.008	0.005
390.0	667.0	3.049	34.546	27.428	68.61	15.797	149.26	3.47	21	0.011	0.011
400.0	686.8	2.595	34.591	27.512	64.65	16.461	149.62	3.19	30	0.014	0.012
410.0	705.6	2.169	34.609	27.564	61.22	17.091	148.47	2.95	21	0.012	0.012
420.0	724.4	1.790	34.645	27.621	55.90	17.674	149.04	2.60	30	0.005	0.003
430.0	743.2	1.466	34.611	27.643	51.95	18.220	148.09	2.20	30	0.010	0.007
440.0	774.9	1.174	34.670	27.663	52.13	18.757	149.32	2.41	28	0.000	0.004
450.0	793.7	8.207	34.658	27.669	49.76	19.266	149.13	2.27	30	0.005	0.000



SHIP : HMAS COOK - Plessey
 STATION NUMBER : 7 (THROUGH THE CRUISE)
 STATION NUMBER : 7 (THROUGH THE YEAR)
 DATE : 12-FEB-1987 (DAY NUMBER 43)
 START TIME : 1157 CHT - Z
 CRUISE : CR18/87
 POSITION : 35°14'.00S 156°02.00E
 CAST DEPTH : METRES
 BOTTOM DEPTH : 4775 METRES

PRESSURE	DEPTH	TIDE	SIGMA-T	SVA	G.A.	Sound	Pot.Temp				
10.0	9.9	22.373	35.654	24.611	332.23	0.332	1528.71	-22.37	58.0	0.041	0.042
20.0	19.2	22.335	35.654	24.611	330.62	0.663	1528.83	-22.33	46.0	0.070	0.078
30.0	29.8	22.285	35.646	24.630	331.17	0.394	1528.73	-23.28	59.0	0.082	0.124
40.0	39.7	21.777	35.654	24.719	317.32	1.319	1527.63	-21.77	46.0	0.033	0.059
50.0	49.6	22.760	35.644	24.791	316.50	1.636	1527.79	-21.75	52.0	0.080	0.095
60.0	59.6	21.046	35.578	24.925	304.11	1.346	1525.71	-19.03	45.0	0.113	0.560
70.0	69.5	19.561	35.629	25.358	263.13	1.229	1521.99	-19.55	63.0	0.145	0.111
80.0	79.4	19.357	35.631	25.412	256.31	1.490	1520.62	-18.34	50.0	0.105	0.109
90.0	89.3	18.928	35.627	25.520	246.34	2.744	1520.55	-18.91	59.0	0.133	0.132
100.0	99.2	18.479	35.609	25.630	246.20	2.967	1519.32	-18.43	70.0	0.172	0.186
120.0	119.1	17.300	35.572	25.981	216.81	3.443	1516.58	-17.17	71.0	0.221	0.223
140.0	138.9	16.346	35.503	26.055	199.79	3.658	1513.73	-16.33	62.0	0.143	0.131
160.0	158.8	15.161	35.460	26.138	191.42	4.148	1512.60	-15.63	59.0	0.040	0.030
180.0	178.6	15.469	35.414	26.198	186.24	4.268	1511.64	-15.46	43.0	0.045	0.046
200.0	198.5	15.079	35.409	26.286	179.01	4.391	1510.75	-15.01	46.0	0.049	0.053
220.0	218.3	14.346	35.316	26.358	171.01	5.143	1508.75	-14.34	44.0	0.133	0.147
240.0	238.1	13.809	35.287	26.450	163.59	5.678	1507.39	-13.77	39.0	0.032	0.029
260.0	258.0	13.710	35.351	26.519	157.80	5.999	1507.54	-13.64	40.0	0.061	0.102
280.0	277.8	13.519	35.335	26.547	155.36	6.112	1507.23	-13.48	47.0	0.035	0.037
300.0	297.6	13.276	35.372	26.573	153.32	6.421	1506.75	-13.23	44.0	0.033	0.041
320.0	317.4	13.008	35.281	26.631	150.11	6.724	1506.23	-12.96	79.0	0.043	0.040
340.0	337.3	12.834	35.261	26.631	146.66	7.222	1505.90	-12.79	36.0	0.024	0.016
360.0	357.1	12.554	35.210	26.646	147.55	7.519	1505.75	-12.50	32.0	0.067	0.013
380.0	376.9	12.131	35.139	26.672	145.32	7.811	1504.69	-12.08	31.0	0.079	0.100
400.0	396.7	11.567	35.046	26.710	141.88	8.099	1502.40	-11.52	33.0	0.076	0.095
420.0	416.5	11.240	34.971	26.710	142.08	8.481	1501.66	-11.19	26.0	0.093	0.109
440.0	436.4	10.795	34.911	26.743	139.02	8.461	1500.23	-10.74	27.0	0.083	0.086
460.0	456.2	10.429	34.875	26.780	135.79	8.936	1499.27	-10.37	33	0.052	0.064
480.0	476.0	10.081	34.824	26.805	133.45	9.205	1498.28	-10.02	29	0.040	0.036
500.0	495.8	9.845	34.801	26.823	131.96	9.470	1497.73	-9.79	31	0.041	0.039
550.0	545.3	9.237	34.734	26.874	127.57	10.119	1496.32	-9.18	39	0.026	0.023
600.0	594.8	8.722	34.673	26.907	124.80	10.752	1495.14	-8.64	29	0.036	0.034
700.0	691.8	7.717	34.601	27.003	116.19	11.957	1492.96	-7.65	25	0.011	0.007
800.0	792.7	6.949	34.543	27.067	110.58	13.096	1491.55	-6.87	31	0.027	0.032
900.0	891.5	6.193	34.517	27.147	103.04	14.159	1490.21	-6.11	37	0.018	0.021
1000.0	990.4	5.424	34.491	27.224	95.46	15.158	1488.78	-5.34	26	0.025	0.019
1100.0	1099.2	4.795	34.491	27.297	88.22	16.073	1487.05	-4.70	32	0.031	0.027
1200.0	1187.9	4.265	34.514	27.372	80.06	16.916	1487.36	-4.17	44	0.011	0.004
1300.0	1286.6	3.823	34.517	27.437	74.43	17.692	1487.18	-3.72	39	0.013	0.010
1400.0	1385.3	3.491	34.562	27.493	69.02	18.406	1487.46	-3.19	35	0.009	0.006
1500.0	1483.8	3.125	34.593	27.544	61.87	19.058	1487.85	-1.07	35	0.013	0.008
1600.0	1582.3	2.927	34.617	27.566	59.67	19.643	1488.47	-2.81	41	0.007	0.005
1700.0	1640.6	2.725	34.641	27.624	56.02	20.264	1489.31	-2.60	31	0.000	0.000
1800.0	1739.3	2.543	34.659	27.652	53.27	20.812	1490.31	-2.43	36	0.003	0.005
1900.0	1827.7	2.454	34.672	27.672	51.20	21.335	1491.53	-2.33	39	0.004	0.003
2000.0	1976.1	2.360	34.686	27.691	49.86	21.839	1492.72	-2.23	23	0.001	0.000

SHIP : HMAS COOK - Plessey
 STATION NUMBER : 8 (THROUGH THE CRUISE)
 STATION NUMBER : 8 (THROUGH THE YEAR)
 DATE : 13-FEB-1987 (DAY NUMBER 44)
 START TIME : 0640 CHT - Z
 CRUISE : CR18/87
 POSITION : 35°14'.00S 157°58'.00E
 CAST DEPTH : METRES
 BOTTOM DEPTH : 4707 METRES

PRESSURE	DEPTH	TIDE	SIGMA-T	SVA	G.A.	Sound	Pot.Temp				
0.0	3.0	22.373	35.666	24.711	332.30	0.000	1527.81	-22.05	2	0.000	0.004
10.0	10.0	22.009	35.652	24.712	332.56	0.322	1527.78	-22.01	45	0.047	0.064
20.0	19.0	21.859	35.657	24.758	318.52	0.643	1527.55	-21.06	52	0.013	0.011
30.0	29.0	21.634	35.655	24.763	318.41	0.961	1527.68	-21.03	50	0.009	0.010
40.0	39.0	20.777	35.454	24.903	305.27	1.273	1524.44	-20.77	49	0.010	0.007
50.0	49.6	19.371	35.461	25.557	243.43	1.548	1517.75	-19.27	52	0.535	0.667
60.0	59.6	17.298	35.502	25.824	217.87	1.778	1515.25	-17.29	49	0.249	0.254
70.0	69.5	16.621	35.508	25.967	203.19	1.999	1513.48	-16.62	46	0.135	0.121
80.0	79.4	16.156	35.474	26.077	194.87	2.198	1512.25	-16.14	64	0.100	0.100
90.0	89.3	15.647	35.466	26.183	185.00	2.378	1510.89	-15.63	49	0.102	0.093
100.0	99.2	15.263	35.431	26.247	179.33	2.560	1509.95	-15.25	52	0.122	0.122
120.0	119.1	14.599	35.391	26.363	168.77	2.907	1508.16	-14.58	57	0.089	0.084
140.0	139.0	14.179	35.356	26.432	162.71	3.230	1507.16	-14.16	47	0.070	0.079
160.0	158.8	13.761	35.316	26.463	159.50	3.559	1506.12	-13.74	56	0.060	0.064
180.0	178.6	13.321	35.256	26.523	154.96	3.871	1504.98	-13.30	34	0.055	0.061
200.0	198.5	12.984	35.209	26.544	152.93	4.170	1504.24	-12.99	28	0.068	0.093
220.0	218.3	12.503	35.142	26.602	146.12	4.479	1502.81	-12.47	33	0.040	0.044
240.0	238.1	12.264	35.134	26.643	146.71	4.772	1502.35	-12.23	34	0.024	0.021
260.0	257.9	11.857	35.071	26.672	142.42	5.041	1501.22	-11.82	31	0.029	0.038
280.0	277.8	11.564	35.031	26.699	140.30	5.314	1500.50	-11.53	33	0.050	0.051
300.0	297.6	11.200	35.076	26.719	136.29	5.622	1499.49	-11.16	36	0.075	0.085
320.0	317.4	10.697	34.903	26.755	135.18	5.897	1497.97	-10.66	30	0.067	0.065
340.0	337.2	10.335	34.835	26.787	132.37	6.165	1497.00	-10.29	29	0.056	0.047
360.0	357.1	9.972	34.813	26.836	130.18	6.427	1496.32	-10.02	31	0.051	0.052
380.0	376.9	9.772	34.807	26.842	127.82	6.685	1495.59	-9.73	32	0.024	0.023
400.0	396.7	9.546	34.764	26.889	127.36	6.940	1495.04	-9.50	32	0.068	0.021
420.0	416.5	9.249	34.736	26.873	125.11	7.192	1494.28	-9.20	31	0.029	0.029
440.0	436.3	8.943	34.717	26.893	123.74	7.441	1493.82	-8.99	30	0.040	0.036
460.0	456.1	8.672	34.691	26.914	121.58	7.646	1493.06	-8.71	29	0.028	0.029
480.0	475.9	8.312	34.641	26.921	121.05	7.918	1492.40	-8.46	32	0.066	0.059
500.0	495.8	8.277	34.647	26.955	117.99	8.					

SHIP : RMS COOK - Primary
 STATION NUMBER : 9 (THROUGH THE CRUISE)
 STATION NUMBER : 9 (THROUGH THE YEAR)
 DATE : 13-FEB-1987 (DAY NUMBER 44)
 START TIME : 1300 CHT - Z
 CRUISE : C08/87
 POSITION : 36-09'00S 159-02'00E
 CAST DEPTH : METRES
 BOTTOM DEPTH : 5089 METRES

PRESS. DEPTH TEMP SAL SIGMA-T SVA G.A. Sound Pot.Temp

10.0	9.9	22.364	35.647	24.603	322.99	0.313	1526.76	22.38	37 0.004 0.005
20.0	22.0	22.365	35.648	24.603	333.09	0.666	1528.97	22.38	37 0.005 0.003
30.0	29.0	22.365	35.648	24.603	333.06	0.999	1529.08	22.38	37 0.004 0.005
40.0	39.7	22.365	35.649	24.600	334.40	1.331	1529.21	22.38	37 0.001 0.003
50.0	49.0	22.313	35.649	24.599	335.87	1.664	1529.14	22.32	44 0.108 0.157
60.0	59.0	21.021	35.649	24.599	309.27	1.991	1525.51	21.02	44 0.045 0.049
70.0	69.3	19.940	35.647	24.599	274.11	2.323	1521.02	19.93	53 0.162 0.153
80.0	79.0	19.940	35.647	24.599	262.02	2.551	1521.19	19.43	44 0.106 0.142
90.0	89.3	19.037	35.647	24.577	252.50	2.800	1520.80	19.02	44 0.103 0.098
100.0	99.3	16.763	35.621	25.601	244.72	3.051	1520.23	16.75	44 0.078 0.065
110.0	119.0	16.106	35.621	25.601	232.94	3.353	1519.89	16.12	56 0.062 0.094
120.0	129.0	17.055	35.621	25.601	217.37	3.657	1517.57	17.43	56 0.106 0.119
130.0	139.0	17.042	35.621	25.601	211.41	3.956	1516.20	17.02	57 0.058 0.077
140.0	149.0	17.042	35.621	25.601	201.68	4.259	1514.54	16.58	55 0.118 0.115
150.0	159.0	15.711	35.622	26.127	182.70	5.221	1512.64	15.49	53 0.128 0.156
160.0	169.0	15.093	35.601	26.126	161.38	5.594	1511.07	15.08	34 0.076 0.073
170.0	179.0	14.347	35.621	26.325	155.73	5.958	1510.15	14.67	32 0.054 0.060
180.0	189.0	14.347	35.621	26.325	151.04	6.321	1509.33	14.31	32 0.056 0.059
190.0	199.0	14.347	35.621	26.325	147.65	6.635	1508.41	13.93	35 0.104 0.111
200.0	209.0	14.347	35.621	26.419	141.15	6.944	1506.25	13.40	39 0.065 0.085
210.0	219.0	14.347	35.621	26.419	136.37	7.382	1505.54	12.89	37 0.081 0.079
220.0	229.0	14.347	35.621	26.595	152.88	7.791	1505.70	12.55	32 0.059 0.080
230.0	239.0	14.347	35.621	26.618	150.05	7.994	1503.68	12.26	30 0.048 0.053
240.0	249.0	14.347	35.621	26.659	146.33	8.191	1502.77	11.78	31 0.060 0.060
250.0	259.0	14.347	35.621	26.659	146.33	8.191	1502.00	11.48	33 0.036 0.041
260.0	269.0	14.347	35.621	26.659	141.30	8.764	1501.19	11.15	34 0.079 0.084
270.0	279.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
280.0	289.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
290.0	299.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
300.0	309.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
310.0	319.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
320.0	329.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
330.0	339.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
340.0	349.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
350.0	359.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
360.0	369.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
370.0	379.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
380.0	389.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
390.0	399.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
400.0	409.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
410.0	419.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
420.0	429.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
430.0	439.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
440.0	449.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
450.0	459.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
460.0	469.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
470.0	479.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
480.0	489.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
490.0	499.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
500.0	509.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
510.0	519.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
520.0	529.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
530.0	539.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
540.0	549.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
550.0	559.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
560.0	569.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
570.0	579.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
580.0	589.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
590.0	599.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
600.0	609.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
610.0	619.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
620.0	629.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
630.0	639.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
640.0	649.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
650.0	659.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
660.0	669.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
670.0	679.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
680.0	689.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
690.0	699.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
700.0	709.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
710.0	719.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
720.0	729.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
730.0	739.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
740.0	749.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
750.0	759.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
760.0	769.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
770.0	779.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
780.0	789.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
790.0	799.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
800.0	809.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
810.0	819.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
820.0	829.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
830.0	839.0	14.347	35.621	26.710	141.30	8.764	1501.19	11.15	34 0.079 0.084
840.0	849.0	14.347	35.621	26.710	141.30</				

SHIP : HMS COOK - Plessey
 STATION NUMBER : 11. (THROUGH THE CRUISE)
 STATION NUMBER : 11. (THROUGH THE YEAR)
 DATE : 14-FEB-1987 (DAY NUMBER 45)
 START TIME : 2216 CHT - Z
 CRUISE : CR8/87
 POSITION : 37116.00S 16441.00E
 CAST DEPTH : METRES
 BOTTOM DEPTH : 3030 METRES

PRESS	DEPTH	TEMP	SAL	SIGMA-T	SWA	G.A.	Sound	Pot.Temp		
10.0	9.9	20.196	35.527	25.113	284.34	0.284	1522.81	20.19	37 0.005 0.005	
20.0	19.9	20.193	35.528	25.113	284.74	0.569	1522.93	20.19	41 0.003 0.003	
30.0	29.8	20.189	35.523	25.112	285.19	0.854	1523.35	20.18	36 0.004 0.007	
40.0	39.7	19.677	35.523	25.164	280.51	1.137	1521.43	19.67	51 0.569 0.666	
50.0	49.6	17.975	35.449	25.623	237.11	1.395	1516.87	17.97	46 0.321 0.328	
60.0	59.5	16.924	35.449	25.994	211.79	1.620	1514.09	16.91	47 0.276 0.256	
70.0	69.5	16.030	35.452	26.150	193.31	1.822	1511.39	16.02	55 0.310 0.330	
80.0	79.4	15.267	35.446	26.275	175.94	2.007	1509.33	15.25	52 0.137 0.129	
90.0	89.3	14.926	35.470	26.352	168.95	2.179	1508.46	14.91	43 0.091 0.091	
100.0	99.2	14.647	35.461	26.406	164.08	2.344	1507.71	14.83	70 0.087 0.085	
120.0	119.1	14.290	35.435	26.475	157.96	2.667	1506.80	14.21	45 0.052 0.062	
140.0	139.0	13.843	35.380	26.515	154.72	2.980	1505.86	13.82	68 0.059 0.063	
160.0	158.0	13.532	35.313	26.543	152.51	3.287	1505.16	13.51	32 0.045 0.053	
180.0	178.0	13.233	35.289	26.570	150.39	3.594	1504.45	13.21	37 0.047 0.056	
200.0	198.4	13.015	35.264	26.595	148.45	3.800	1504.05	12.99	35 0.035 0.038	
220.0	218.0	12.704	35.213	26.618	146.76	4.183	1503.31	12.67	37 0.045 0.046	
240.0	238.0	12.357	35.160	26.645	144.53	4.474	1502.40	12.33	38 0.039 0.043	
260.0	257.0	12.072	35.114	26.645	143.06	4.763	1501.76	12.04	34 0.054 0.056	
280.0	277.7	11.813	35.075	26.643	141.66	5.047	1501.14	11.78	28 0.045 0.041	
300.0	297.5	11.495	35.029	26.707	139.70	5.328	1500.36	11.46	39 0.049 0.047	
320.0	317.4	11.215	34.982	26.723	138.55	5.604	1499.65	11.18	39 0.068 0.077	
340.0	337.2	10.861	34.936	26.751	136.12	5.881	1498.71	10.82	35 0.046 0.051	
360.0	357.0	10.610	34.904	26.771	134.49	6.151	1498.13	10.57	29 0.043 0.051	
380.0	376.0	10.379	34.882	26.795	132.57	6.418	1497.64	10.33	26 0.015 0.013	
400.0	396.0	10.107	34.840	26.809	131.00	6.682	1496.95	10.06	32 0.042 0.045	
420.0	416.5	9.823	34.797	26.823	130.25	6.944	1496.22	9.78	28 0.042 0.041	
440.0	436.3	9.521	34.767	26.851	127.80	7.203	1495.42	9.47	37 0.035 0.033	
460.0	456.1	9.240	34.735	26.871	126.09	7.456	1494.74	9.20	36 0.031 0.027	
480.0	475.9	9.011	34.711	26.890	124.49	7.707	1494.22	8.96	40 0.026 0.023	
500.0	495.7	8.832	34.681	26.895	124.16	7.955	1493.81	8.78	32 0.040 0.040	
520.0	514.2	8.613	34.657	26.937	120.64	8.565	1493.10	8.35	34 0.025 0.027	
540.0	534.6	8.413	34.632	26.955	117.47	9.159	1492.19	7.90	33 0.031 0.023	
560.0	554.7	7.945	34.612	26.975	117.47	9.159	1492.19	7.90	33 0.031 0.023	
580.0	574.3	7.182	34.566	27.051	110.81	10.303	1490.80	7.11	29 0.007 0.007	
600.0	592.5	6.452	34.529	27.122	104.11	10.381	1489.56	6.38	46 0.019 0.017	
620.0	611.3	5.907	34.521	27.151	1481.57	1.02	31 0.009 0.008			
640.0	630.1	5.792	34.496	27.182	96.92	12.399	1488.52	5.71	26 0.037 0.022	
660.0	649.0	5.107	34.492	27.260	91.37	13.147	1487.42	5.02	32 0.024 0.021	
680.0	668.0	4.585	34.509	27.331	84.40	14.225	1486.95	4.50	43 0.009 0.006	
700.0	687.6	4.054	34.516	27.395	78.14	15.037	1486.41	3.97	22 0.016 0.010	
720.0	706.3	3.686	34.547	27.458	72.02	15.791	1486.53	3.59	24 0.010 0.009	
740.0	725.0	3.195	34.580	27.512	66.82	16.496	1487.02	3.28	35 0.007 0.010	
760.0	743.5	3.180	34.597	27.557	62.97	17.131	1487.57	3.02	31 0.009 0.008	
780.0	762.1	3.067	34.631	27.591	59.18	17.740	1488.33	2.79	36 0.006 0.003	
800.0	780.0	1680.5	2.743	34.636	27.619	56.49	18.217	1489.20	2.62	40 0.008 0.004
820.0	819.0	1592.0	2.592	34.657	27.648	53.00	18.869	1490.33	2.46	30 0.005 0.004
840.0	809.0	1487.4	2.465	34.673	27.671	51.62	19.396	1491.49	2.31	32 0.004 0.000
860.0	801.0	1497.5	2.367	34.689	27.693	49.70	19.504	1492.77	2.22	39 0.006 0.005
880.0	791.0	1495.5	2.361	34.686	27.691	49.89	19.954	1492.87	2.22	25 0.000 0.004

SHIP : HMS COOK - Plessey
 STATION NUMBER : 12. (THROUGH THE CRUISE)
 STATION NUMBER : 12. (THROUGH THE YEAR)
 DATE : 14-FEB-1987 (DAY NUMBER 45)
 START TIME : 2216 CHT - Z
 CRUISE : CR8/87
 POSITION : 37116.00S 16441.00E
 CAST DEPTH : METRES
 BOTTOM DEPTH : 3030 METRES



PRESS	DEPTH	TEMP	SAL	SIGMA-T	SWA	G.A.	Sound	Pot.Temp	
10.0	9.9	19.182	35.373	25.261	270.31	0.270	1519.80	19.18	56 0.003 0.003
20.0	19.8	19.188	35.367	25.254	271.26	0.541	1519.97	19.18	54 0.003 0.004
30.0	29.8	19.177	35.356	25.249	272.07	0.813	1520.06	19.17	49 0.029 0.037
40.0	39.7	19.012	35.183	25.653	213.98	1.064	1511.28	17.01	49 0.089 0.053
50.0	49.6	18.975	35.149	25.623	237.11	1.395	1516.87	17.37	46 0.241 0.223
60.0	59.5	18.924	35.149	25.994	211.79	1.620	1514.09	16.91	47 0.276 0.256
70.0	69.5	18.030	35.149	26.090	193.31	1.822	1511.39	16.02	55 0.310 0.330
80.0	79.4	15.267	35.144	26.275	175.94	2.007	1509.33	15.25	52 0.137 0.129
90.0	89.3	14.926	35.170	26.352	168.95	2.179	1508.46	14.91	43 0.091 0.091
100.0	99.2	14.647	35.141	26.406	164.08	2.344	1507.71	14.83	70 0.087 0.085
120.0	119.1	14.290	35.135	26.475	157.96	2.667	1506.80	14.21	45 0.052 0.062
140.0	139.0	13.843	35.180	26.515	154.72	2.980	1505.86	13.82	68 0.059 0.063
160.0	158.0	13.532	35.313	26.543	152.51	3.287	1505.16	13.51	32 0.045 0.053
180.0	178.0	13.233	35.289	26.570	150.39	3.594	1504.45	13.21	37 0.047 0.056
200.0	198.4	13.015	35.264	26.595	148.45	3.800	1504.05	12.99	35 0.035 0.038
220.0	218.0	12.704	35.213	26.618	146.76	4.183	1503.31	12.67	37 0.045 0.046
240.0	238.0	12.357	35.160	26.645	144.53	4.474	1502.40	12.33	38 0.042 0.043
260.0	257.0	12.072	35.114	26.645	143.06	4.763	1501.76	12.04	34 0.054 0.056
280.0	277.7	11.813	35.075	26.643	141.66	5.047	1501.14	11.78	28 0.045 0.041
300.0	297.5	11.495	35.029	26.707	139.70	5.328	1500.36	11.46	39 0.049 0.047
320.0	317.4	11.215	34.982	26.723	138.55	5.604	1499.65	11.18	39 0.068 0.077
340.0	337.2	10.861	34.936	26.751	136.12	5.881	1498.71	10.82	35 0.046 0.051
360.0	357.0	10.610	34.904	26.771	134.49	6.151	1498.13	10.57	29 0.043 0.051
380.0	376.0	10.379	34.882	26.795	132.57	6.418	1497.64	10.33	26 0.015 0.013
400.0	396.0	10.107	34.840	26.809	131.00	6.682	1496.95	10.06	32 0.042 0.045
420.0	416.4	9.823	34.797	26.823	130.25	6.944	1496.22	9.78	28 0.042 0.041
440.0	436.3	9.521	34.767	26.851	127.80	7.203	1495.42	9.47	37 0.035 0.033
460.0	456.1	9.240	34.735	26.871	126.09	7.456	1494.74	9.20	36 0.031 0.027
480.0	475.9	9.011	34.711	26.890	124.49	7.707	1494.22	8.96	40 0.026 0.023
500.0	495.7	8.832	34.681	26.895	124.16	7.955	1493.81	8.78	32 0.040 0.040
520.0	514.2	8.413	34.657	26.937	120.64	8.565	1493.10	8.35	34 0.025 0.027
540.0	534.6	8.045	34.632	26.955	117.47	9.159	1492.19	7.90	33 0.031 0.023
560.0	554.7	7.745	34.612	26.975	117.47	9.159	1492.19	7.90	33 0.031 0.023

SHIP : HMAS COOK - PI-GRAY
 STATION NUMBER : 13 (THROUGH THE CRUISE)
 STATION NUMBER : 13 (THROUGH THE YEAR)
 DATE : 15-FEB-1987 (DAY NUMBER 46)
 SHIFT TIME : 0410 CHT - 2
 CRUISE : CP18/87
 POSITION : 36°19'.00S 166°14'.00E
 CAST DEPTH : METRES
 BOTTOM DEPTH : 2753 METRES

PRESSURE	DEPTH	TOWF	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
10.0	9.9	19.754	35.158	25.170	270.23	0.278	1521.49	19.75
10.0	19.8	19.644	35.063	25.204	276.02	0.555	1521.42	19.66
10.0	29.8	19.642	35.061	25.209	275.92	0.831	1521.54	19.64
10.0	39.7	19.943	35.311	25.275	269.99	1.104	1519.19	18.94
10.0	49.6	16.437	35.391	25.840	206.17	1.342	1512.25	16.43
10.0	59.5	15.557	35.417	26.171	195.30	1.538	1509.85	15.55
10.0	69.4	15.098	35.434	26.206	174.60	1.718	1508.67	15.09
10.0	79.3	14.610	35.464	26.170	166.86	1.889	1507.27	14.66
10.0	89.2	14.227	35.414	26.469	158.50	2.051	1506.29	14.21
100.0	99.1	14.044	35.410	26.095	155.47	2.208	1505.88	14.03
100.0	119.0	13.792	35.401	26.541	151.62	2.515	1505.42	13.77
100.0	138.9	13.626	35.378	26.559	150.51	2.817	1505.20	13.66
100.0	158.7	13.364	35.344	25.579	146.06	3.117	1504.70	13.38
100.0	178.6	13.259	35.328	26.595	146.04	3.414	1504.63	13.23
200.0	198.4	13.088	35.304	26.612	146.89	3.709	1504.32	13.08
200.0	218.2	12.947	35.292	26.630	145.65	4.003	1504.21	12.92
200.0	238.1	12.718	35.239	26.635	145.45	4.291	1503.68	12.69
200.0	257.9	12.398	35.201	26.670	142.69	4.580	1502.92	12.34
200.0	277.7	11.987	35.182	26.672	142.83	4.867	1501.67	11.95
300.0	297.5	11.663	35.077	26.714	139.18	5.148	1500.93	11.62
300.0	0.0	0.000	0.000	0.000	0.000	0.00	1500.32	0.02
300.0	300.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
350.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
380.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
400.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
420.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
440.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
460.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
480.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
500.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
550.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
600.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
700.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
800.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
900.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
1000.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
1100.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
1200.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
1300.0	0.0	0.000	0.000	0.000	0.000	0.00	0.000	0.00
1400.0	1341.0	3.232	34.572	27.520	65.60	16.332	1486.19	13.15
1400.0	1483.4	3.012	34.602	27.585	61.29	17.069	1486.84	2.96
1400.0	1581.3	2.808	34.622	27.606	57.41	17.651	1487.69	2.89
1400.0	1680.0	2.668	34.643	27.631	55.11	18.224	1489.74	2.54
1400.0	1778.6	2.533	34.563	27.657	52.72	18.761	1489.90	2.41
1400.0	1877.2	2.440	34.677	27.676	51.10	19.281	1491.21	2.31
1400.0	1975.5	2.347	34.685	27.691	49.75	19.787	1492.46	2.21
1400.0	2010.0	1985.4	2.336	34.685	27.692	49.69	19.837	1492.56


SHIP : HMAS COOK - PI-GRAY
 STATION NUMBER : 14 (THROUGH THE CRUISE)
 STATION NUMBER : 14 (THROUGH THE YEAR)
 DATE : 17-FEB-1987 (DAY NUMBER 46)
 SHIFT TIME : 1447 CHT - 2
 CRUISE : CP18/87
 POSITION : 36°19'.00S 166°14'.00E
 CAST DEPTH : METRES
 BOTTOM DEPTH : 2753 METRES

PRESSURE	DEPTH	TOWF	SAL	SIGMA-T	SVA	G.A.	Sound	Pot.Temp
10.0	9.9	18.737	35.427	25.416	255.54	0.255	1510.66	18.73
10.0	19.8	18.743	35.425	25.413	256.19	0.511	1510.79	18.74
10.0	29.8	18.735	35.420	25.411	256.71	0.768	1510.92	18.73
10.0	39.7	18.442	35.417	25.403	250.21	1.021	1510.21	18.44
10.0	49.6	18.216	35.394	25.383	223.98	1.258	1514.67	17.21
10.0	59.5	18.099	35.412	25.393	210.83	1.475	1513.34	16.69
10.0	69.4	18.293	35.387	25.378	203.91	1.681	1512.28	16.28
10.0	79.3	18.436	35.386	25.381	194.22	1.882	1511.04	15.82
10.0	89.2	18.210	35.372	25.313	182.15	2.070	1509.21	15.20
100.0	99.1	18.418	35.369	25.313	172.92	2.240	1508.28	14.80
100.0	119.0	18.263	35.379	25.424	161.87	2.581	1506.84	14.25
100.0	138.9	18.098	35.361	26.463	159.63	2.703	1506.66	14.07
100.0	158.7	18.949	35.371	26.496	158.04	3.221	1506.53	13.93
100.0	178.6	18.777	35.356	26.510	156.25	3.575	1506.28	13.75
200.0	198.4	18.633	35.349	26.534	154.51	3.946	1506.15	13.60
200.0	218.2	18.559	35.348	26.543	154.16	4.159	1506.20	13.53
200.0	238.1	18.407	35.319	26.558	153.23	4.463	1506.01	13.37
200.0	257.9	18.254	35.309	26.570	151.76	4.768	1505.95	13.22
200.0	277.7	18.163	35.293	26.586	151.56	5.071	1505.86	13.12
300.0	297.5	18.252	35.254	26.602	150.47	5.372	1505.45	12.91
300.0	317.3	18.753	35.232	26.623	146.88	5.671	1505.12	12.71
340.0	337.2	18.503	35.191	26.690	147.60	5.968	1504.56	12.46
360.0	357.0	18.178	35.132	26.656	146.36	6.263	1503.73	12.13
380.0	376.8	18.123	35.078	26.683	144.13	6.553	1502.78	11.77
400.0	396.6	18.097	35.031	26.711	141.70	6.839	1502.08	11.45
420.0	416.4	18.120	34.993	26.727	140.49	7.121	1501.37	11.18
440.0	436.2	18.100	34.943	26.749	138.54	7.400	1500.48	10.85
460.0	456.0	18.057	34.901	26.782	135.62	7.674	1499.66	10.48
480.0	475.8	18.049	34.891	26.790	135.25	7.945	1499.53	10.40
500.0	495.6	18.050	34.864	26.803	134.19	8.215	1499.12	10.19
550.0	545.1	9.722	34.815	26.856	129.76	8.876	1498.00	9.65
560.0	555.0	9.703	34.813	26.856	129.91	9.005	1498.10	9.64



SHIP : HMAS COOK - PELAGY
 STATION NUMBER : 15 (WINDSOR ONE CRUISE)
 STATION NUMBER : 15 (WINDSOR ONE YEAR)
 DATE : 18-FEB-1987 (DAY NUMBER 49)
 START TIME : 0918 GRT - 2
 CRUISE : CRUISE 47
 POSITION : 39°12.008' S 169°17.000' E
 CAST DEPTH : 500M
 BOTTOM DEPTH : 533 METERS

PRESSURE (DEPTH)	SAL	SIGMA-T	SUB	G.A.	SOUND SPEED	POT. TEMP
10.0	3.9	18.775	35.324	25.327	1533.95	0.064
20.0	19.8	18.770	35.358	25.355	1518.71	0.527
30.0	29.8	18.776	35.340	25.355	1522.34	0.788
40.0	39.7	18.786	35.355	25.349	1522.94	1.051
50.0	49.6	18.780	35.351	25.346	1523.39	1.314
60.0	59.5	18.591	35.308	25.361	1522.79	1.577
70.0	59.5	17.265	35.176	25.588	1521.05	1.828
80.0	79.4	15.822	35.211	25.951	1520.72	2.051
90.0	99.3	14.897	35.284	25.215	1519.92	2.247
100.0	99.2	14.124	35.320	24.366	1517.76	2.422
110.0	119.1	13.901	35.291	26.434	1511.84	2.750
120.0	138.9	13.650	35.334	26.528	1513.36	3.063
130.0	158.7	13.395	35.319	26.560	1510.81	3.364
140.0	178.4	13.113	35.283	26.590	149.50	3.667
150.0	198.4	12.113	35.245	26.605	147.98	4.263
160.0	218.2	12.890	35.202	26.628	146.35	4.557
170.0	237.9	12.625	35.202	26.625	147.07	4.851
180.0	277.7	12.455	35.187	26.647	145.43	5.143
190.0	297.5	12.222	35.124	26.651	145.38	5.434
200.0	317.3	12.201	35.105	26.671	143.84	5.723
210.0	337.1	11.814	35.052	26.666	144.77	6.011
220.0	357.0	11.552	35.021	26.690	142.75	6.299
230.0	376.8	11.194	34.965	26.714	140.79	6.583
240.0	396.6	10.980	34.938	26.730	139.52	6.863
250.0	416.4	10.560	34.876	26.759	136.96	7.140
260.0	436.2	10.284	34.850	26.786	134.59	7.413
270.0	456.0	10.128	34.831	26.799	133.87	7.681
280.0	475.8	9.798	34.769	26.822	131.64	7.947
290.0	495.7	9.569	34.772	26.844	129.54	8.077
					1496.15	9.13
						54 0.040 0.041



DISCUSSION

This report presents oceanographic data for three cruises made in summer in the south west Pacific ocean from 1984 to 1987. Winter data are to be presented as a separate report (Hamilton and Boyle, 1989). Detailed analyses are not made in these reports, but pointers are given to some of the main features of interest in the data. A more detailed analysis of some aspects of the surveys and the circulation of Antarctic Intermediate Waters may be found in Hamilton (1990). It should be noted that salinity data from the VCTOD probe used is not well calibrated, and was subject to large unexplained shifts between stations for cruise SEAMAP 3. The salinity data appears to be self consistent for cruise SEAMAP 5 but this cannot be stated with surety. Only Nansen data were taken on SEAMAP 1. Sources of additional data for each cruise are given when known, but a detailed search for other data sources has not been made. Investigations were being carried out west of North Island, New Zealand by several organisations, including New South Wales University (Dr Jason Middleton) which may have obtained data during the SEAMAP cruise periods, particularly from CTD and current meters.

ACKNOWLEDGEMENTS

Data logging, winch operations and station keeping were controlled by HMAS COOK naval staff, and bridge watchkeepers made the wind and sea state observations given in this report. The bulk of the CTD data processing programs were written by Dr N. White, and were made available to RANRL by CSIRO Marine Laboratories Hobart. This generous assistance is much appreciated. Some of the drawings for SEAMAP Survey Five were prepared by Mr S. Penfold, with Mrs Pat Vlaming the tracer for the majority of diagrams. Mr Martin Zile of Hydrographic Office North Sydney and Dr Mark Irving of Maritime Systems Division provided useful information on reading and decoding the VCTOD data from the HMAS Cook data logger tapes. Task Manager of Project SEAMAP is Dr M.V. Hall.

REFERENCES

No.	Author	Title
1	Brodie, J.W.	"Coastal surface currents around New Zealand". NZ Jour. Geol. and Geophys. 3(2) pp.235-252, 1960
2	Bryden, H.L.	"New Polynomials For Thermal Expansion, Adiabatic Temperature Gradient and Potential Temperature of Sea Water". Deep- Sea Res., 20, pp.401-408, 1973
3	Chen, C.T. and Millero, F.J.	"Speed of Sound iIn Seawater at High Pressures". J. Acoust. Soc. of Amer., 62 (5), pp.1129-1135, 1977
4	Fofonoff, N.P. and Millard, R.C.	"Algorithms For Computation of Fundamental Millard Properties of Seawater". UNESCO Technical Papers in Marine Science 44, 1983
5	Fofonoff, N.P., Hayes, S.P. and Millard, R.C.	"W.H.O.I/Brown CTD Microprofiler: Methods of and Calibration and Data Handling". Technical Report WHOI-74-89 Woods Hole Oceanographic Institution, Woods Hole, Massachusetts USA 02543, 1974
6	Hamilton, L.J.	"RANRL Oceanographic Station Computing Programs for Desktop Computer Usage (U)". RANRL Technical Memorandum (Internal) No. 9/82. Unpublished document, 1982 (Based on May, 1969)
7	Hamilton, L.J.	"HMAS COOK's VCTOD - Static Calibration and Performance (August to November 1985)". RANRL Technical Memorandum No. 8/86, 1986
8	Hamilton, L.J.	"Temperature Inversions at Intermediate Depths in The Antarctic Intermediate Water of the South-West Pacific". (To appear Aust. Jour. Mar. Freshw. Res. 41 (2)), 1990
9	Hamilton, L.J. and Boyle, J.A.	"Oceanographic Data Report for South- West Pacific Cruises in the SEAMAP series. Part 2 : Winter Survey Data". WSRL Technical Memo. No. 15/89. (in press), 1989

- 10 Heath, R.A. "A Review of the Physical Oceanography of the Seas Around New Zealand - 1982". New Zealand Journal of Marine and Freshwater Research, Vol. 19, pp.79-124, 1985
- 11 Henin, C., Guillern, J-M. and Chabert, L. "Circulation Superficielle Autour de la Nouvelle-Caledonie". Oceanogr. trop. 19 (2): pp.113-126, 1984
- 12 Lewis, E.L. "The Practical Salinity Scale and Its Antecedents". IEEE Journal of Oceanic Engineering, Vol.OE-5, No.1, January 1980
- 13 Major, G.A., Dal Pont, G., Klye, J. and Newell, B. "Laboratory Techniques in Marine Chemistry; A Manual". CSIRO Aust. Div. Fish. Oceanogr. Rep. 51, 1972
- 14 May, R.L. Computing Programs No. 12, Hydrographic Data Processing. Horace Lamb Centre for Oceanographical Research. Flinders University of South Australia, Bedford Park, South Australia 5042, 1969
(Note: These programs contain errors)
- 15 Millard, R.C. "CTD Calibration and Data Processing Techniques at WHOI Using the 1978 Practical Salinity Scale". Proceedings International STD Conference and Workshop, 1982
- 16 Millero, J.M. and Poisson, A. "International One-atmosphere Equation of Sea Sea-water". Deep-Sea Research. Vol. 28 A No. 6. pp.625-629.
(Errata - Deep-Sea Research (1982) Vol.29, No.2A, pp.284), 1981
- 17 Millero, J., Chen, C., Bradshaw, A. and Schleicher, K. "A New High Pressure Equation of State for Sea-water". Deep-Sea Research, Vol.27A, pp.255-264, 1980
- 18 Nilsson, C.S. and Cresswell, G.R. "The Formation and evolution of East Australian Current Warm-Core Eddies". Progress in Oceanography Vol. 9, pp.133-183, 1981

- 19 Pearce, A.F. "Temperature-Salinity Relationships in the Tasman Sea". CSIRO Division of Fisheries and Oceanography Report 135, 1981
- 20 Pickard, G.L. and Emery, W.J. "Descriptive Physical Oceanography". Pergamon Press, 1982
- 21 - "Instruction Manual For Obtaining Oceanographic Data". United States Naval Oceanographic Office, Washington DC. 20390, Publication No. 607, third edition, 1968
- 22 Reid, J.L. "On the Total Geostrophic Circulation of the South Pacific Ocean: Flow Patterns, Tracers, and Transport". Progress in Oceanography Vol.16, No.1, 1986
- 23 Saunders, P.M. "Practical Conversion of Pressure to Depth". Journal of Physical Oceanography, Vol.11, pp.573-574, 1981
- 24 Scott, B.D. "Hydrological Structure and Phytoplankton Distribution in the Region of a Warm-Core Eddy in the Tasman Sea". Aust. J. Mar. Freshwater Res. No. 32, pp.479-492, 1981
- 25 Stanton, B.R. "Bibliography of the Physical Oceanography of the Tasman and Coral Seas, to 1974". Miscellaneous Publication 66, New Zealand Oceanographic Institute, DSIR, Wellington, New Zealand, 1975
- 26 Sverdrup, H.U. "Note on the Correction of Reversing Thermometers". Journal of Marine Research, Vol.6, No.2, pp.136-138, 1947

- 27 Warren, B.A. General circulation of the South Pacific. In: 'Scientific Exploration of the South Pacific', W.S. Wooster ed. Symposium held during ninth général meeting of the Scientific Committee on Oceanic Research (SCPR), June 18 to 20, 1968 at La Jolla, CA. National Academy of Sciences, Washington D.C., pp.50-59, 1970
- 28 Wilson, W.D. "Equation for the Speed of Sound in Sea-water". Journal of the Acoustical Society of America, Vol.32, No.10, pp.1357, 1960
- 29 Wust, G. "Thermometric Measurement of Depth". Hydrog. Rev. 10(1) : pp.28-49, 1933
- 30 Wyrtki, K. "The Surface Circulation in the Coral and Tasman Seas". Technical paper No.8. Division of Fisheries and Oceanography. CSIRO Australia, 1960
- 31 Wyrtki, K. "The Subsurface Water masses In the Western South Pacific Ocean". Australian Journal of Marine and Freshwater Research, Vol.13: pp.18-47, 1962

APPENDIX I

**PARAMETERS CONTINUOUSLY RECORDED ON THE HMAS COOK HP1000
DATA LOGGER**

PARAMETER	INSTRUMENT	SAMPLING RATE
Time	Clock	0.1 s
Position Fix	Satnav	10 s
Ship's Heading	Gyro Compass	1 s
Ship's Speed	Electromagnetic Log	1 s
Der. h	SNBESS	1 s to 1 min *
Der. h	AN/UQN-4 (BBES)	0.1 s to 1 min *
Sea Velocity	VCTOD Instrument Package	1.66 Hz *
Conductivity	(Plessey)	
Temperature		
Oxygen content		

* Sensor data referred to in this report.

PARAMETERS CONTINUOUSLY RECORDED ON THE HMAS COOK HP1000 DATA LOGGER

PARAMETER	INSTRUMENT	SAMPLING INTERNAL LOGGING
Pitch	Gyrocompass	0.2 s
Roll	Gyrocompass	0.2 s
Atmosphere Pressure	BUMET	10 s
Wind Speed	Anemometer	1 s *
Wind Direction	Vane	1 s *
Wave Height	Datawell Waverider buoy	0.1 s
Air temp (dry bulb) Port and Stbd	BUMET	3 s
Air temp (wet bulb) Port and Stbd		
Global short wave Radiation	BUMET	30 s

* Sensor data referred to in this report.

PARAMETERS CONTINUOUSLY RECORDED ON THE HMAS COOK HP1000 DATA LOGGER

PARAMETER	INSTRUMENT	SAMPLING INTERNAL LOGGING
Downward Radiation & Air temp	BUSET	30s
Sea Surface Temp (Upper)	(Plessey)	10s *
Sea Surface Temp/Salinity	Thermo-Salinograph (Plessey)	10s *
Sea Surface Temp duplicated (Lower)	BUSET	10s *
Bathy-thermograph (XBT)	Sippican Expendable	0.1s *

Dead reckoning to be calculated from last SATNAV fix plus gyro/log inputs, and allowing for regularly updated correction. The drift correction ideally be able to be made retrospectively to update DR positions. Alternatively, updated drift correction from previous period to be used for period between fixes.

APPENDIX II

LIST OF PUBLICATIONS FOR SEAMAP DATA TYPES NOT COVERED BY THIS REPORT

- 1 Baker, E.K.,
Harris, P.T.,
Hubble, T.C.T.,
Jenkins, C.J.,
Keene, J.B.,
Manning, P.B.,
Packham, G.H.,
Pritchard, T.R.,
Schneider, P.M. and
Tate, P.M.
"Geological and Geophysical Results of the HMAS
'Cook' SEAMAP Cruise 1-86: Tasman Sea and
Polynesia".
Univ. Syd. Ocean Sci. Inst. Rep.30, p.32, 1988
- 2 Baker, E.K.,
Harris, P.T., and
Packham, G.H.
"Physical Properties of Sediment Sub-Samples From
Cores Collected in the Tasman Sea and Polynesia
During the 'SEAMAP' Program, 1985-87".
Report No.31, Ocean Sciences Institute,
University of Sydney, 1989
- 3 Hall M. and
Bell, M.J.
"SEAMAP 1 Data Report: Volume Backscattering in
the Tasman Sea and the West South Pacific Ocean".
RANRL Technical Note No.2/86, 1986
- 4 Harris, P.T.,
Jenkins, C.J.,
Packham, G.H.,
Baker, E.K.,
Pritchard, G.H.,
Schneider, P.M., and
Manning, P.B.
"Geophysical and Geological Results of the HMAS
'COOK' SEAMAP Cruise 12-87:
Tasman Sea and Polynesia".
Report No.26, Ocean Sciences Institute,
University of Sydney, 1987
- 5 Hubble, T.C.T.,
Robson, A.D.,
Jenkins, C.J.,
Garces, J. and
Packham, G.H.
"Geophysical and Geological Results of the
COOK 17-86 (SEAMAP 4) Cruise: Sydney to
Cook Strait".
Report No.24, Ocean Sciences Institute,
University of Sydney, 1987
- 6 Jenkins, C.J..(1985)
"Geological/geophysical results of the SEAMAP 1
(COOK 1/84) Cruise, with Derived Geoacoustic
Models: South Tasman Sea and New Zealand
Regions".
Ocean Sciences Institute Report No.13, 1985

- 7 Jenkins, C.J.: "Geophysical Survey Crossings of 'SEAMAP' Tracks in the Tasman Sea: Bureau of Mineral Resources Data". Report No.19, Ocean Sciences Institute, University of Sydney, 1986
- 8 Jenkins, C.J., Coleman, R., Keene, J.B., Pritchard, T.R., Manning, P.B. and Schneider, P.M. "Geophysical/Geological Results of 'COOK' SEAMAP 6-85 Cruise: South Tasman Sea and southwest Pacific Ocean". Report No.20, Ocean Sciences Institute, University of Sydney, 1986
- 9 Jenkins, C.J., Keene, J.B., Pritchard, T.R. and Schneider, P.M. "Seafloor Photography in the Tasman Sea: Results of the 1985 Sydney University/HMAS COOK program". Report No.8, Ocean Sciences Institute, University of Sydney, 1986.

Ocean Sciences Institute (University of Sydney) publications listed were prepared under contract for Ocean Sciences Group, Maritime Systems Division, WSRL.

DISTRIBUTION LIST

	No. of copies
Defence Science and Technology Organisation	
Chief Defence Scientist	1
First Assistant Secretary Science Policy	1
Director General Science and Technology Programs	
Counsellor, Defence Science, London	Cnt Sht Only
Counsellor, Defence Science, Washington	Cnt Sht Only
Defence Science Representative, Bangkok	Cnt Sht Only
Defence Adviser, Defence Research Centre, Kuala Lumpur	Cnt Sht Only
Weapons Systems Research Laboratory	
Director, Weapons Systems Research Laboratory	1
Chief, Maritime Systems Division	1
Head, Marine Studies Composite	1
Head, Ocean Sciences Group (Dr. M. Hall)	1
Head, Sonar Surveillance Group	1
Dr I.S.F. Jones	1
Dr D.J. Kewley, Underwater Detection Group	1
Dr M.W. Lawrence	1
Dr P.J. Mulhearn	1
Mr B.D. Scott	1
Authors	2

Maritime Systems Division (Sydney)

Master Copy	1
Other	16
Libraries and Information Services	
Librarian, Technical Reports Centre, Defence Central Library, Campbell Park	1
Document Exchange Centre, Defence Information Services and Science Liaison Branch for:	
Microfiche copying then destruction	1
United Kingdom, Defence Research Information Centre	2
United States, Defense Technical Information Center	12
Canada, Director, Scientific Information Services	1
New Zealand, Ministry of Defence	1
National Library of Australia	1
Main Library, Defence Science and Technology Organisation Salisbury	2
Library, Australian Defence Force Academy	2
Library, DSD, Melbourne	1
Library, Defence Science and Technology Organisation, Sydney	2
Department of Defence	
Director of Departmental Publications	1
Joint Intelligence Organisation (DSTI)	1
Navy Office	
Navy Scientific Adviser	1
Navy Office Directorates	
Hydrographer	1

DOM	1
DUW	1
Navy Establishments	
OSO (Hydrographic Office)	1
AODC (Hydrographic Office)	2
CO HMAS COOK	2
Naval Weather Centre, NAS Nowra	2
Applied Oceanography Section, AJMWC, NAS Nowra	2
Deputy Director, RAN Surface Warfare School	1
Director, AJMWC, NAS Nowra	1
CSIRO Division of Fisheries Research	
Dr R. Harden-Jones, Hobart	1
CSIRO Division of Oceanography	
Dr A. McEwan	1
Library, Hobart	2
Australian Institute Of Marine Science, Townsville	
Director	1
Library	1
ACADEMIC INSITUTIONS	
University of New South Wales	
Dr J. Middleton	1
University of Sydney (Marine Studies Centre)	
Mr B.V. Hamon	1

Dr C. Jenkins	1
Dr M. Tomczak	1
UNITED KINGDOM	
Institute of Oceanographic Sciences, Brook Road, Wormley Godalming, Surrey GU8 5UB, England	1
NEW ZEALAND	
Department of Scientific and Industrial Research	1
Ministry of Agriculture and Fisheries, Greta Point Wellington (PO Box 297, Wellington NZ)	1
Director Geophysics Division (PO BOX 1320, Wellington, NZ)	1
New Zealand Oceanographic Institute	1
NEW CALEDONIA	
Centre O.R.S.T.O.M., B.P. A5, Noumea Cedex, NOUVELLE CALEDONIE	2
FIJI	
Ministry of Primary Industries Fisheries Division, Suva, FIJI	2
SAMOA	
c/- Department of Foreign Affairs, Canberra	2
TONGA	
Ministry of Lands, Survey, and National Resources PO BOX 5 Nuku'alofa TONGA	2
Spares	27
Total number of copies	123

DOCUMENT CONTROL DATA SHEET

Security classification of this page : UNCLASSIFIED

1 DOCUMENT NUMBERS

AR AR-005-422
Number :

Series WSRL-TM-31/88
Number :

Other
Numbers :

2 SECURITY CLASSIFICATION

- a. Complete Document : Unclassified
b. Title in Isolation : Unclassified
c. Summary in Isolation : Unclassified

3 DOWNGRADING / DELIMITING INSTRUCTIONS

4 TITLE

OCEANOGRAPHIC DATA REPORT FOR SOUTH WEST PACIFIC CRUISES IN THE SEAMPA SERIES. PART 1. SUMMER SURVEY DATA 1984 TO 1987

5 PERSONAL AUTHOR (S)

L.J. Hamilton and
J.A. Boyle

6 DOCUMENT DATE

September 1988

7 7.1 TOTAL NUMBER OF PAGES 148

7.2 NUMBER OF REFERENCES 31

8 8.1 CORPORATE AUTHOR (S)

Weapons Systems Research Laboratory

8.2 DOCUMENT SERIES and NUMBER
Technical Memorandum
31/88

9 REFERENCE NUMBERS

- a. Task : DST 86/142
b. Sponsoring Agency : DSTO

10 COST CODE

680165

11 IMPRINT (Publishing organisation)

Defence Science and Technology
Organisation

**12 COMPUTER PROGRAM (S)
(Title (s) and language (s))**

13 RELEASE LIMITATIONS (of the document)

Approved for Public Release

Security classification of this page :

UNCLASSIFIED

Security classification of this page :

UNCLASSIFIED

14 ANNOUNCEMENT LIMITATIONS (of the information on these pages)

No limitation

15 DESCRIPTORS

a. EJC Thesaurus
Terms

Oceanographic surveys

b. Non - Thesaurus
Terms

SEAMAP
Physical oceanography

16 COSATI CODES

0803

17 SUMMARY OR ABSTRACT

(if this is security classified, the announcement of this report will be similarly classified)

Six oceanographic surveys have been made in the south west Pacific Ocean on HMAS Cook from January 1984 to September 1987 as part of an investigation of physical and acoustical oceanographic parameters known as project SEAMAP. This report presents summer survey data for bathymetry, sea surface temperature, wind speed, sea state and swell, and from expandable bathy-thermograph (XBT) drops, and CTD and Nansen stations. Underway data are mostly presented as four-hourly discrete values on maps of ship track, forming a representative data set rather than a detailed analysis. (The summer survey tracks were also traversed in oceanographic winter; the winter data are presented in a separate report.)

Security classification of this page :

UNCLASSIFIED